
Repair and Support System

F4/F4S



NIKON CORPORATION Tokyo, Japan

F4 TROUBLE DIAGNOSTIC SYSTEM

1. The difference between the Trouble Diagnostic Systems for the F-401 (N4004) and F-801 (N8008), and that for the F4 is as follows:

The usage of the F4 Trouble Diagnostic System is totally different from that of the F-401 (N4004) and the F-801 (N8008).

In the Trouble Diagnostic System for the F-401 (N4004) and the F-801 (N8008), trouble diagnostic procedures and inspections based on communications have been included in the program file on the floppy disk provided. While in the Trouble Diagnostic System for the F4, the program file on the floppy for the previous models has been divided into following two forms:

Configuration of the F4 Trouble Diagnostic System

Item	Medium	Contents
(1) F4 check flowchart	Paper material	Trouble diagnostic procedures
(2) F4 Trouble Diagnostic System	Floppy disk	Inspections based on communications: 1. Sequence errors 2. Film advance mode 3. Reading out EEPROM data 4. Exposure data 5. Checking of each motor driving 6. Block operations

- Usage of the F4 Trouble Diagnostic System
- (1) Usually you will find pertinent items from the Trouble Diagnostic Check Flowchart in the first place. The Trouble Diagnostic Program is used only when inspection based on communication between personal computer and F4 camera is carried out. Inspection based on communication between computer and camera will be explained in the Trouble Diagnostic Check Flowchart.
- (2) The F4 Trouble Diagnostic System has been designed to find out the cause of trouble found in the F4 body. Accordingly, nothing has been discussed on the trouble caused by accessories (viewfinder, data back, battery pack, etc.) in this system.

For instance, when receiving F4S (MB-21 attached) camera for repair, check to see first of all if the trouble is found in the MB-21 or not. Then utilize the F4 Trouble Diagnostic System.


F4/F4S TROUBLE DIAGNOSTIC CHECK FLOWCHART


CONTENTS


Ite	in No	. Phenomenon	Page
Α.	Name a	and location of each press contact.	A1
в.	Malfun	oction of shutter prerelease operation	
	B-1:	Shutter prerelease operation does not work.	B1
	B-2:	Shutter prerelease timer is not turned OFF.	в3
	B-3:	Shutter prerelease timer is not turned OFF.	В5
		Exposure value does not change.	
	B-4:	Shutter prerelease timer is not turned OFF,	B5
		Malfunction of AF indicators.	
	B-5:	Shutter prerelease timer always holds for 0	
		second.	B 6
	B-6:	Shutter can be released when shutter prerele	ase
		switch is ON.	86
	B-7:	Shutter can be released continuously when	
		shutter prerelease switch is ON.	В6
c.	Malfun	ction of shutter release operation	
	C-1:	Shutter cannot be released.	Cl
	C-2:	Shutter cannot be released when film is not	
		loaded and camera back is closed.	C2
	C-3:	Shutter can be released while camera back is	
		open.	C2
	C-4:	Shutter is released when power (battery) is	
		turned ON.	C2
D.	Malfun	ction of sequence operation	
	D-1:	Sequence error.	D1
	D-1-1:	ERROR DATA (128). Voltage of DC-DC converter	
		is lower than guaranteed value.	D2
	D-1-2:	ERROR DATA (64). Sequence error of rear shut	ter
		curtain.	D3
	D-1-3:	ERROR DATA(32). Main CPU hang-up.	
		(Microprocessor is dead.)	D5
	D-1-4 ·	ERROR DATA (8) Mechanical charging error	D.S.


	G-12;	Shutter speed remains at 1/250(X) sec.	G8
	G-13:	Metering accuracy is incorrect.	G9
	G-14:	Metering value is incorrect.	G10
	G-15:	Aperture value (F-Fo) is incorrect.	G10
	G-16:	Full aperture value (Fo) is incorrect.	G10
	G-17:	Film speed value is incorrect.	G11
	G-18:	DX-coded value is incorrect.	G11
	G-19:	Exposure compensation value is incorrect.	G12
	G+20:	AE-L button is defective.	G12
	G-21:	Always in minimum aperture value.	G13
	G-22:	Always in full aperture value.	G15
	G-23:	Aperture control is unstable.	G15
	G-24:	Exposure value of aperture and shutter speed	
		controls differ by 1EV or more.	G15
н.	Malfunc	tion of AF operation	
	H-1:	Focus aid operation is unable. (Focus	
		indicators do not appear.)	Н1
	H-2:	AF lens does not operate.	Н2
	H-3:	Unstable AF lens operation.	нз
	H-4:	AF lens performs scanning operation only	
		when shutter prerelease switch is ON.	н3
	H-5:	Subject is not in focus on focusing screen	
		though in-focus indicator appears.	Н4
	H-6:	List of trouble due to disconnection of	
		lens contacts (7 portions).	н5
I.	Malfunc	tion of display	
	I-1:	Malfunction of LCD and LED displays at	
		body side.	11
	I-2:	Malfunction of focus indicators.	12
	I-3:	Malfunction of exposure compensation	
		indicator.	13
	I-4:	List of trouble due to poor press contact	
		between main FPC and display FPC.	14


1. 圧接部の名称について Name and location of each press contact.














Tダイヤル基板 FPC






	Phenomenon	Cause
B-1	Shutter prerelease operation does not work. (No display appears and camera does not operate when shutter prerelease switch is ON.)	 Contamination is present in shutter prerelease switch. Soldered portion in shutter prerelease switch is detached. Cord (blue) is pinched. (Short-circuit to the body) Soldered portion in battery contacts is detached. Contamination is present in brush of S-C dial. DC-DC converter is defective. Main FPC


** Check to see if there is short-circuit in the circuits by connecting a DC regulated power supply to the camera before starting trouble diagnostic operation.






	Phenomenon	Cause
B-2	Shutter prerelease timer is no turned OFF.	 Short-circuit in shutter prerelease switch. Short-circuit in cable release switch. Short-circuit between DC-DC converter cord (yellow) and GND 4. Main FPC is defective.
16 se	conds after shutter clease switch is turned shutter cannot be released	ove front body.
	Shutter can be released.]
	Yellow cord (CTRL) converter has been (short-circuited). if the coating is Refer to Fig. b-2-	pinched Check to see not removed. Abnormal
		Normal
	[Inspection of DC-start signal] Remove yellow cord converter (CTRL) f and measure voltag in main FPC. Correct value: App shutter prerelease Refer to Fig. b-2-	of DC-DC rom main FPC, e of the land rox. 6V when timer is OFF.
		*Main FPC is defective.
	Ye	ellow cord (CTRL)


Fig. b-2-1



	Phenomenon		Cause
B-3	Shutter prerelease timer is not turned OFF. Exposure value does not change. For example: Shutter speed does not change even when the subject is in bright or dark environment if exposure mode selector is set to A and aperture dial is set to f5.6.	1. 2. 3.	Main FPC is defective. Lock encoder FPC is defective. AE lock switch remains ON.



	Phenomenon	Cause
B-4	Shutter prerelease timer is not turned OFF. Malfunction of AF indicators.	 Main FPC is defective. Lock encoder FPC is defective. AF lock switch remains ON.
	For example: AF indicators does not appear in AF-S and AF-C modes, and AF indicators appear in AF-M mode.	



	Phenomenon	Cause
B-5	Shutter prerelease timer always holds for 0 seconds.	 Battery power for customer's camera is insufficient. (Power has been exhausted.) Main FPC is defective. AF base plate is defective. Screw on battery contact base plate is missing.

Is screw (*) fixing battery contact base plate (beneath handgrip) detached? What about the fastening condition of the screw? Refer to Fig. b-5-1.

No

Screws () (x2) fixing battery contact base plate are grounded to the body (front and back body) of main FPC.

Yes

Remove AF connector. Does shutter prerelease timer hold for 16 seconds?

Yes, it holds for 16 seconds.

*AF base plate is defective. (Temperature sensor is defective.)

It does not hold for 16 seconds.

*Temperature sensor output can be detected by "Inspection of each switch" in F4 Adjustment Program.

*Main FPC





Fig. b-5-1

	Phenomenon	Cause
B-6	Shutter can be released when shutter prerelease switch is ON.	 Short-circuit between shutter prerelease switch and shutter release switch.

[Phenomenon	Cause
B-7	Shutter can be released continuously when shutter prerelease switch is ON. (Shutter curtain does not open, film is not advanced.)	 Shutter release Mg. mechanism does not work properly or shutter release Mg. is defective. Malfunction of shutter release vertical shaft operation. Malfunction of shutter release mechanism on film advance base plate. Main FPC is defective.



	Phenomenon	Cause
C-2	Shutter cannot be released when film is not loaded and camera back is closed. Alert LED lights up (film advance error) and generates rattling sound (when shutter is released. Both shutter release and film advance operations work properly when camera back is closed and film is loaded. But if film rewind operation is performed, film rewind operation remains not to stop.	1. Film detection switch is open.

	Phenomenon	Cause
C-3	Shutter can be released while camera back is open.	 Camera back remains opened. Frame counter switch remains OFF. (LCD frame count does not return to 0.)

	Phenomenon	Cause
C-4	Shutter is released when power (battery) is turned ON.	 Short-circuit between gray cord of cable release switch and GND. Short-circuit between shutter release switch and GND.
·	The following are actual phenometwo causes.	menon of trouble attributable to above
	in each mode when power is operation does not stop.) released once in each mode cannot be performed unless Auto film loading: Shutter	er release operation goes on continuously switched ON. (Shutter release In S or self-timer mode, shutter is . Following shutter release operation power is turned OFF once. cannot be released after film is ling mode. Turn power OFF once to loperation.


Phenomenon	Cause
D-1 Sequence error	You can perform Trouble Diagnostic operation in either one of the following two methods. 1. You can check sequence error by using Trouble Diagnostic Program and find out the cause of the trouble. 2. Read out values written in EEPROM (address 30) using adjustment program and proceed trouble diagnostic operation by referring the contents to be mentioned in the following pages.


^{**}Be sure to rewrite the data written in EEPROM (address 30) to "0" before you return camera to customer.

	Phenomenon		Cause	
D-1-1	Voltage of DC-DC converter is lower than guaranteed value. EEPROM (30) -> ERROR DATA (128)		 Battery power for customer's camera is insufficient. (Power has been exhausted.) Film advance and rewind mechanisms do not work properly 	
consum First currer mechan place connect regula ammete	et value: Approx. under	Abnormal	Malfunction (operation is not smooth) in mechanism of . *Film advance base plate *Film rewind base plate	
Inspec	Normal ection of EEPROM data] et data written in EEPROM ess 25). et value: 39	Abnormal	*In correct data has been written on EEPROM.	
	Normal		*Battery power for customer's camera is insufficient. (Power has been exhausted.)	

	Phenomenon	Cause
D-1-2	Sequence error of rear shutter curtain. EEPROM (30) -> ERROR DATA (64). *Sequence error warning appears. (Alert LED blinks.)	1. Poor contact of press contact (D) 2. Shutter is defective. 3. Shutter release Mg. is defective. 4. Main FPC is defective.


Note: Rear curtain and mechanical charging switches are inserted in parallel to circuit.






	Phenomenon	Cause
D-1-3	Main CPU hang-up. (Microprocessor is dead.) EEPROM (30) -> ERROR DATA(32).	No cause of this trouble is known since this trouble has ever been occurred by now. Send Nikon detailed report on customer's specifics such as: *Location of shooting, *Type of film loaded, *Type of battery installed, *Accessories used, *Environment when trouble occurred (ex. in shutter release operation, in film advance or film rewinding operation, and others).

	Phenomenon	Cause
D-1-4	Mechanical charging error. EEPROM (30) -> ERROR DATA (8). *Sequence error warning appears.(Alert LED blinks)	plate is defective. 2. Poor press contact (A) 3. Power transistor FPC is defective.



	Phenomenon	Cause
D-1-5	X close error. EEPROM (30) -> ERROR DATA (4) *Sequence error warning appears. (Alert LED blinks.)	 Shutter unit is defective.


Note: X close error does not occur with back body alone. (Data cannot be written in EEPROM.)




	Phenomenon	Cause
D-1-6	No expected aperture pulse is output. EEPROM (30) -> ERROR DATA (2) *Sequence error warning does not appear.	 Aperture P.I gear spring tension is insufficient. Poor contact of press contact (B). Poor soldering of aperture P.I. Aperture P.I. is defective. Mechanical operation of mirror box I base plate is improper. 3.4 lever (aperture lever) is bent

	Phenomenon	Cause
D-1-7	Aperture stop down error. EEPROM (30) -> ERROR DATA (1) *Sequence error warning appears. (Alert LED blinks.)	 Aperture P.I. gear spring tension is insufficient. Poor soldering of aperture P.I. Mechanical operation of mirror box I base plate is improper.


	Phenomenon	Cause
D-2	Mirror does not move up completely. Shutter curtain does not open. Camera goes into sequence error. Rear curtain sequence error EEPROM (30) -> 64	 Poor contact of press contact (D). Charging switch is not turned ON. Disconnection of shutter speed dial FPC. Main FPC is defective.



	Phenomenon		Cause
D-3	Mechanical charging do stop. (Mirror does not move, shutter does not open		 Charging switch is defective. Shutter is defective. Mechanical operation of film advance base plate is improper. Power transistor FPC is defective. Main FPC is defective.
carried a	mical charging carried out immediately when bat	g is out ttery	[Inspection of power transistor FPC] Carried out. Cansistor
or is med	chanical charging out when shutter se switch is ON?		Remove press contact (A), and check operation. Carried out. transistor FPC is defective.
	Mechanical charging is carried out when shutter prerelease switch is ON.		Mechanical charging is not carried out.
condition the stat	ion of shutter charging on is shutter curtain in e that shutter charging oted? (Dual curtains)	c c	Inspection of press contact (A), main FPC Tean press contact (A), ind check operation of ter reassembling. Mechanical charging is carried out. Operation is normal. Poor press contact (A). Short-circuit due to present of foreign matter.
	Rear curtain Front curtain tter viewed from	Charging is	Main FPC is defective, s not completed.
Remove	Charging is completed. millimet charging charging shutter	ters durin g operatio g is compl charging	es up and down in several ng continuous mechanical on when either shutter leted (dual curtains) or is not completed (rear down fully).
	Cha	arging swi	
			mechanism unit is defective.
Remove g	ion of charging switch) gray cord(charging switch), k operation. Fig.d-3-1. Mechanical charging i		*Short-circuit of charging switch. *Soldering waist is present in
	shutter prorelease sw	itch is Of	charging switch.




	Phenomenon	Cause
D-4	AF filter remains operating when shutter prerelease switch is ON or film rewind motor remains operating.	 Film rewind vertical shaft gear is damaged. Operation of AF filter change over driving base plate is improper. Poor contact of AF filter switch. Poor contact of AF connecter. AF base plate is defective.



[Inspection of AF filter switch] Is AF filter switch cords (yellow and green) switched over properly when AF filter switching lever is moved toward arrow "a" and "b"? (Table) Normal

	"a" direction (AF filter)	"b" direction (general filter)
Yellow cord Green cord		Infinity



You can see AF base plate (yellow, green cords) when bottom main FPC is raised.

Abnormal

*Malfunction of AF filter driving base plate

*Poor contact of AF filter switch. Switch ON stroke is defective and switch is contaminate.

Inspection of AF filter driving base plate (correct one): When you remove front body and push AF filter select lever lightly with tweezers, the AF filter select lever slides by itself due to tension of spring built-in AF filter driving base plate.



AF filter select lever AF base plate

Clean AF connector, check | Operation is normal. operation after reassembling.

Normal

*Poor contact of AF connector.

Operation is abnormal.

*AF base plate is defective.

·- · <u>-</u> -	Phenomenon	Cause
D-5	Operation stops when mirror moves up. Shutter prerelease switch cannot be turned ON afterward (or power cannot be ON).	1. Oscillator is defective.(8MHz oscillator for main CPU)

	Phenomenon	Cause	
E-1	Preliminary film advance does not work.	1. Poor contact of frame counter switch 2. Poor contact of camera back switch	

(Inspection of frame counter switch) (Phenomenon occurred when frame counter switch is open.) Ordinary shutter release operation and film advance operation are carried out normally, through preliminary film advance and auto film loading operations do not work. But frame counter in viewfinder does not return to "0" when camera back is opened after film rewind operation is completed. When shutter prerelease switch is turned ON after pushing film detection lever while camera back is open, a spool rotates for approx. one second and alert LED (End of roll indicator) lights up. (Film advance error.)

Yes *Frame counter switch is open.

No

(Inspection of camera back switch) (Phenomenon occurred when camera back is open.)
Shutter can be released while camera back is

When shutter release switch is turned ON after pushing film detection lever while camera back is open, alert LED (end of roll indicator) lights up generating mechanical charging sound. (Film advance error.)

*Camera back switch is open.

No

E-4 Spoor motor does not rotate. Refer to page E3.

Yes

	Phenomenon	Cause		
E-2	Auto film loading does not work.	1. Poor contact of frame counter switch.		

(Inspection of frame counter switch) (Phenomenon occurred when frame counter switch is open.) Ordinary shutter release operation and film advance operation are carried out normally, though preliminary film advance and auto film loading operations do not work. But frame counter in viewfinder does not return to "0" when camera back is opened after film rewind operation is completed. When shutter prerelease switch is turned ON after pushing film detection lever while camera back is open, a spool rotates for approx. one second and alert LED (end of roll indicator) lights up. (Film advance error.)

Yes *Frame counter switch is open.

No

Spool motor does not rotate. Refer to page E3.


E-4

	Phenomenon		<u> </u>	Cause
E-3	Film advance error. roll indicator (red lights up.)		Swite	contact of camera back
	Is auto film loading tion normal?	Abnormal.		*Frame counter switch is open.
			11	
	Spool motor does not	rotate.	H	
	Spool motor does not Is preliminary film ce operation normal?	Abnormal		*Frame counter switch is open. *Camera back switch is open.
	Is preliminary film	Abnormal		

	Phenomenon	Cause
E-4	Spool motor does not rotate.	 Poor contact of AF connector. Poor contact of film advance completion switch. Poor contact of press contact (D) Power transistor FPC is defective. Main FPC is defective. AF FPC is defective.


^{**}Make inspection in the order of [A:***] ~ [D:***] in case of the trouble "Spool motor does not rotate."

[A: Inspection of AF connector]




(B: Inspection of film advance completion switch)

[Inspection of film advance completion switch] *With a personal computer: it is possible to ON/OFF inspection of film advance completion switch using adjustment program.



[C: Inspection of power transistor FPC, spool motor]



[E: Inspection of main FPC]

[Inspection of main FPC spool motor driving output]
Set camera back switch OFF or set frame counter "1" or more, measure voltage between Pl and GND of main FPC while shutter release switch is ON.
Correct value:
5.5V (shutter release switch is OFF.)
OV (after shutter release switch is ON)
Refer to Fig. e-4-5.

Remains 5.5V. *Main FPC is defective.

Normal

Check again carefully to see if you have missed the inspection.








Fig. e-4-5






	Phenomenon	Cause
G-1	Exposure control is abnormal.	 Poor contact of press contact (D). Shutter speed dial base plate is defective. Main FPC is defective.










Shutter speed dial base plate

Fig. g-1-1







	Phenomenon	Cause
G-2	Shutter speed setting is unstable.	 Shutter is defective. 3. 4.

	Phenomenon	Cause
G-3	No adjustment of high shutter speed accuracy (1/8000, 1/4000 sec.) is possible.	1. Shutter is defective. 2. Data on EEPROM (11) is incorrect. 3. 4.

	Phenomenon	. Cause
G-4	Shutter curtain does not open sometimes.	1. Shutter is defective. 2. 3. 4.

	Phenomenon	Cause
G-5	Shutter curtain does not open.	 Shutter is defective. Poor press contact (D) Main FPC is defective.

"If the same trouble occurs even when shutter is replaced (press contact (D) is cleaned), main FPC is defective.

	Phenomenon	'	Cause
G=6	Shutter bound.	1. 2. 3.	Shutter is defective.

	Phenomenon	Cause
G-7	Shade appears on frame (upper part). Film	1. Shutter is defective.

Notes on suffix:

E, F:

No measures have been taken. (It is possible that rear curtain does not return or focusing screen is shaded.)

G, H, JH, JHG, ...L: Measures have been taken temporary. It is less possible that rear curtain does not return or focusing screen is shaded. If it occurs, send the defective shutter back to Nikon with a reporting sheet.)

K, and after:


Measures have been taken. (If trouble has occurred, send defective shutter back to Nikon with a reporting sheet.)

	Phenomenon	Cause
G-8	Shade appears on frame, underexposure (lower part).	1. Charging cam is defective.
	Film Spool side	


	Phenomenon	Cause
G-9	All shutter speeds of 1/125 sec.or higher are set to 1/60 sec.	 Shutter is defective. Poor press contact (D) Main FPC is defective. 4.

	Phenomenon		Cause
G-10	Some of shutter speeds on dial do not change when shutter speed dial is rotated.	2.	Shutter speed dial base plate is defective. Poor press contact (D) Hain FPC is defective.

	Phenomenon	Cause
G-11	Shutter speed remains at 1/8000 sec.	 Poor press contact (D) Shutter speed dial base plate is defective. Main FPC is defective.




	Phenomenon	Cause
G-12	Shutter speed remains at 1/250 (X) sec.	 Shutter speed dial base plate is defective. Poor press contact (D) Main FPC is defective.




	Phenomenon	Cause
G-13	*Only spot metering accuracy is incorrect.	 Main FPC is defective. 3.

Example: Exposure display shows 1/250 sec. though shutter speed dial shows 1/30 sec.




	Phenomenon	Cause
G-14	Metering value is incorrect.	1. Main FPC is defective. 2.

	Phenomenon	Cause
G-15	Aperture value (F-Fo) is incorrect.	 F-Fo base plate is defective. Poor contact of F-Fo pulley (brush). Main FPC is defective.




	Phenomenon	Cause
G-16	Full aperture value (Fo) is incorrect.	 Fo base plate is defective. Poor contact of Fo brush




	Phenomenon	Cause
G-17	Film speed value is incorrect.	 Poor contact of film speed dial brush. Short-circuit or disconnection of circuit patterns in film speed dial. Main FPC is defective.


	Phenomenon	Cause	
G-18	DX-coded value is incorrect.	 Poor contact of DX pins. Poor contact between DX pins and DX FPC. Film cartridge is defective. Poor press contact (E). Main FPC is defective. 	




	Phenomenon	Cause	
G-19	Exposure compensation value is incorrect.	 Shutter speed dial base plate is defective. Poor contact of press contact (D). Main FPC is defective. 	



	Phenomenon	Cause
G-20	AE-L button is defective.	 Lock encoder FPC is defective. AE-L switch is defective. Main FPC is defective.




Phe	enomenon	Cause
G-21 Always in m. value.	inimum aperture	1. Foor contact of AF connector. 2. Poor contact of press contact (B). 3. Aperture P.I is defective. 4. Aperture Mg. is defective. 5. Tension of aperture gear speedup spring is defective. 6. Mirror box mechanism is defective. 7. Main FPC is defective.





[Inspection of aperture Mg. ON signal] Check to see if aperture Mg. ON signal is output after shutter release operation using oscilloscope.




No signal is output.

*Main FPC is defective.

Signal is output.

[Inspection of aperture Mg. ON operation]

Check to see if "click" sound can be heard when collector of Q5 is short-circuited to GND (diecast) while shutter prerelease timer is ON.



No sound can be heard.

*Aperture Mg. is defective.

Sound can be heard.

[Inspection of mirror box mechanism]
Mount lens on camera, and check to see if
lens aperture is in full aperture when
shutter is released while release switch is
ON in the same conditions (aperture Mg is
being operated) as mentioned above
[Inspection of aperture Mg. operation].

Not in full aperture.

*Mirror box mechanism is defective.

In full aperture.


*Tension of aperture speed-up gear spring is defective, (270° normally).


Phenomenon	Cause
G-22 Always in full apert value.	 Poor contact of AF connector. Mirror box mechanism is defective. Aperture Mg. is defective.


Phenomenon		Cause	
G-23	Aperture control is unstable.	 Poor contact of AF connector. Mirror box mechanism is defective. Poor soldering of aperture P.I. 	

	Phenomenon	Cause
G-24	Exposure value of aperture and shutter speed controls differ by 1EV or more.	 Tension of aperture speed-up gear spring is defective. 3. 4.

	Phenomenon	Cause
H-1	Focus aid operation is unable. (Focus indicators x▶●◀ do not appear.)	 Foor contact of AF connector or it is contaminated. Disconnection or detachment of soldering of orange cord. AF base plate is defective. DC-DC converter is defective. Main FPC is defective.








Note: The way of AF operation may vary depending on the size or location of foreign matter. Example: When a relatively large piece of foreign matter is present on the AF filter, the lens may operate little by little and come into focus.

	Phenomenon	Cause
H-4	AF lens performs scanning operation only when shutter prerelease switch is ON.	 Foreign matter is present on AF filter or AF sensor. Poor soldering of AF.PI. Mechanical operation of AF.PI is improper. AF base plate is defective.

AF scanning operation: Usually AF lens moves from infinity to near and near to infinity once immediately after shutter prerelease switch is turned ON when nothing has been detected on AF sensor (or not in focus).

	Phenomenon	Cause					
н-5	Subject is not in focus on focusing screen though infocus indicator appears.	filte 2. Angle mirro 3. Body 4. AF ad	gn matter is present on AF r or AF sensor. of 45° between main and sub rs is incorrect. back is defective. justment is improper. mer's lens is defective.				
	amera come in focus when or tool is mounted?	Yes	*Customer's lens is defective.				
	Abnormal						
Press by place 20cm to check	anning operation) shutter release button lightly cing a white piece of paper at o 30cm away from the lens. Then to see if lens moves forward ckward once and stops.	Yes	*Foreign matter is present on AF filter or AF sensor. Foreign matter is present on main mirror or sub- mirror, or mirror or sub- mirror are contaminated.				
	dependi: matter. foreign	ng on the si Example: Wh matter is p	operation may vary ze or location of foreign en a relatively large creater on AF filter, the ttle by little and come into				
an	the angle between main mirror d sub-mirror 45°? body back correctly fit?	Abnormal	*Adjustment Mirror box is defective. Front plate is defective.				
	Normal						
	<u> </u>		*AF base plate is defective.				


H-6 List of trouble due to disconnection of lens contacts (7portions).



Terminal No.	Terminal name	Pher (AF	Phenomenon (AF lens for F3)	
A	vcc	Focus aid is possible AF does not work. No communication with flash.	and "S" modes.	
В	RWI	AF does not work.	Does not change to "2" and "5" modes. (Remains in "A" mode.)	No trouble can be detected.
С	CLK (Wide -> Tele)	AF does not work.	Does not change to "P" abd "S" modes. (Remains in "A" mode.)	In Wide -> Tele mode, lens moves but does not focus. In Tele -> Wide mode, lens does not move. Focus aid is possible.
Đ	SI/O (Tele -> Wide)	AF does not work.	Does not change to "P" and "S" modes, (Remains in "A" mode.)	In Tele -> Wide mode, lens moves but does not focus. In Wide -> Tele mode, lens does not move. Focus aid is possible.
E	RW2	No trouble can be detected.		Does not work.
F	VCC (relative distance)	No trouble can be detected.		Does not work.
G	GND	Focus aid is possible. AF does not work. No communication with flash.	Does not change to "P" and "S" modes. (Remains in "A" mode.)	Does not work.


	Pheno	menon		Cause			
-1	in display at Find cause of	dy side. ds to the trouble body side only. trouble using each n metering and AF	1. Poor contact of press contact (F). 2. Display FPC is defective. 3. Main FPC is defective. 4.				
perso	display using onal computer stment program).	Normal		*Main FPC is defective.			
	Abnormal, or n communication is possible.	If press contact to display FPC is not connected, community impossible.	correctly	1			
Remo body	ve front						
in di with *If o is av	ace press contact isplay FPC press new type. only old type of vailable, replace one not used. See w.	connector Normal it with		*Poor contact of pres contact (F).			
	Abnormal	 _					
	ace display FPC			*Display FPC is			
	with new one.			defective.			
		Normal		defective.			

Note 1: Take special care for handling connector used in old type of display press contact for it is very sensitive. Replace old type of connector with new one as much as possible.



	Phenomenon	Cause
1-3	Malfunction of exposure compensation indicator (+/-). It does not light up. It remains lit It lights up but is unstable.	 Poor contact of press contact (F). Poor contact of press contact (D). Shutter speed dial base plate is defective. Display FPC is defective. Main FPC is defective.

If LED lights up due to gap of exposure compensation dial at position 0, replace the dial.





List of trouble due to poor press contact between main FPC and display FPC. Conditions: Lens: AF50mm f/1.4, with no viewfinder, and illuminator switch being ON. Replace old type of press contact with new one as much as possible.

Display at body side.	Name of land of press contact.	
*LCD display with the no viewfinder to the mounted. *Exposure compensation to display to the mounted to the mou	1: LCD, 3V 2: SB.STBY1 3: DISPLAY, OFF 4: LCD.RST 5: LC.I/O2 6: LCD.CLK2 7: LCD.I/O2 8: LCD.5V 9: LCD.GND	


Phenomenon	when each land	at press contact	becomes disconn	ected (oper	1).	
	LCD display	LED display	Illuminator	Shutter release	AF operation	Others
1: LCD.3V	Normal	No display appears.	Does not light up.	Normal	Normal	
2: SB.STBY1	Normal	Normal	Normal	Normal	Normal	Not applicable without viewfinder and flash.
3. DISPLAY OFF	Display does not go out when mirror moves up.	Display does not go out when mirror moves up.	Does not go out when mirror moves up.	Normal	Normal	
4: LCD.RST	No display appears.	No display appears.	Does not light up.	Normal	Normal	·
5; LC.I/02	No display appears.	No display appears.	Does not light up.	Normal	Normal	
6: LCD.CLK2	No display appears.	No display appears.	Does not light up.	Normal	Normal	
7: LCD.I/02	Both LCD/LED a light up but u flicker.			Normal	Normal	
8: LCD.5V	No display appears.	No display	Does not light up.	Normal	Normal	
9: LCD.GND	No display appears.	No display appears.	Does not light up.	Normal	Normal	

display LCD	LED display	Illuminator	Release	AF operation	Others
Normal	Normal	Normal	Normai	Normal	Normal without viewfinder and flash.
release op After shut mirror mov	eration. ter release es up and re	operation,	Normal	Normal	
operation. operation, illuminator release ope	After shutt display and r go out and eration become	er release	Impossible	Normal	
No display appears.	No display appears.	Does not light up.	Impossible	Impossible	Power is applied and holds for 16 seconds.
No display appears.	No display appears.	Does not light up.	Normal	Normal	
No display appears.	No display appears.	Does not light up.	Normal	Normal	
up.	•		Normal	Normal	
No display appears.	No display appears.	Poes not light up.	Impossible	Impossible	Current flows instantly when shutte preralease switch is turned ON, but it doe not hold for 16 seconds.
	Normal pri release op After shut mirror mov LED lights Normal pri operation. operation. illuminator release ope impossible No display appears. No display appears. Both LCD ar up. (All segmen light up.) No display	Normal Normal Normal Normal Normal Normal Normal prior to shutterelease operation. After shutter release mirror moves up and release operation. Normal prior to shutter operation. After shutter operation, display and illuminator go out and release operation becoming of the shutter operation. No display appears. Soth LCD and LED display appears. Both LCD and LED display appears. No display No display appears. No display No display appears.	Normal Normal Normal Normal prior to shutter release operation. After shutter release operation. Mormal prior to shutter release operation. Mormal prior to shutter release operation. After shutter release operation. After shutter release operation, display and illuminator go out and shutter release operation become impossible. No display No display Does not light up. No display No display Does not light up. No display appears. light up. No display appears. light up. Soth LCD and LED display light up. (All segments of LCD and LED light up.) No display No display Does not light up.	Normal Normal Normal Normal Normal Normal Normal Normal Normal prior to shutter release operation. After shutter release operation. LED lights up. Normal prior to shutter release operation. After shutter release operation. After shutter release operation, display and illuminator go out and shutter release operation become impossible. No display No display appears. No display appears. Poes not light up. No display No display Does not light up. No display appears. Light up. No display appears. Light up. Soth LCD and LED display light up. (All segments of LCD and LED light up.) No display No display Does not light up.	Normal release operation. After shutter release operation, mirror moves up and ready-light LED lights up. Normal prior to shutter release operation. After shutter release operation. After shutter release operation, display and illuminator go out and shutter release operation become impossible. No display No display Does not light up. Both LCD and LED display light Normal Normal Normal up. (All segments of LCD and LED light up.) No display No display Does not Impossible Impossible light up.)





[Inspection of triac base plate] can be performed by attaching triac base plate (correct parts) externally as shown in the figure below and check flash firing.



Make sure that there are old and new combinations in main FPC and triac base plate. Refer to Technical Information bulletin (Ref. No.: F4-890026).

If you mounted old and new combinations reversely (without making any corrective measures), the following trouble occurs.

1. Old FPC + New triac base pate

Current flow display (250mA) does not appear when shutter prerelease switch is turned ON. Shutter can not be released.

Rear curtain sync flash even in T (time) mode (with SB-24 mounted.)

Z-1 List of trouble due to disconnection of each pin of 24-pin AF connector. Conditions: DP-20 and AF50 F/1.4 lens are mounted.

No.	Land name	Phenomenon
1.	AF-GND:	*No trouble can be found.
2.	AF-A5V:	*In AF-S and M modes, exposure and AF indicators do not appear. Shutter release operation is impossible. *All are in "A" mode except AF-C and exposure mode "M". AF indicator does not appear. Shutter release operation is possible. *AF-filter change over operation is repeated slowly for 16 seconds after auto film loading.
3.	AF-ABLE:	*In AF-M mode and focus aid operations are possible. Shutter can be released. *In AF-S and C modes, lens vibrates slightly and goes in focus. Shutter release operation is possible. *AF filter change over operation is done little by little and stops. *Exposure display is normal.
4,	RLS-ABLE:	*In AF-M mode, focus aid and shutter release operations are possible. *In AF-S mode, Shutter can be released even when subject is not in focus. (Sometimes shutter can not be released.) *AF-C mode is normal.
5.	AF-RESET:	*Exposure display is normal. *All are in "A" mode except exposure mode "M". *Auto film loading is impossible, shutter cannot be released. (Shutter can be released when film is not loaded.) (During shooting, shutter release and film rewind operations become impossible.)
6.	AF-R.SW Sig:	*No trouble can be found.
7.	AF-H.Sing:	*In AF-M mode, focus aid and shutter release operations are possible. *In AF-S mode, no AF indicator appears and shutter release operation is impossible. *In AF-C mode, no AF indicator appears and shutter release operation is possible. (Either one of focus indicators lights up during shutter release operation.)
8.	AF.R.Sig:	*No trouble can be found.
9.	FD-1:	*AF filter change over operation does not work after auto film loading. *Others are in normal.
10.	AF-D.GND:	No trouble can be found.
	L.E.A.:	*All are in "A" mode except exposure mode "M". *AF indicator does not appear. *In AF-M mode, shutter release operation are not possible. *In AF-S, C mode, shutter release operation are possible. *No auto film loading is possible.
12.	FD.O:	*After auto film loading, film rewind motor rotation does not stop.
13.	CTL3:	*AF indicator does not appear. *Lens does not operate. *All are in "A" mode except exposure mode "M". *Auto film loading is impossible. *Shutter cannot be released. (Shutter can be released when film is not loaded.)

14.	FILTER:	*No trouble can be found.
15.	LD:	*No trouble can be found.
16.	AF-D5V:	*No trouble can be found.
17.	DC:	"All are in "A" mode except exposure mode "M". (Others are in normal.)
18.	AF-3V:	*In AF-M mode, focus aid and shutter release operation are possible. *In AF-S, C modes, hunting occurs at in focus position. (Sometimes shutter release operation is possible.) *Volume of scanning is insufficient.
19.	AF-12V:	*AF indicator remains to show "X" and does not change. *In AF-M mode, shutter can be released. *In AF-S mode, shutter cannot be released. *In AF-C mode, there is time lag from shutter release switch is ON until shutter is released. Shutter cannot be released by pressing shutter release button slightly.
20.	AF-CLK:	"AF indicator does not appear. "Lens does not operate. "Shutter can be released. "All are in "A" mode except exposure mode "M" "Film is loaded, auto film loading is impossible. Shutter cannot be released. (During shooting, above phenomenon occurs and film rewind becomes impossible.)
21.	CTL1:	*All are in "A" mode except exposure model "M". *No other trouble can be found.
22.	AF-1/0:	*AF indicator does not appear. *Lens does not operate. Shutter can be released. All are in "A" mode except exposure mode "M". *Film is loaded, auto film loading is impossible. Shutter can be released.
23.	CTL2:	*No trouble can be found.
24.	(NC):	

- * When either one of following pins is disconnected, the trouble can be detected through communication inspection to front body. Pin 2, 5, 13, 20, or 22
- In AF connector at AF base plate side in some of the initially produced bodies, double coated adhesive tape has been used as an adhesive agent. In this body, the connector may become disconnected because the tape protrudes out of the connector. Fully clean the connector using alcohol, and insert in the 24-pin connector at main FPC side.

 If double coated adhesive tape is found in 24-pin connector at main FPC side, replace the 24-pin connector.



Z-	-2	List o	f trouble	due	to	disconnection	ο£	cords	around	film	
		advanc	e base pl	ate.							

1.	Charging switch (gray cord) remains ON or short-circuit to body.			
Phenomenon	It performs continuous mechanical charging when shutter release button is pressed lightly.			
2.	Charging switch is disconnected or not turned ON.			
Phenomenon	Camera back opened: It performs continuous mechanical charging when shutter is released. Camera back closed: Mirror does not move smoothly during mirror moving up, and sequence error display appears after mirror moves down.			
3.	Film advance completion switch (white cord) remains ON or short- circuit to body.			
Phenomenon	External alert LED lights up when shutter release button is pressed lightly.			
4.	Film advance completion switch is disconnected or is not turned ON.			
Phenomenon	[Film loaded]: Spool motor does not rotate. (Auto film loading is impossible.) In mechanical charging only, blank exposures are repeated.			
5.	Mechanical charging switch (gray cord) and P.I cord (pink cord) are short-circuited.			
Phenomenon 1	(Film not loaded, or camera back opened or closed): (1) Mechanical charging is performed little by little when shutter is released. (2) Spool motor does not rotate.			
Phenomenon 2	<pre>[Film loaded]: (1) Auto film loading is impossible, spool motor alone rotates and advances film when shutter release button is pressed lightly, alert LED lights up at end of roll and spool motor stops. (2) Auto film rewinding is impossible.</pre>			
6.	Either one of P.I cords (green, blue, pink) is detached. Either one of P.I cords (green, blue, pink) is short-circuited to each other. Either one of P.I cords (green, blue, pink) is short-circuited to GND.			
Phenomenon	Cs mode becomes CH mode. Other operations are normal.			
	<u></u>			

2-3
List of trouble due to poor soldering between main FPC and nine soldered portions of DB/FD/DX FPCs.
Conditions: DP-20, SB-24, and AF zoom lens are mounted.


List of trouble when each land of nine soldered bridges is disconnected (open).					
	Body side	Viewfinder side	Flash side	Other	
Inspection items	LCD/LED display Display illuminator Shutter release AF operation Shutter speed	LCD display Display illuminator	Communication (zoom, aperture, film speed) Firing Light output measurement		

Check the cause of trouble carefully before starting repair procedures because the cause of trouble may be found in body, viewfinder, or flash.

*List of trouble was made after having made inspection of each item of above items.

*No description was made for the items in which no trouble was found. (Blank)

("No trouble can be found" does not mean that operation is normal.) For example, no communication is made between body and flash in the list of trouble, you can confirm it by checking that LCD panel of flash (SB-24) does not change when operating film speed dial in body, zooming lens, or controlling aperture.



Land name	Phenomenon at body side	Phenomenon at viewfinder side	Phenomenon at flash side
58 READY2	Flash ready-light does not light up. Does not change over to sync shutter speed		No communication between flash and body.
SB STOP2			No communication between flash and body.Flash fires fully in TTL mode.
\$B TTL			No communication between flash and body. TTL-BL is impossible.
₹0 5V	Flash ready-light does not light up. Does not change over to sync shutter speed.	No display appears.	No communication between flash and body. Flash fires fully in TTL mode.
FD GND		No display appears,	
FD 3V	Shutter cannot be released. No LCD display appears. Illuminator does not light up. AF indicators and operation are normal.	No display appears. Illuminator does not light up.	No communication between flash and body.
FD CLK	LCD display is stable. FD detection indicators appear alternately.	No display appears. Illuminator does not light up.	,
FD I/O		Metering mode does not change over.	
FC 1/0		No display appears. Illuminator does not light up.	