
OM 707 OM 77AF REPAIR MANUAL

OLYMPUS OPTICAL CO., LTD.

EXPLANATION OF MARKS

1	Indicates parts that are supplied both as a single piece and as an assembled unit. In the latter case, the single part is incorporated in the assembled unit indicated with the mark () are not supplied in single pieces. (Parts that are supplied only in single pieces are not indicated with any mark. While parts that are supplied as an assembled unit are prefixed with "Z" or "U".)
]	Several types of parts for the same position are available, from which most suitable one is to be selected.
* 3	Parts differ according to different models and types. This mark is used to indicate various combinations in a picture.
\cap	Left-handed screw. The mate screw hole is not marked particularly.
	Indicates parts that should not be touched directly by bare hand because special surface treatment is applied. Wear fingerstalls or use tweezers.
*	Not supplied as a repair part.
	Used exclusively for black finish models.
	Indicates original parts. New, modified ones are not indicated with this mark. Both original and modified parts are supplied.
	No more available parts due to design change or out of stock.
> <	A correction mark. Parts with this mark are not available.
< 2 >	Modified parts that are unable to show in the technical manual. The figure indicates reference page number.
2-A3	This notation is entered in the "Remarks" column of parts list and indicates parts position in the technical manual. 2-A3 — Parts position. The technical manual is divided into 16 equal sections. Each section can be identified by using A, B, C and D from left to right and 1, 2, 3 and 4 from top to bottom. Indicates page number in which the technical manual appears. However, 1/1 (page 1 of 1) is not indicated particularly.



CB400900 3 CB402900 C#402200-**CB400100** -PUTB2x5SB MODEL HOUSE CODE or UNIT FIG. OLYMPUS POWER FLASH GRIP 300 AGP 12 171 ZD416800 OLYMPUS OPTICAL CO, LTD. TOKYO, JAPAN

CB401300-

2


(1)20416700

CB402800

NP-3 0587

AGP12

部		部品名	備	考	単価	個数	7.00	76 .	40 F2 4-					AGP12
CB400				_		_	- #		部品名		備	_ <u>考</u> _	単価	個数
CB400			1-A: 1-B:		250	1	ZD416	-	EL\$/\(\mathbf{i}\)		1-C2		1600	1
CB400		-	1-B		350	1	ZD416	-	REL-SW		1-84		400	1
CB400				_	500	1	ZD416		カムイタ		1-B3		200	1
CB400			1-D3 1-B3		250	1	ZD416		ストロギクミ		1-A2		1000	1
C8400			1-04		200	1	ZD416	800	デンチフタ		1-B4		350	1
CB400			1-04 1-A3		150	1								
CB401			1-A3		100	1								ļ
CB401			1-B3		100	1								
CB401			1-03		100	1								
CB401		モドシバネ	1-03 1-83		150	1	RJJ0		ルド 線	黒		10m	250	J
-5401	300	Crant	1-00	,	150	1	RJJ2		リード 線	赤	長さ		250	
CB4020	กกก	B セッペン	A 1-B3		000	!	RKJ4		リード線	黄	長さ	10⊯	250	- 1
CB402		B セラベン			200	1	RKJ6		リード 線	Ħ	長さ		250	ļ
CB402		オサエイタ			200	1	RKJ9		リード線	白	長さ	10m	250	
CB4028		S Ni≱	1-A3		100	1								
CB4029		AT D	1-42		50	1								
CB4023			1-A3		50	1	TBJN		チューブ		長さ	5m	100	ĺ
CB4030		S IL	1-A4		200	1	TNJN		チューブ		長き	5m _	100	- 1
		ゼサエン	1-B3		50	1								
CB4040		シール	1-D3		50	1								
CB4041		G キバン	1-B3		400	1	PSTB2	×3.	5SA				20	1
CB4042		SWキバン	1-C2		350	1								ŀ
CB4043	300	ストッパ	1-A3		50	1								- 1
							PUTB1.	6 ×	3SN				20	ļ
							PUTB1.	7 U	o e n					
CF0816	00	GS4#	1-D2		100	1	LAIDI.	(^	22N				20	
CF0821		REL /i≯	1-C4		50	i	ממונם	w 9	ČCD.					- 1
CF0822		GS/i#	1-04		50 50	7	PUTB2		-				20	
CF0826		G セッテン	1-C3		100	7	PUTB2						20	
CF0829		REL #9>	1-03 1-04		100	í	PUTB2						20	
	••		1.04		100	1	PUTB2						20	
						1	PUTB2	_					20	
						ı	PUTB2	×5;	SN				20	Ī
DC5017	00	M コンデンサ	C101 1	-B2	700	1			•					
DL0722		H トランス		-C2	400	$\begin{array}{c c} 1 \\ 1 \end{array}$								
DQ04400		オオン	DS102 1		250	1								
DS03180		トランジスタ		- C2	200	1								
	•	. , , , ,	#D01 1	- 62	200	1								
						- 1								
														j
						j			•					1
]								ĺ
						J								J
						1								1




	EXPLODED PART	TS DIAGRAM					
	MODEL	HOUSE CODE or UNIT	FIG				
	OLYMPUS POWER GRIP 100M	AGB4M	171				
0687	DLYMPUS OPTICAL CO., LTD. TOKYO, JAPAN						

OLYMPUS POWER GRIP 100M

PARTS LIST

AGB4M

CF080400 CF081200	NAME OF PARTS G FRONT COVER	WOTE	PARTS No. NAP	IE OF PARTS	NOTE
CF080400 CF081200	G FRONT COVER				
CF081200		1-03	PUTB 1.6× 3 SN	SCREW	
	G BOTTOM PLATE	1-A3	PUTB 1.6× 4 SB	SCREW	
CC001288	BODY KOOKER	1-03	PUTB 1.6× 6 SB	SCREW	
CF08 300	D SPRING	1-02	PUTB 2 x 4 SB	SCREW	
CF081500	SIDE RUBBER	1-B3	PUTB 2 x 5 SW	SCREW	
CF081600	GS PLATE	1-82			
CF081800	GUIDE PIN	1-03			
CF082100	REL SPRING	1-01	3PUTB 1,6×3,5\$N	SCREW	
	GS SPRING	1-A2			
CF082300	GS SPRING 2	1-A2.B3	PSTB 2x3,5 SN	SCREW	
	G BOTTOM PLATE 2	1-03	PSTB 2x 7 SM	SCREW	
	G CONTACT	1-82			
	B SEAL 2	1-03			
	B SEAL	1-03			
	G REAR COVER H	1 - A 3			
	F TOP COVER M	1-02			
	CONTACT HOLDER H	1-82			
	BOTTOM BASE N	1-01			
	REL BUTTON M	1-01			
CF084100	SW HOLDER	1-02			
DK300400	CORD CONNECTOR	1-C2			
ZC622700 1	AL CIRCUIT BOARD	1-A3			
ZC704200 E	BATTERY LID	1-04			
20709400	WITCH .	1-01			
20709500) WALL	1-02			
		}			
		}			
		·			



EXPLODED PARTS DIAGRAM

MODEL HOUSE CODE OF UNIT FIG

RECORDATA BACK 100 ABD-1 1/1


OLYMPUS OPTICAL CO., LTD. TOKYO, JAPAN


OLYMPUS OM-AF SYSTEM RECORDATA BACK 100


1/1


ABD-1

NP-3 0487	•			
PARTS NO.	NAME OF PARTS	NOTE	PARTS NO. NAME OF	PARTS NOTE
CE497700	FP TAPE 2	B2	SCR PUTB1.6x3SR	EW
CE857800	P LIGHT PROOF	C2		
CE966300	D CONTACT SPRING	Cl	PSTB1.6x2.5SN	
CF045200	RC SHAFT	A2	E R	ING
CF045300	RC SHAFT SPRING	A2	ER-2SN	
CF045400	RC SHAFT SCREW	B.2		
CF045600	LOCK PLATE A	C2		
CF045700	WINDOW	B2		
CF046100	F GUIDE A	B3		
CF046200	F ROLLER A	A4		
CF046300	GUIDE SPRING A	В3		
CF046400	GUIDE SHAFT A	B4		
CF046500	SK ROLLER 1	B3		
CF046600	SK ROLLER 2	B3.B4	•	
CF085300	P.P HOLDER	C3		
CF085500	P. SPRING	C3		
CF085600	CONTACT BASE	C1		
CF085700	D CONTACT	C1		
CF085800	D GRIP	A2	•	
CF086300	D BUTTON	C3		
CF086500	B TAPE	B2		
ZC618400	D CIRCUIT BOARD	C2		
ZC618500	CIRCUIT BOARD UNIT	D2		
ZJ705200	REAR COVER D	C2		
ZJ705300	PRESSURE PLATE	C3	•	
ZJ705400	F GUIDE	B3		

















E	XPLODED	PARTS	DIAGRAM	
	MODEL		HOUSE CODE or UNIT	FIG.
(OM-707			6/9
OLVMB	US OPTICA	L CO. LT	D. TOKYO, JAPAN	

9487L








EXPLODED PARTS DIAGRAM

MODEL	HOUSE CODE or UNIT	FIG.
OM-707	ADS I	7/9
OLYMPUS OPTICAL CO. LT	D TOKYO JAPAN	



PARTS LIST

ADS 1 1/5

PARTS NO.	NAME OF PARTS	NOTE	FARTS NO.	NAME OF PARTS	NOTE
CA888B00	MOUNT SPRING	5-C4	CF023600	SENSER SCREW	7-B4
CA937700	GUIDE	9D3	CF024000	M LENS	4-83
			CF024100	SBC COVER	4-83
			CF024200	FILTER	4-C3, 5-E1
2576000	L INSULATOR	8-34	CF024400	PIN GUIDE	7-D2
CE857800	P LIGHT PROOF	3-C1	CF024500	AV SWITCH	5D3
			CF024600	AV CONTACT	5-03
ATT 4 A T L A			CF024700	insulation dass	5-03
CF002500	AS GRAP 2	6-43	CF024800	M DUMPER	7-02
CF002700	AS GEAR	6-A3	CF025200	G STOPPER PLATE 1	
CF002800	DIA SPRING	6A3	CF025300	G STOPPER SPRING	6-C2
CF003800	GEAR HOLDER A	5-C4	CF025400	G STOPPER PLATE 2	
CF003900 CF008600	6 Gear Washer Mu Spring	6-A3	CF025500	G STOPPER SILAFT	6-D3
CF008700	STOPPER SPRING	7-03	CF025800	LOCK CONTACT 1	5-03
CF008700	MU TUBE	7-03 7-03	25020200	5 cp.p	
CF009100	CONTACT 1	7-03	CF030800 CF031000	2 GEAR W STOPPER COLLAR	9-A1 9-C2
3. 33. 230		7-03	CF031100	4 CAM GRAR	9-C2
CF010300	SC SPRING	7- c 3	CF031200	W STOPPER SPRING	9-C2
CF016500	m up shaft	7-01	CF031300	W5 BASE PLATE	9-C1
CF015600	M UP COLLAR	7 C1	CF031500	W3 WHEHER	9-A2
CF016700	M SPRING HOOK	7-is1	CF032600	PL WASHER	9-A2
CF01820C	F SPRING	5-C2	CF033700	2900L	9- A 3
CF018300	R SPRING	5-C2	CF033800	SPOOL RUBBER	9-A3
CF018460	Focus Shaft	5-A2	GF0357G0	HS ROLLER 21 \$2.3	9C2
GE073000	F FRISH	5-A2	CF035800	" 22 ∦ 3	9-C2
CF619200	P Lens	5-B1	CF03590C	" 23 #3.2	
CF019360	sec holder	5-81	CF036000	" 24 ∮ 3.4	
######################################	140 A 100 A 1 1 1 1 1 1 1 1		CE036500	" 25 ≰3.6	
CF020100	FRONT CASTING	6-D2, 7-C2	CF037600	5 SHAFT	887
CF020400 CF020900	HOLD PLATE M SHAFT	7-A3	CF037700	SK SPRING	8-82
CF021100	MD SPRING	7-A1	CF037800	52 GEAR	8-B1
CF021200	A PULLEY SHAFT	7-A2 5-C4	CF037900	A LEVER	8-A2
CF021300	A PULLEY	5C4	CF038000 CF038100	6 GEAR HOLD LEVER	8-82 8-Al
CF021400	A WASHER	5C4	CFC38200	HOLD LEVER COLLAR	
CF021500	B NOUNT F	5-D4	CF038300	A LEVER SPRING	5-A2
CF021/00	ARM	5-C2	CF038400	WI BASE PLATE	8-81
CF022400	L LOCK PIN	5-D3	CF038500	SPOOL SHAFT	8-B1
CF022500	L LOCK SPRING	503	CF038690	5 SHAFT PIN	6-B2
CF022700	C SPRING	5-D3			
CF022900	FOCUS SPRING	5-A2	CF040600	RIU GEAR	8~C2
CF023000	HOLD PLATE SCREW	7A3	CF040700	RI BASE PLATE	8-C1
CF023500	SENSER SPRING	7-B3	CF045200	RC SHAFT	3-A1
			CF045300	RC SHAFT SPRING	3-A1
					_

PARTS LIST ADS 1 3/5

9287

9287					
PARTS NO.	NAME OF PARTS	NOTE	PARTS NO.	NAME OF PARTS	NOTE
CF057000	BOTTOM PLATE	1-03	20519000	SHAFT PLATE	7-A3
CFU67100	R LOCK PLATE	1-84	ZC519900	UPPER PLATE	1-Al
CF067200	E FOCK PEAGE	1-A4			
CF067300	R LOCK SEPING	1-B3	20610100	M BASE PLATE	7-82
• • • • • • •	MUMBER PLATE	1-B4	ZC610200	MIRROR FRAME 2	7-81
CP067400	NUMBER TEALS	1-04	ZC610300	A BASE PLATE	6-B2
		4 7/	ZC610400	D 21NG	5-C4
CF076500	2 CIRCUIT SDARD	8-B4	ZC510600	LC BASE	5-03
CP070700	S CIRCUIT BOARD	5-C3			7-03
CF972360	Brcd	4-81	2C610700	R BASE PLATE	5-02
			ZC6108CC	LOCK BASE	7-03
		4	ZC610900	SC BASE PLATE	
CF080100	g front cover	2-C4 .	ZC611000	F BASE PLATE	6-C1
CF080200	g rear cover	2- C 3	2C611100	S FRAME	5-81
CF080300	G TOP COVER	2-C2	ZC611300	F CIRCUIT BOARD	4-D2.7-B3
CF080400	G BOTTOM PLATE	2-D4	ZC611400	MAIN CIRCUIT BOARD) 4-D2,8D4
07080500	CONTACT HOLDER	2-03			
CF080600	BUTTON BASE	2-C2	ZC611600		
CF080700	D WALL	2-83		rey plate b	2-C1
CF080900	D CONTACT 2	2-83	20611800	SW RING	9-C4
CF081000	D CONTACT 3	2-83	ZC511900	ro base plate	9-C3
CF081200	BODY HOOKER	283	ZC61229 6	DX CIRCUIT BOARD	4-D2,8-D1
Ç F 081300	D STRING	2-83	ZC612300	g plate 1	3-84
	SIDE RUBBER	2-84	ZC612400	READ PLATE	4-A2
CF081600	GS PLATE	2-02	ZC612500	DX ASS'Y	8-02
CF081800	GUIDE PIN	2-C4	ZC612700	SHIFT PLATE	2B1
CF082100	REL SPRING	2-C2	2C612800	LIGHT SUPPLIER	5-02
CF092200		2-D3	ZC612900	8 CIRCUIT BOARD	4-A2, 3-A3
CF082400	G BOTTOM PLATE 2	2-G4	20615000	FRONT COVER	3-04 FOR 0% 0
CF082600	G CONTACT	2-D3	ZC613290		3-C1
CF082800	B SEAL 2	2-83	20613300		1-D1
CF082900		2-C2	ZC613500		8-03
CF083200	B SEAL	2-C4	ZC613600	FRONT COVER	3-D4 FOR 0277A.
41403544	p 0411-5	• •		•	(FOR NORTH
					AMERICA ONLY
DS175100	PHOTO DIODE	4-B1, C3	ZC615300	6 GEAR 1	6-A3
D2173100	LUCIO PIODE	4-04, 00	ZC615500		6-32
				MG BASE PLATE 2	6-14
		£ 50			7- 0 3
LC422100	Pocusing Screen	5 - B3	20615700		
			ZC615900		6-82
			20616000		6-A2
			20616100		4-83,5-A3
				w motor	9-A3
			20616400		8-C2
				AL SWITCH	2-A2
			ZC616700	PRESSURE PLATE	3-C1

ZC616800 FL CIRCUIT BOARD 1-82

PARTS LIST ADS 1 2/5

PARTS NO.	NAME OF PARTS	<u>NOTE</u>	PARTS NO.	NAME OF PARTS	NOTE
CF045400	RC SHAFT SCREW	3-B1	CF056000	GUIDE PLATE	9-C4
	LOCK PLATE A	3-C1	CF056200	R SPRING	9-C2
CF045700		3-B1 .	CF056300	R BUTTON	9-C2
CF045800	8 GRIF	3-A2	CF057000	R 91 GEAR	9-C2
CF045900	S TAPE	3-A2			
CF046100	F GUIDE A	3-82	CF057100	DX PACKING	8D2
CF046200	F ROLLER A	3-A2	CF057300	RES RUBBER	4-A2
CF046300	GUIDE SPRING A	3-B2	CF057400	LC RUBBER	4-81
CF046400	GUIDE SHAFT A	3-82	CF057500	LC FRANK	4-B1
CF046500	SK ROLLER 1	3-B2	CF057600	LC CASE	4-B1
CP046600	sk roller 2	3-B2	CF057700	LC HOLDER	4-A2
			CF058100	C SCREW 13	1-C2,4-C1,2
CF050300	HINGE	9-B3, B4	CP058200	C SCREW 16	4-C1,5-P3
	HIMGE HOLDER	3-A3	CF058300	FO ECREW	4-B1 -
CF0505 00	TRIPOD MOUNT PLATE		CF058400	C RURBER 14	1-C2.4-B1.00
	P ROLLER B	9-B4	CF058500	CNW 14	1-G2.4-B1.C
	F GUIDE B	9-84		CNW 16	8-04
	Guide Spring B			SWITCH HASE	8-Cl
	Guide Suaft B	9-C4	CF038900	FFC BASE	581
		9-D3	CF059400	G CONTACT U	4-C3
	P BOTTOM SPRING		CF059500	G CONTACT D	9-81
1	LOCK PLATE COVER				
CF051500		2-C1	CF060300	TOP COVER L	1-31
CF051600		2-C1	CF060500	ACCE. SHOE	1-81
CP051900	strap plate l	3-C2	CF060800	U INSULATOR	1-G2
			CF06200C	RES BUTTON	1-A2
CF052000		3-83	CF062100	BUTTON X	1-C1
CF052100	P GUIDE	9-03	CF062200	BUTTON S	1-C1
CF052400	G PLATE 2	3-A4	CF062500	BUTTON RUBBER	1-C2
CF052500	G SPRING PLATE	3-▲3	CF062600	PW KNOB	1-A1
CF0526C0	G CONNECTION COVER	3-A3	CF062700	PW CLICK	1-A2
CF052700	hinge screw	9-B4	CF062800	PW PLATE	1-AZ
CF052800	g name plats	2-82	CF062900	PW CONTACT	1-A2
CF053100	fy plate	9-C3			
CF053300	LIGHT PROOF 1	8-D3	CF063000	PW BALL	1- A2
CF050400	LIGHT PROOF 2	8-83	CF063100	Shift frame	2-B1
C7053500	LIGHT PROOF UI	8-32	CFU63200	SHIFT KNOS	2-A1
CF053600		3-A3	CF063500	SHIFT SPRING	2-Al,AZ
CF053700	LIGHT PROOF G	8-83	CF06360C	SPRING CASE	2-81
C7053800	Light proof H	3-A3	CF064190	AL BUTTON	2-B1
CF053900	LIGHT PROOF U2	8-C3	CF064400	AL CONTACT 2	2-81
			CF066200	e Sutton	3-D3
CF055000	SPROCKET	9- <i>Ç</i> 4	CF066400	g Lock knos	3-D4
CF055400	SPROCKET GEAR	9-C2	CF066500	L CRIP	3-02
CF055500	CLAW	9-C2			

PARIS LIST

ADS 1 5/5

PARTS NO. NAME OF PARTS	NOTE	PARTS NO. NAME OF PARTS	NOTE
PSTB2 X 2.5SG	SCREW	3PUK1_4 X 1.68N	SCREW
NS EX SBT29	ē t	3PUK1.4 X 1.8SN	**
PSTB2 X 3.58H	**	3UK1.4 X 2 SN	16
PSTB2 X 3.5SN	**		
PSTB2 X 7 SG	**		
PSTB2 I 7 SN	**	3PUTB1.4 X 2SN	10
		3PUTB1.6 X 2 SN	•
PUTBL.4 X 2 SN	**	3PUT81.6 X 2.5SN	17
PUTBL.4 X 2.5SN	•	3PUTB1.6 X 3.5SB	**
PUTBL.4 Z 3 SN	**	3PUT81.6 X 4 SH	H
PUT91.4 X 3.5SN	**	3PUTB1.6 X 4 SN	. 10
PUTB1.4 - 135SH	44	3PUTB1.6 X 5 SN	17
PUTB1.4 - 222SB	**	3PUT81.6 X 6 5N	*
PUTB1.4 - 230SB	*		
PUTB1.4 - 330SN	**	3PUTB2 X 4SR	et
PUTB1.6 X 1.58N	**	ero . 85n	S RING
PUTBL.6 X 2 SG	**	ERO.8UO	44
PUT81.6 X 2.5SN	*	ER1.200	11
PUTBL.6 X 3 SN	5 P	ER1.5UO	19
PUTB1.6 X 3.5SB	19	er2uo	47
PUTB1.6 X 3.5SH	74		
PUTB1.6 X 4 SH	•	NW1.6 - 338UO	WASHER
PUTBL.6 X 4 SN	89	NW3 - 550UC	H
PUTB1.5 X 4.588	Ħ	·	
PUIBL.6 X 5 SB	45		
PUTBI.6 X 5 SN	**	NP1.6 X 5 UO	PIN
PUTS1.6 Z 6 SB	**		
PUTB1.6 - 7225N	**		
		RBJ-A LEAD WIRE	(BLUE) 10m LOW
DOTES TO SU	H	RBJ−B "	(BLACK) "
PUTB2 X 2 SH	67 86	RBJ-C "	(BROWN) "
PUTB2 X 3 SH PUTB2 X 3 SN		RBJ-D "	(ORANCE) "
PUTB2 X 3.5SH	b+	RBJG **	(GREEN) "
PIJT82 X 3.58N	**	RBJ-H "	(GRAY) "
PUTEZ X 4 SB	**	RBJ-M "	(PURPLE) "
POTES X 4 SN	₩	MD4 \$	(PINK) "
PUTB2 X 5 SN	**	Was - W	(RED)
PUTB2 X 6 SN	#	RBJ-¥ "	(WHITE) "

PARTS LIST

ADS 7. 4/5

PARTS NO.	NAME OF PARTS	NOTE	PARTS NO. NAME OF PARTS	NOTE
7.1702600	PENTA PRISE	5-C2	PSK2 X 5SN	SCREW
	W3 BASE PLATE	9-A2		
	PL 1	9-A2		
	PL 2	9-£2	PUK1.4 X 1.4SN	15
	Us BASE PLATE	9~A.1	PUK1.4 X 1.5SN	0
	Spool Holder	8-A2	PUK1-4 X 1.688	**
23703200	W STOPPER	9-C2	PUK1.4 X 2 SN	*
20703300	W3 ARM	9-A2	PUX1.4 X 2.25B	*
23703400	R3 ARM	9-A1	PUKI.4 X 2.5SN	₩
	HS LEVER	9-C2	PUK1.4 X 3.5SN	67 17
	R11 GEAR	8C2	PUK1.4 X 4 SG	W
	r2 base plate	8-C2	PUK1.4 X 5.5SN	
	W2 BASE PLATE	8-B2	PUK1.4 - 220SN	
2.7703900	SHOE CONTACT	1-E1	PUK1.4 - 2358N	•
2.1766000	A BASE PLATE 2	6-A3	PUK1.6 X 2 SN	*
	BATTERY LID	2-C4		
23704300		2-C2	PUK1.7 X 2.5SN	**
	AV CIRCUIT BOARD	5-84,6-84	PUK1.7 X 2.8SN	*
	PIF CIRCUIT BOARD		PUKL.7 X 4.5SN	•
			PUK1.7 X 9 SN	*
			PUK1.7 X 14 SN	*
			PUK2 X 1.5SN	••
			PUK2 X 1.6SN	•
			PUK2 X 2 SN	et
			PUK2 X 2.5SN	**
			PUK2 X 3.5SH	. **
			PUK2 X 4 SN	**
			PUK2 X 4.5SG	**
			PUK2 X 6 SN	**
			Puk2 X 8 SN	**
			PUK2 - 620SN	f 6
			name A St Date	**
			PSTB1.4 X 3SN	
			PST81.6 X 2.5SB	*
			PSTB1.7 X 2.5SN	**

INDEX

	PARTS LIST
A.	PRODUCT OUTLINE
3.	INSPECTION STANDARDS
C.	DISASSEMBLY PROCEDURES
D.	REASSEMBLY AND ADJUSTMENT PROCEDURES D-1~D-15
Ε.	REPAIR PROCEDURES E-1~E-33
	DESCRIPTION OF MECHANISM
J.	OTHERS J-1~J-15
	TROUBLE SHOOTING
	WIRING AND CIRCUIT DIAGRAMS

Д

PRODUCT OUTLINE

A. PRODUCT OUTLINE

CONTENT

1.	PRO	DOUCT OUTLINE	A-1
2.	MA	IN SPECIFICATIONS	A-2
3.	NO.	ΓES	A-4
	1.	Notes on Using the OM System	A-4
	2.	Notes on Using the System	A-4
	3.	Notes on Driving the Auto-focus Lens	A-5
	4.	Notes on Using Auto-loading, Wind and Rewind	A-6
	5.	Other Notes	Δ.6

1. PRODUCT OUTLINE

Model name

: OLYMPUS OM707 (OLYMPUS OM77AF is for North America)

House code

: ADS1

2. MAIN SPECIFICATIONS

Type

: 35 mm single lens reflex with autofocus and auto-exposure

Lens mount

: OLYMPUS OM-AF mount

Conventional QM lenses are adaptable (AF lens can not be used with conventional QM bodies)

Lens

: 1. OM-AF lens (AF possible)

2. OM lens (AF and focus aid are not available)

Switches automatically aperture-preferred auto mode

Viewfinder indication disappears

Early stage products do not self-operate (however, mark is shown in LCD panel).

Shutter

: Electronically controlled vertical-travel focal-plane shutter

Shutter speed $2 \sim 1/2000$ sec.

Synchronization

: 1. Contact (exclusive flash)

2. Hot shoe, X contact, contacts for F flash and for T-series flash

Autofocus

: (Method)

TTL phase detection system with CCD zero-in sensor

(Focusing Sensitivity range) EV4 ~ 18 (ISO 100)

(Actuation method)

Single/continuous

Press shutter release lightly for focus lock in single mode

Release is possible only when object is in focus.

(Notice)

Single-point 2-color LED in viewfinder

Focused: green lamp

Autofocus impossible: red lamp

AF illuminator

: Automatic actuation in low light

Manual focus : OM-AF lens: using shift knob

OM lens: using focus

Photographing mode setting

: 1. Single/continuous exchange button

2. Power-focus/Auto-focus exchange button

3. Shift knob

4. X mode (F4) setting button (for normal auto flash)

5. AE-lock button

6. Reset button (press to enter standard mode)

7. Power switch

Light metering method : (Indication and exposure control)

Viewfinder metering

(Exposure control)

TTL direct metering

(Sensor element)

SBC

(Light measurement range)

EV 1 ~ 20 ISO 100 (50 mm F 1.8)

Exposure mode

: 1. Program

2. Program shift

3. Automatic program line shift according to focal length of lens exchanged Tele/Standard/ Wide 3-stage exchange

Туре	Focal length	Turning point
WIDE	below 34 mm	1/15
STANDARD	over 35 mm below 90 mm	1/60
TELE	aver 90 mm	1 1/250

Program auto-exposure : (Type):

Electronic shutter with automatic shutter speed and aperture control

(Range): $2 \sim 1/2000 \text{ sec.}$

F 1.8 ~ F 22 (50 mm F 1.8)

EV 1 ~ 20

Flash control

: (Super FP flash F280)

TTL direct metering/Super FP flash automatic exchange

(Grip flash)

Flashmatic

(T-series flash)

TTL direct metering

(Normal auto-flash)

Normal automatic

Film sensitivity

: (Rang)

ISO 25 ~ 3200 in 1/3 EV steps

Viewfinder

(Setting) Set to 100 for film with no DX code or when film is not loaded. (Finder view-field)

93% of actual picture field

(Magnification)

(Viewability)

0.8X with standard 50 mm lens at infinity -0.5 diopters.

Focusing screeen

Fixed Super Lumi-Micron Matte with autofocus frame

Viewfinder information :

(Type) LCD display, back illumination by LED

(Contents)

- 1. Focus display (Single-point red or green display)
- 2. Shutter speed display
- 3. Aparture display
- 4. Over/Under exposure waring high brightness: "2000" blinks low brightness: "Lo" blinks
- 5. Flash display

Super FP flash and normal flash-recharged mark/adequate flash output mark

6. P shift actuation monitor

Dispaly persists for approx. 30 sec. after each operation listed below.

- 1) Pressing the shutter release halfway
- 2) Releasing
- 3) Switching power ON
- 4) Lens exchange
- 5) Operation of each button

LCD panel information : (Contents)

Exposure mode (PROGRAM)

"PROGRAM" ON for P exposure mode

"PROGRAM" blinks for P shift

OFF for OM lens

- 2. Frame number
- 3. ISO sensitivity (reads when reset)
- 4. Film advancing
- 5. Film end (indication of rewinding)
- 6. Rewinding
- 7. Rewind complete (incidation that back cover is open)
- 8. AF drive mode (single/continuous)
- 9. Focusing mode (AF/PF) OFF for OM lens
- 10. Battery check
- 11. Self-timer
- 12. X mode (F4)

Film loading

: Auto-loading (automatically wound to first frame after closing back cover)

If film is loaded when power is OFF, actuation starts when power is switched ON.

Film wind

: Automatic wind:

Single/Continuous switchable

Max. wind speed:

approx. 1.5 frame per sec.

Automatically stops at film end

Displayed on LCD panel during winding.

Battery life

: With power Flash Grip 300: 8 rolls or more (using flash for 50% of exposures)

With Power Grip 100: 25 ro 25 rolls or more

(using 4 sum-4 alkaline batteries, room temperature, 24 EX film, under experimental con-

ditions prescribed by OLYMPUS OPTICAL CO., LTD.)

Exposure counter

Progressive type, displayed on LCD panel

Film rewind

: Automatic rewind with lock knob and R, button. Automatic stop at film end (film leader

is rolled up)

Displayed on LCD panel during rewinding

Self-timer

: 12 sec. delay electronic self-timer

Started by pressing the shutter release button

LED indicates self-timer activation

Back cover

: Exchangeable type with film confirmation window

Accessory shoe

Fixed type with direct X contact and 5-pin connector for flash signal

Grip

: Power battery grip or power flash grip are available

Power source

: 4 sum-4 alkaline batteries (with power flash grip 300 or power grip 100)

Battery source

: 3-step display

Displayed when reset

Automatically dispalyed during operation Displayed when power is switched on.

1. Battery OK

2. Battery weak

3. Battery empty





ON

Blink

ON

Data hold

: Nonvolatile static memory for necessary functions

Dimensions

: 146 (W) x 89 (H) x 52 (D) mm (with power grip 100, but excluding projections)

160 (W) x 89 (H) x 67.5 (D) mm (with power flash grip 300, but excluding projections) .

Weight

: 595 g (with power grip 100, without battery)

630 g (with power flash grip 300, without battery)

3. NOTES

1. Notes on Using the OM System

No.	Cautions	Reasons
1	Only aperture-preferred use is possible when OM lens is mounted.	AF or focus-aid is not indicated in F. (not linked with body).
2	MT6065 or MT1011 cannot be used	Unadaptable to linking mechanism between body and aperture
3	MR5080 cannot be mounted	Penta-prism of upper plate hinders the operation of the mount-remove button
4	M8FE	
5	Auto-bellows, slide-copier, full film stage, trans- illuminator or double-cable release cannot be used	Penta-prism of upper plate hinders the operation of the mount-remove button No connection hole
6	It is difficult to mount Auto-extension tube 65 \sim 116. Tripod cannot be used	Penta-prism of upper plate hinders the operation of the mount-remove button Front plate hinders the tripod
7	Ring flash is not adaptable to AF zoom lens	Front frame rotates in AF mode
8	T45 is not available	Connection is impossible
9	Polarizing filters or R filters are not available (including circular polarization)	AF error caused by polarization and by reduction of light intensity

2. Notes on Using the System

No.	Cautions	Reasons	
1	New lens cannot be mounted on conventional OM bodies.	Contacts obstruct mounting	
Charging of grip flash is frequently stopped because of excessive drop of battery capacity at low temperature.		Charging is stopped because of the priority of camera operations	
3	Lenses other than OLYMPUS products cannot be used	 Lenses may be obstructed by lens-lock-pin during mounting or removing. Aparture-control may fail to be linked. Structures in mounting mechanism may be hindered (Problems such as internal damage may occur or the lens may seize) 	

3. Notes on Driving the Auto-focus Lens

No.	Cautions	Reasons
1	Focusing may be impossible when subject is moving fast or camera is moved while taking a picture.	Contrast of subject is substantially lowered.
2	If viewfinder information is not displayed, AF cannot be activated even by pressing the release button halfway. (If the button is pressed, AF is activated and the shutter is released) Confirm AF indication before AF lock.	
3	Some subjects are difficult to get in focus	Subjects with no contrast or with a particular pattern such as a vertically-striped lattice.
4	When contrast is low and focusing is impossible, the AF indicator in the viewfinder will be red following the focusing action. When focusing is impossible because of other reasons, the AF indicator shows a red lamp.	Focusing action (lens moves forwards to the front line and moves back)
5	Effect of illumination is reduced if the subject is blue or black.	Efficient range is reduced because the amount of reflectivity (red light) for blue or black subjects is small.
6	If subject is too bright (such as a light source), focusing is impossible.	
7	In the continuous AF mode, the grip flash cannot be recharged. Flash fires only for the first time.	To prevent a significant reduction in voltage due to recharging of the flash, recharging is interrupted during shutter release.
8	AF does not operate normally during zooming.	
9	If focusing fails even with illumination, focusing stops temporarily and the lens focuses on a point 3 m from the lens and illumination is begun again.	In order to increase the possibility of focusing.
10	Efficient range of illumination differs depending on the type of lens.	Contrast is lowered
11	If AF starts when the focus aberration is great, the lens may stop briefly.	Focusing action is first carried out when contrast is low because of great focus aberration. After reaching the point where aberration is detectable, the lens stops for a while to check the amount of aberration.

4. Notes on Using Auto-loading, Wind and Rewind

No.	Cautions	Ressons
1	Film leader is rolled up into film cartridge when rewind ends.	To prevent damage to the shutter blades caused by film leader.
2	High temperatures (over 40°C) or high humidity (over 90%) lead to rewind failure.	Film may stick to the pressure plate or the film itself. Use in lower humidity environments (below 70%)
3	Auto-loading may fail below ~10°C.	Film is hardened.
4	For some types of film, winding does not stops at the film end.	Some brands of film are more easily broken at the film end by the teeth on the sprocket. (e.g. Agfa Pan film < 100 is not as strong as Sakura 100.)
5	Do not use the films which have been loaded into film cartridge by users themselves.	If the film leader is not cut in the correct shape, winding may fail. If too much film is mounted on the spool, it may be impossible to rewind it all in the spool chamber.
6	Auto-loading may fail if the perforations do not fit the teeth of the sprocket correctly.	
7	Release is impossible unless the back cover is opened once after rewind ends. If the power switch is turned off and on, rewind will start again.	

5. Other Notes

No.	Cautions	Reasons
1	If power is turned off while releasing or winding, operation may not begin again even when power is turned on. If power is turned off while raising the mirror, the mirror may stop.	Sequential mechanism. To escape, press release button in P.F mode.
2	When the lens mount-release button is pressed and held, the same operations are possible as if an OM lens were mounted.	Switched on OM lens mode by pressing lens mount-release button.
3	Lens stops for an instance in the low-speed power focus mode.	Designed for fine adjustment in power focus mode.
4	After exposure, the aperture becomes smaller for an instance.	
5	Take care not to let back light enter through the eyepiece.	Photo sensor for viewfinder information is upper- side of eyepiece. Some amount of back incident light can lower the quality of AF aperture control accuracy.
6	No indications are displayed in the viewfinder during releasing or winding.	



INSPECTION STANDARDS

B. INSPECTION STANDARDS

CONTENTS

1.	APP	EARANCE AND FUNCTIONS	B-1	
	1.	Switches and Buttons	8-1	
	2.	Illumination	8-1	
2.	QUA	ALITY OF FUNCTIONS AND PERFORMANCE	B-2	
	1.	Film Wind	8-2	
	2.	Film Rewind	B-2	
	3.	Flange-focal distance and Optical Path Length	B-2	
	4.	EE Accuracy	8-2	
	5 .	Shutter	B-3	
	6.	Aperture Ring	B-3	*
	7.	X(F4) Mode	B-3	•
	8.	X Contact	B-3	
	9.	Current Consumption	B-4	
	10.	Battery Voltage during Operation	B-4	
	11.	Battery Life	B-4	
3.	INS	PECTION PROCEDURES	B-5	

1. APPEARANCE AND FUNCTIONS

Major check points	I tems to be checked	Standards and check procedures			
. Switches and Buttons	Power switch	Force required to slide	power switch	220 ±	70 g
	Rear cover	Force required to press	lock button	80 ±	-
		Force required to turn	opening/closing		•
		knob	_	450 ±	50 g
	Release button	Force required to press	release button		_
			1st stage	120 ±	80 g
			2nd stage	320 ± 1	140 g
		Stroke of release button	n 1st stage	0.8 ± 0).4 mn
			2nd stage	1.1 ± 0).5 mn
	Rewind button	Force required to slide	rewind button		
			(early stage)	200 ±	50 g
			(final stage)	350 ±	80 g
	Force required to press rewind butt		rewind button	225 ±	50 g
			(at film end)	below 5	500 g
	Exchange button	Focus mode exchange t	outton	100 ±	20 g
		Drive mode exchange b	utton	100 ±	20 g
		X(F4) mode exchange i	button	100 ±	20 g
		Reset mode exchange b	utton	150 ±	50 g
	Lock button	Without lans mounted	(early stage)	150 ±	50 đ
			(final stage)	300 ± 1	-
		With lens mounted	•	below 5	500 a
	Self-timer button	Force required to depre		100 ±	-
		Time set by self-timer		12 ±	2 sec
. Illumination	Brightness	Lights at approx. BV4 Should light at BV3 or		below	
			and should no	it light at	BV5
			or above, whe	n AS501	8·A
			light source is	used.	
	Effective range	Close range	below 1.5 m		
		Long distance	over 3 m		
-		(optical axis of the lens 3 m)	intersects the b	eam axis	at

2. QUALITY OF FUNCTIONS AND PERFORMANCE

Major check points	Items to be checked	Standards and check procedures
1. Film Wind	Force required for turning spool	210 ± 40 g
	Wind time	Less than 450 ms (using new batteries and VR 100 24EX film, temperature 20°C, humidity 65%)
	Frame speed of continuous wind Film frame spacing	Approx. 1.5 frames/sec in cont. PF mode. 1.85 ± 0.5 mm
	Perforation .	The perforations must not align with the center line between adjacent film frames.
2. Film Rewind	Rewind time	Less than 17 sec. (using new batteries and VR 100 24EX film, temperature 20°C, humidity 65%)
. Flange-focal distance	1. Flange-focal distance	46 mm
and Optical Path Langth	Position of pressure plate rails (between mount and pressure plate rails)	46.20 ± 0.01 mm
	3. Tunnel space	0.2 + 0.02
	Optical path length of Viewfinder	46.05 ± 0.02
	5. Optical path length of AF	46.05 ± 0.028

4. EE Accuracy

1. ISO 100 K = 1.3 MS 5018 jig lens (F5.6 Fixed)

SV value	EE accuracy (EV)		
15 11 7 4	0 ± 0.6 0 ± 0.4 0 ± 0.4 0 +0.3 -0.6	equal to 1/1000 ~ 1/2000	Aperture is controlled by the program line depending on brightness.

2. ISO switching accuracy MS 5018 jig lens (F5.6 Fixed)

ISO	BV measurement	EE accuracy (EV)	
3200	7	0 +1.2	
1600	7 7	0 ± 0.6	
400	7	0 ± 0.5 0 ± 0.5	

ISO	BV measurement	EE accuracy EV)	
200	7	0 ± 0.5	
100	7	0 ± (Standard)	
50	11	0 ± 0.5	
25	11	0 ± 0.5	

Difference between neighboring EV levels is 0.6V or more.

3. AE lock

AS5018 ISO 100 VB 15 EE Accuracy ±0.75EV 1/1000 ~ 1/200 ±0.85EV

Major check points	I tems to be check	ed Stan	idards and check procedures	
5. Shutter	Curtain speed Exposure variation	7.8 ± 0.2 ms (a	- ,	
	(top, center, bottom) of entire pic		, bottom) of entire picture:	
		U.BEV or lowe	0.6EV or lower at a shutter speed of 1/2000	
	Stability of exposure	5 continuous n	0.3EV or lower at a shutter speed of 2 to 1/1000 5 continuous measuring values of exposure time:	
		0.45EV or low	er at a shutter speed of 1/2000	
	Exposure time error	0.3EV or lower at a shutter speed of 2 to 1/1000 At the center of the time projected screen, using a system checker.		
	at a shutter speed of 1/2000 within			
		at a shutter spe	ed of 2 to 1/1000 within ± 0.3EV	
	Shutter speed	Exposure time (ms)	Exposure time allowed (ms)	
	0.5	2000	1620 ~ 2460	
	1	1000	812 ~ 1230	
	2 4	500	406 ~ 616	
	8	250	230 ~ 308	
	15	125 62.5	102 ~ 154	
	30	92.5 31.3	50.8 ~ 76.9	
	60	15.6	25.4 ~ 38.5	
	125	7.81	12.7 ~ 19.2 6.35 ~ 9.62	
	250	3.91	6.35 ~ 9.62 3.17 ~ 4.81	
	500	1.95	1.59 ~ 2.40	
	1000	0.98	0.79 ~ 1.20	
	2000	0.49	0.33 ~ 0.71	
6. Aperture Ring	Force required for turning (When aperture becomes smaller)	over 90 g		
7. X(F4) Mode	Aperture is controlled to F4			
	Shutter speed is controlled			
	1/100	to 10 ms ± 0.3EV		
8. X Contact	X time lag	0.3 ms ~ 1 ms (C channel → X:	l c 0	
		 C channel is o border of the surface 0 ~ 0 is required for 	n the A O 10.5 mm mask A O C	
	Efficiency of X contact Insulation resistance of X	over 60% at lower over 30 M Ω at D Ω	speed than 10 ms	

Major check points	I tems to be checked	Standards and check procedures
9. Current Consumption	(1) When power is off	below 1 μA
	(2) When power is on an display is off	30 ± 30 μA
	(3) When display is on	90 ± 35 mA
	(4) During distance detection of AF	110 ± 40 mA
	(5) During AF operation	330 ± 100 mA
	(6) When mirror and aperture are in operation	500 ± 150 mA
	(7) During film winding	450 ± 150 mA
	(8) During film rewinding	400 ± 120 mA
	(9) When self-timer is in operation (LED on)	45 ± 15 mA
	(10) During flash recharging	90 ± 30 mA
	(11) Illumination is in operation	300 ± 60 mA
D. Battery Voltage	When battery mark blinks	5.05V
during Operation	When battery mark lights	4.55V
		Requirement is as follow:
f. Battery Life (Under standardized	Power grip 100, using sum-4 Alkaline battery	25 rolls (using 24 EX film)
test conditions)	Power flash grip 300, using sum-4 atkaline battery, 50% with flash	8 rolls (using 24 EX film)

3. INSPECTION PROCEDURES

These procedures include routine procedures and the standards of inspection for the main functions.

Procedures	Quality	Defect grade	Standards	Remarks
1. Detach body cap	Smoothness in attaching and detaching body cap	В.	Attachment and removal must be carried out smoothly	
2. Mount and remove power grip	Reliability of lock Smoothness in mounting and removing power grip	A. B.	 Removal not possible without pressing lock button. Removed smoothly by pressing lock button. Mounting and removing is carried out smoothly if power grip is aligned to "index position" 	
3. Turn main switch ON and OFF	1. Reliability of switching ON 2. Accuracy of LCD display 3. Reliability of switching OFF	AA. A.	 Indication is displayed on LCD panel when main switch is turned on. "ISO 100" and "battery capacity are displayed when switch is turned on, and display changes to "ISO100" "frame counter) 0" " (patrone) blinks" after approx. 3 sec. LCD display goes off when switch is turned off. 	
4. Open back cover and load film	1. Reliability of opening back cover 2. Reliability of closing back cover 3. Reliability of winding film leader 4. Smoothness in opening and closing of back cover	АА. АА. А. В.	 No opening without pressing lock button. Opened (by the force of pressure plate spring) smoothly by pressing lock button. Automatically locked when back cover is closed. Leader wind starts* when back cover is locked (release shutter button 4 times), and frame counter reads "1". Opening and closing of rear cover is carried out without touching camera body, etc. 	*Leader wind starts auto- matically when main switch is turned ON.
5. Press release button	1. Reliability of release 2. Accuracy of frame advancing display on LCD 3. Certainty of film ending	AA. A. A.	 When the release button is pressed, the shutter is released and the film advances one frame. On releasing, the frame counter advances one frame and film advancing is displayed on the LCD. When the film reaches the end, is displayed on the LCD and the shutter cannot be released. 	

Procedures	Quality	Defect grade	Standards	Remarks
6. Press R button and rewind film	Reliability of R button operation	A.	 Press R button while pushing lock knob in the direction shown by the arrow to start rewinding. Character "R" of R disappears and the film advance indication is displayed on the LCD. When rewind ends, the frame counter reads "0" and blinks. 	* O blinks for approx. 30 seconds.
7. Load film cartridge with different ISO sensitivity	1. Accuracy of display of ISO exchange 2. Correct display of ISO sensitivity in viewfinder	A.	1. ISO 100 is displayed on the LCD when film is unloaded. 2. When a film cartridge with a different ISO sensitivity is loaded, the correct ISO sensitivity must be displayed. 3. Program display (shutter speed, FNO must change depending on the difference in ISO sensitivity.	*ISO 400 or 1600 is re- commended for the test. *This items is inspected during lens- mounting.
8. Mount lens	Reliability of lens mounting	A.	1. Lens mounting must be carried out smoothly. 2. At the position where mounting is completed, the E button lock is engaged and the lens must be stabilized. 3. When mounting is completed, the coupler must lock. The coupler should not idle (even if the stopper is pressed strongly).	*If the power switch is turned ON on completion of mounting, lens is set at ∞ (coupler lock).
9. Press AF/PF exchange button 1) in AF mode	Reliability of switching for AF/PF exchange button	A.	1. LCD display changes from AF (PF) to PF (AF) when AF/PF exchange button is pressed. 2. Lens moves in accordance with the	AF on AP blinks
	Reliability of AF operation (in AF mode)	A .	detected distance of the subject in distance measuring frame and release is OK.	
	3. Reliability of AF lock 4. Accuracy of display for in-focus/not in	A. A.	3. AF lock works when release button is pressed halfway. 4. Green lamp: in focus Red lamp: out of focus	
	focus condition 5. Release of lock when focusing is impossible 6. Reliability of	A. A.	 5. In the event that focusing is imposible, the lens is set to ∞ and the release is locked. 6. LED (red) is turned on (for approx. 1 sec) when light level is low 	

*

P	rocedures	Quality	Defect grade	Standards	Remarks
(2) in	n PF mode	1. Reliability of PF operation 2. Reliability of PF shift operation	A. A.	 Shutter is released immediately when release button is pressed (whether in focus or out of focus). Lens shift operation is possible with shift knob (moves forward and back). Lens moves back when shift knob is pushed to the left, and moves forward when knob is pushed to the right. Shift operations consist of a slow movement and a rapid one. 	
	ress X mode utton (4F4)	Reliability of X mode switching	A.	 4F4 blinks on LCD and goes off when pressed again. Shutter speed is automatically set to 100 when using A series lenses. 	
ex	ress drive xchange utton	Reliability of drive switching	A.	1. SINGLE / CONT appears on the LCD. 2. When SINGLE is displayed, the shutter is released one when the release button is pressed. 3. When CONT is displayed, the shutter is released continuously while the release button is held.	
	perate self- mer button	1. Reliability of self-timer mode 2. Reliability of self-timer operation 3. Reliability of cancellation of self-timer mode	A. A.	 When the self-timer button is pressed, is displayed. If the release button is pressed in this state, the self-timer will begin to operate. If the release button is pressed in the self-timer mode, illumination (red LED) blinks for approx. 10 seconds and the shutter can then be released. In the event that the subject cannot be brought into focus in the AF mode, the self-timer will not operate. The self-timer mode can be cancelled if the self-timer button is pressed again or if the shutter is released in self-timer mode. 	
	ress AE lock utton	Reliability of AE lock	A.	While the AE lock is pressed, the program display does not change even if the brightness of the subject changes.	

	Procedures Quality		Defect grade	Standards	Remarks
14.	Enter AF mode and operate shift	Reliability of program shift Reliability of reset of program shift	A.	 The program display in the view-finder changes. (time in seconds (in 1/3 steps) is shown in the upper position and F number (in 1/3 steps) is shown in the lower position.) (PROGRAM) on LCD blinks. Push the shift knob to the left, Time in seconds (upper) →low speed F number (lower) → increases When pushed to the right, the shift is reversed. Reset by pressing the reset button or reset automatically in approx. 30 seconds. 	In the PF mode, program shift is not available because function of shift knob changes to power focusing.
15.	Press reset button	Reliability of reset of LCD display		1. If the reset button is pressed, the LCD display in any mode returns to the normal display mode. (However, the frame counter does not change.) The lens is reset to	*Normal display is: PROGRAM 12 AF SINGLE However, the symbol disappears in approx. 30 seconds.

B-8

C


DISASSEMBLY PROCEDURES

C. DISASSEMBLY PROCEDURES

CONTENTS


•	Disassembly Chart	
1.	REMOVAL OF UPPER PLATE C-2	
2.	UPPER WINDING UNIT C-4	
3.	REMOVAL OF LOWER WINDING UNIT C-6	
	1. Removal of W motor	
4.	REMOVAL OF PRISM C-8	i
5.	REMOVAL OF FRONT PLATE ASS'Y C-1	0
	1. Removal of shutter	1
	2. Removal of M frame	1
	3. Removal of AV motor unit C-1:	2
	4. Removal of M circuit board C-1	2
	5. Removal of AF circuit board C-1	3
	6. Removal of AF motor unit	3

Disassembly Chart





About exterior clearning

- Do not use cleaning fluids containing solvents. (may cause color to change or erase printed letters)
- Wipe with Chamois leather or Fronsolve AE. (wipe two or three times)
- To clean, use Fronsolve S3.
- Do not blow air directly on the shutter curtain.
- To remove dirt from the shutter curtain, coil the tweezer with finger-stall and wipe lightly in one direction only (from right to left).




	Main parts	Parts to be removed	Q'ty	Removable parts	Remarks
1.	REMOVAL OF UP	PER PLATE			(Refer to diagram)
	Lower plate	PUTB X 3SH PUTB X 2SH	5 1	Lower plate CF0670	Slide lock knob and detach lower plate.
	2. L grip	PUTB1.6X5SB PUTB2X3SH	1	L grip CF0665	
	3. Front cover	PUTB1.4-135SH PUTB1.6X2.5SN PUTB1.6X4SH	1 2 1	Front cover ZC6130	
	4. Upper plate	PUTB1.6X3SN PUTB1.6X3.5SH PUTB2X3.5SH 3PUTB1.6X4SH C SCREW 14 CF 0581	2 1 1 2	Upper plate ZC6133 CNW14 CF0585 C rubber 14 CF0584	





	Main parts	Parts to be removed	Q'ty	Removable parts	Remarks
2.	UPPER WINDING	UNIT			
	1. Shift frame	PUK1.4X2.5SN PUTB1.6X5SN	1	Shift frame ass'y	(Refer to diagram)
	2. Head holder	RBJ-A20 PUTB1.6X4SN PUK1.4X3.5SN	1 1 2	CF0577 Head holder CF0573 RES rubber	
	3. Head plate	CF0583 FD Screw	1	CF0585 CNW14 CF0584 C rubber 14	
		CF0581 C screw 14 CF0587 CNW 16	2 1	CF0584 C rubber 14(2)	
		PUTB1.6X3SN	1	ZC6124 Head plate	
en e	·)	W motor armature RWSW armature	₩ motor	—- RWSW armature	Lift O section of M circuit board from body dowel and then desolder.
	5. W1 base plate	PSTB1.4X3SN PUTB1.6X1.5SN PSTB2X3SN	2 1 2	CF0384 W1 base plate CF0379 Rear lever CF0380 6 gear CF0381 Hold lever collar CF0382 Hold lever CF0383 Rear lever spring	
	 6. W2 base plate	ER1.5UO	1	ZJ7038 W2 base plate CF0378 52 gear	




Main parts	Parts to be removed	Q'ty	Removable parts	Remarks
3. REMOVAL C	F LOWER WINDING U	NIT		
1. Lead wire	RBJ-B20 RBJ-P47 RBJ-M34 RBJ-B30	1 1 1	DC/AC CONVERTOR	RBJ-B20 RBJ-P47 RBJ-P47 RBJ-P47
2. R3 base plate	PUTB2X3\$N	3	ZC6199 R3 base plate	
3. DC circuit ba	ard PUTB1.4X3.5SN	2	CE5760 L insulation	
4. R button	CF0563 R button		CF0582 R spring CF0555 Claw CF0554 Sprocket gear NW 3-550U0	R button is a left-handed screw
5. W motor arms	• •	M circuit be	pard	
5. Lower windin	g unit PUTB2X3SN . PUK1.7X9SN PUK1.7X14SN	3 1	۳PUK1.7x145N 9	ZC6116 lower winding unit
	PUTB2x3SN	C. C	393500	PUK1.7×95N

4. REMOVAL OF PRISM

(Refer to diagram) 1. Desolder W motor armature and RWSW armature and then remove M circuit board on the upper right. (refer to No. C-4) Pry open with Filter (oblong) 2. SBC Receiver CF0193SBC receiver CF0242 Filter CF0192 Pilens Convex part of P lens is on the prism side 3. Illuminator PUKB1.6X3SN ZC6128 Illuminator CF0582C screw 16 4. M circuit board CF0585 CNW14 connector CF0584 C rubber 14 (upper side of B mount) FPC base PUK1.7X4.5SN CF0589 FPC base S frame PUK2X4SN ZC6111 S Frame 6. Prism PUK2X2.5SN 2 **CF0217 Arm** CF0229 Focus spring (4) ZJ7026 Prism 7. FD circuit board 3PUTB1.6X4SN ZJ6161 FD circuit board 2

CF0190 F prism



Main parts


Perts to be removed


Q'ty


Removable parts

Remarks


5. REMOVAL OF FRONT PLATE ASS'Y









Main parts	Parts to be removed	<u>O'ty</u>	Removable parts	Remarks
5. Removal of AF cin	cuit board			
F circuit board	CF0236 Sensor screw	3	CF0235 Sensor screw 3	
	3PUTB1.6X2\$N	1	ZC6113 F circuit board	



	6. Removal of AF motor unit 1. B Mount F PUK2X4.5SG 3		3	(Refer to diagram on the following page) CF0216 B Mount F	
2. 	LC Base	PUK2X2.5\$N	1	ZC6106 LC Base	
3.	F Base plate (AF motor unit)	PUK2X2.5SN	2	ZC6110 F Base plate	







REASSEMBLY AND ADJUSTMENT PROCEDURES

D. REASSEMBLY AND ADJUSTMENT PROCEDURES


CONTENTS

1.	MECHANISM	
	1. Reassembly of Lower Winding Unit (ZC611600) D-1	
	2. Reassembly of Upper Winding Unit D-4	
	3. Reassembly of A Base Plate Unit D-4	
	4. Attachment of Base Plate 2 ZJ7040	
	5. Coupling	
2.	EFFICIENCY ADJUSTMENT	
	1. Adjustment Viewfinder Focusing	
	2. Viewfinder Information and EE Adjustment D-9	
	2-1. Auto-Adjustment	
	2-2. Manual Adjustment	0
	3. Adjustment Shutter Ass'y D-1	2
	4. X Synchronization Time Lag D-1.	2
	5. AF Adjustment D-1.	3
	5-1. Adjustment procedure D-1.	3
	5-2. Pitch Adjustment	4
	5-3. Yaw Adjustment D-1	4
	5-4. XP Adjustment	5
	5-5. Z Adjustment	5


1. MECHANISM

1. Ressembly of Lower Winding Unit (ZC611600)

Installation of W motor Place the motor such that the red wire is near the grip and the stripped wire is near the lens. Install the motor in the W3 base plate with two PUK1.4X5.5SN screws.




♦ Solder the W motor wires Solder the red wire → to the outside and the → wire to the prism-side of the M circuit board.




Position the CF0308 2 gear as shown in the diagram.




 Insert the convex part of the R3 arm ZJ7034 into the concave part of the W4 base plate ZJ7030, (refer to diagram A)




♦ Engage the W stopper spring CF0312
 The W Stopper pin must be closer than the WUSW
 2 is to the 4 cam gear CF0311.





- ♦ Timing adjustment of WUSW
 - Connect the tester to the WUSW.
 - Insert W stopper ZJ7032 into the adjustment gap of the 4 cam gear CF0311.
 - Rotate the W stopper pin and adjust the position to where the WUSW just changes from ON to OFF.
 - Make sure that the WUSW turns ON gap A in the 4 carn gear.




W motor operating current

The W motor should draw the following current when the motor is actuated at $4\pm0.1V$:

Rotation < 120 mA

Reverse < 100 mA


(Set the W stopper free when the motor rotates.)



2. Reassembly of Upper Winding Unit

- ♦ Reassembly of holding lever CF0381, rear lever
- CF0379 and rear lever spring. Close the rear cover and press the R button. When the 52 gear CF0378 is raised, the hold lever should be inserted and pressed firmly by the contact pressure of RWSW.

(RWSW turns ON)



3. Reassembly of A Base Plate Unit


 Setting torque of aperture spring of A base plate 2 ZJ7040.


Rotate A8 gear CF0027 4 times from the state where the aperture spring torque is 0.

(The procedure for checking the torque is described in No. D-7)

After setting the torque, stop A8 gear CF0027 by inserting the R stopper shaft.


(The R stopper shaft is approx. 1ϕ in diameter similar to the guide shaft B.C.F0509 or XZ-3.4F shaft CE7637.)







4. Attachment of A Base Plate 2 ZJ7040

- Release the ST lever from the ratchet.
- Position the mark (¬) on the A6 gear 1ZC6153 so as to face downward.
- Rotate the A7 gear clockwise until it catches a Pawl and stops.
- This operation removes any backlash in the A6 gear 2 CF0025 and the A6 gear 1 is positioned as shown below.







- After releasing the magnet, engage the ST lever with a ratchet.
- Secure the A base plate with two PUK1.4-606SN.
 The extention line of the p mark on A gear 1 must fall within the groove on A base plate 2.
- After reassembly, remove the ST lever from the ratchet.





Install the AV motor so that the + lead is positioned near the lens, (front plate side)







- Attaching A base plate unit to the front plate.
 While holding down the mirror, stand A base plate on its end and then insert the A8 gear into the hole on the front plate.
- Rotate the A base plate unit to the left 90 degrees and insert the cam of A6 gear 1 under MU roller.
- Insert the dowel on the front plate into the dowel hole in the A base plate and secure using two PUK2X2.5SN.









- Torque check of aperture ring
 - Use a finger to rotate the A3 gear (CF0019) and raise the mirror upward.
 - Reverse aperture ring from the smallest lens opening position.
 - Using a tension gauge (200g), measure the follow tension of rotating to the smallest tens opening position. It should be between 95 ~ 110g.
 - If not, change the number of rotation (4 times) of aperture spring.



5. Coupling

- Front plate ass'y: Rotate the A3 gear and raise the mirror.
- Main body: Place W stopper just in front of the big gap in the 4 cam gear. HS lever must be pushed to the cam of the 4 cam gear.
- (position the A part of the W stopper and the HS lever close to the rail surface)
- Tighten the 7 screws as indicated in the diagram.
 Take care to use the correct screws.






2. EFFICIENCY ADJUSTMENT

1. Adjustment of Viewfinder Focusing

Correction of partial-out-of-focus condition.
 Detach the screen and set the jig mirror KC0166 in position.

Re-attach and adjust the front plate to correct for the partial-out-of-focus condition.

- Correction in the Y direction
 Move the 45° adjust screw slightly and adjust the standard to 0±10'
- Adjust the standard in the X direction to 0±12' (The standard is set in each part, so there is no way to adjust.)



2. Positional adjustment of Fresnel lens (adjustment of F focal point)

Detach the screen and set the jig mirror KC0166 in position


- ♦ Attach the camera to a photo-electric collimator and read the peak value of the pointer. The reading should be 46.00 ± 0.02 mm (when using the jig mirror)
- Adjustment of the focal point
 Measure the upper frame of the prism unit
 ZJ7026 with a dial gauge (attached to the collimator)

Check 4 points

If aberration value is minus, turn the focusing shaft CF0184 while reading the dial gauge and raise the 4 points so that they are in balance.

In the event that the aberration is positive, lower the 4 points (move the prism frame in a parallel fashion).

After adjusting, recheck the adjustment.




2. Viewfinder Information and EE Adjustment (when adjusting EE, use a vertically-moving EE mask)

2-1. Auto-adjustment

Prerequisite

- System checker T-2, EE tester set to the BV11 range, F5.6 jig lens
- Detach front cover ZC6130 and set the doublefunction switch as shown in the diagram.
 CHK ← GND TST ← MEMO turns ON/OFF at the same time.
- Since the front cover is detached, cover the camera with a piece of black cloth to prevent the camera from being effected by light.
 - * The double-function switch must be the camera.

Connect the camera's GND to the - terminal of the power grip or to the lower right terminal of the AF circuit board.



 Mount the F5.6 jig lens to the camera, and connect the system to EE tester.

Set the EE tester to BV11 and ISO100.

Set the shoe terminal of T-2 to "accessory shoe".

- Set the power of the DC stabilizer to 6.2V and connect it to the grip jig, Turn on the power of camera. If EP is shown on the LCD, turn off the power to the camera and turn it on again while the double-function switch is left ON.
- Turn on the double-function switch.
 Operate T-2. (for details, refer to T-2 manual).

	Operation	Display	Remarks
1	Turn on the E button of the main mode (ET ON)	BV/BC AUT AJD	
2	Turn on the AUTO (RS232C) Switch	EV CHECK EE AUTO DX *	After the auto- adjustment of the display level, enters EE auto- adjustment mode
3	Release shutter several times	EE AUTO DX *	After several release, EE of ISO100 changes to ±0,125EV

When the EE adjustment is carried out (ISO100), other ISO's are automatically adjusted compared to the standardized ISO100.

Refer to the T-2 manual for information about EE adjustment of each ISO or specific ISO.

Reassembling and adjusting standards

BV4	0 ^{+0.2} EV	
8 V7	0 ± 0.3 EV	
BV11	0 ± 0.2 EV	
BV12	0 ± 0.5 EV	

F5.6 jig lens iSO100

 After adjustment, remove the jig from the camera, and check the display again for EE accuracy.

T-2 adjustment mode timer

 When the camera is in the adjustment a mode, a bar is displayed on the LCD.



- If the shutter is not released within 30 seconds, the camera escapes from the adjustment mode. (The bar disappears) (The adjustment mode will be renewed for more 30 seconds if the shutter is released while in the adjustment mode)
- When the adjustment mode is off, turn the double-function switch QN again.
- Adjust viewfinder indication and EE whenever M circuit board or DX circuit board is replaced. Set power voltage to 6.2V for automatic B.C. adjustment.


2-2. Manual Adjustment (without BV11 of the EE tester, T-2 is not used)

O Preparations

- DC stabilizer
- F5.6 jig lens or AS5018
- Grip jig
- Set the double-function switch as shown in the diagram

CHE ← GND TST ← MEMOR turns ON/ OFF at the same time

* The double-function switch must be OFF when power is first supplied to the camera.



 Apply 6.2V to the DC stabilizer and connect it to the grip jig.

If EP is shown on the LCD, turn the power to the camera OFF and ON again while the double-function switch is left ON.


- Turn on the double-function switch.
- Since the front cover is detached, cover the camera with a piece of black cloth to prevent the camera from being effected by light.
- Manual adjustment of the display · · · using light box.
 - Set the brightness to BV11 or to the nearest brightness when there is no BV11.
 - Adjust only when M circuit board or DX circuit board is replaced.

Battery check, auto-adjustment of M circuit board: Press the self-timer button twice and release the shutter.

(When M circuit board or DX circuit board is not replaced, the grip adjustment is not necessary. 62V is not necessary either.)

 While holding the AE lock button, set the shutter speed indication according to the table below by turning the shift knob up or down. (Brightness must be fixed to any one of the values.) Release the shutter after adjustment (By releasing, data is updated.)

	AS 5018 Shutter indication	F 5.6 jig lens shutter indication
BV9	90	15
BV10	125	30
BV11	180	60
BV12	250	125
BV13	350	250



2. EE Manual adjustment

Set the camera to the EE tester. (Set ISO100 and BV value in the range of 8V11.)

- Release the shutter and then read the EV value.
- If the value deviates from the standard, adjust the EV value by turning shift knob up or down while holding the release button.

Assembly adjustment standard

8V4	0+0.2 EV	
BV7	0 ± 0.3 EV	
BV11	0 ± 0.2 EV	
8V15	0 ± 0.5 EV	

F5.6 jig lens ISQ100

When shift knob is turned up: EV value increase by 0.125.

When shift knob is turned down: EV value decreases by 0.125.

Turn off the double-function switch after adjustment.


After removing the jig from the camera, check the display and EE accuracy a gain.

* For EE adjustment of each ISO value, use T-2 to set ISO value.

3. Necessary adjustment items when circuit board is replaced.

Circuit board	Adjustment items and procedures		
M circuit board	8.C. adjustment Display adjustment 8.E. adjustment		
DX circuit board (E ² PROM)	B.C. adjustment Display adjustment EE adjustment		

 After B.C adjustment, readjust display and EE, because, the adjustment data of display and EE are erased during B.C adjustment.



3. Adjustment of Shutter Ass'y


When the shutter ass'y malfunctions occur, do not attempt repair. From the standard points of reliability, durability and cost, it is recommended to replace the entire unit.

Reference

Adjustment of curtain speed reference value
 7.8 ± 0.2 ms (1/2000 at 20°C)

Use T-2 and set speed to 1/2000.

Adjust front curtain and rear curtain by turning each ratchet.



Generally, turn the ratchet counter-clockwise only (curtain speed increase) (Clockwise rotation will cause deformity of the claw or top of the ratchet teeth.)

In case curtain speed must be slowed down, carefully separate the claw from the ratchet and reverse the procedure (clockwise).

In this adjustment, the shutter speed balance is changed. As a result, uneven exposure will occur. Adjust so as not to influence exposure.

Adjustment standards

 Change in front curtain speed per ratchet (When curtain speed is approx. 7.9 ms)


Change in front curtain	Change in seconds		
speed	Ach	Bch	Cch
0.04 ms	+0.02 ms	+0.05 m	+0.07 m


 In the case of a vertically-moving shutter (moves upwards from below), set the curtain direction mode of the shutter to for up.

Handling of Shutter Unit

- Hold the shutter unit on both ends. Do not hold the unit from the top or bottom (see diagram).
- Do not blow air directry onto the shutter curtain.

 If the curtain is dirty, wrap a pair of tweezers with finger-stall and wipe slightly in one direction only as shown in the diagram. (If the curtain is wiped strongly, static electricity is produced causing the shutter speed to slow down temporarily. To avoid this, release the shutter three or four times.)






4. X Synchronization Time Lag

Measurement procedure

- Since there is no synchronization socket, use an OM-10 hot-shoe adaptor.
- If the shutter tester is the type with a 35 mm
 FOCAL ↔ PEN F LENS exchange mode, set it to PEN F LENS.
- Set the camera to the F4 mode.
- Standard:
 - 1. Within 0.3 ms ~ 1 ms (C channel + XSW ON)
 - 2. For a tester whose C channel is on the border of the mask: within 0 ~ 0.6 ms

Adjustment Procesure

 Adjust the binding of the XSW armature in the shutter unit.




Mask surface of shutter tester



5. Af adjustment

5-1. Adjustment procedure




PITCH----- Forward-backward adjustment

Yaw Left-right adjustment

XP..... Matching adjustment for columns A and

B in the CCD

Z Focal length adjustment




5-2. Pitch Adjustment

- 1. Set camera to T-2
 - Solder the 7 lead wires to the AF circuit board.
 - Insert the jig into the shoe.
- Adjust the light box to BV10, and move the FD adjustment jig (KC0139) to face the light box.
- Change the shape of the FD adjustment plate jig (KC0139) into a semi-circular one.
- 4. Operate T-2

ţ	Main mode key	S (AF CHK)	ON
1	H	ET	ON
ţ	Sub mode key	D	ON
1	Main mode key	ET	ON

- ↓ Turn on AE Lock key twice
- ↓ Read T-2 display (CCD accumulated time)
- 5. Slide the FD adjustment plate jig (KC0138) to reverse the semi-circle. Then read the T-2 display. The difference in the accumulated time when plate is exchanged should be within +3% ± 5% (Repair and adjustment standard).
- If the value does not meet the standard, adjust by turning the sensor screw for Pitch adjustment.




e.g.

P1 = 4.86 ms P2 = 5.215 ms 4.86 x 0.03 = 0.146 4.86 + 0.146 = 5.006 ms 5.006 x 0.05 = 0.25 5.256 ~ 4.756 ms . . .

... standard

... The standard is satisfied when P2 = 5.215 ms.




5-3. Yaw Adjustment

- Set T-2 and light box to the same values as in Pitch adjustment.
- Attach the Yaw adjustment jig (KC0167) to the camera.
- 3. Operate T-3

Į.	Main mode key	S (AF CHK)	ON
ţ	"	ET	ΟN
ţ	Sub mode key	С	ON
Ţ	Main mode key	ET	ON

- ↓ Turn on AE Lock key twice.
- Read T-2 display (the area difference between columns A and B in the CCD).
- 4. The area difference should be within ±5%.
- 5. If the area difference is greater than ±5%, adjust by turning the sensor screw to satisfy the standard.
 - Do not use the Yaw slit of the FD adjustment jig (KC0139) in Yaw adjustment because high accuracy cannot be obtained.




5-4. XP Adjustment

- The setting of T-2 is the same as that for the Pitch and Yaw.
- Turn the coupler of the jig lens AS5018 and stop at 1.2 m (scribed line). Attach to camera in the position where the camera is just locked. (do not engage with coupler near body.)
- Using a piece of white paper on the wall, set the camera to a distance of 1.2 m. (Set brightness of the white paper to BV10.)
- 4. Operate T-2


\downarrow	Main mode key	S (AF CHK)	ON
ļ	"	EΥ	ON
1	Sub mode key	F	ON
1	Main mode key	ET	ON

- 1 Turn on AE Lock of camera twice.
- 4 Read T-2 display (Matching difference between columns A and 8 in the CCD).
- 5. Indication of T-2 must be within 0.5% average within 1% maximum
- If values are less than the standard, adjust by turning variable resistor R 214.




Se sure to use Fluorescent light.

Take care not to let direct Fluorescent light enter the camers.




5-5. Z Adjustment

- Hang the designated pattern on the wall and set the brightness of the pattern to BV10 (using a fluorescent light).
- 2. Mount the AS5018 jig lens to camera.
- 3. Set the camera at a distance of 1.154 mm from the pattern.
- 4. Press the release button and measure the distance.
- 5. Position the scribing on the focusing ring at 1.2 m. The lens index should now satisfy the standard. Distance between the scribed line and lens index must be within 1 mm (left-to-right) (Check by releasing the shutter two ro three times.)



Do not shine fluorescent light directly on the camera. Be sure to use fluorescent light.

If the values are less than the standard, adjust by turning the three sensor screws evenly.





REPAIR PROCEDURES

E. REPAIR PROCEDURES

CONTENTS

SYS	TEM CHECK T-2 MANUAL	É-1	
1.	Panel	E-1	
2.	Table of Check Items	E-2	
3.	Operating Procedure	E-4	
4.	Practical Example in Using Checker	E-5	
4	-1. Use of Connector 3 (SHOE)	E-5	
4	2. Use of Connector 2 (GRIP) and Connector 3 (SHOE)	E-10	
4	3. Use of Connector 1 (AF) and Connector 2 (SHOE)	E-12	
4.	4. Adjustment	E-14	
TRO	DUBLE SHOOTING	E-20	•
1.	Noting operates, including the display and shutter	E-20	,
2.	Shutter does not move at all	E-20	
3.			
4.			
5.	AE Operation Failure	E-27	
6.			
7.	Film Wind and Film Rewind Failure	E-30	
8.			
9.			
10.			
11.			
12.			
	1. 2. 3. 4. 4 4 TRC 1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	1. Panel 2. Table of Check Items 3. Operating Procedure 4. Practical Example in Using Checker 4-1. Use of Connector 3 (SHOE) 4-2. Use of Connector 2 (GRIP) and Connector 3 (SHOE) 4-3. Use of Connector 1 (AF) and Connector 2 (SHOE) 4-4. Adjustment TROUBLE SHOOTING 1. Noting operates, including the display and shutter 2. Shutter does not move at all 3. Dispaly failure 4. AE operation failure 5. AE Operation Failure 6. Mirror Operation Failure 7. Film Wind and Film Rewind Failure 8. Aperture Operation Failure 9. AE Lock Operation Failure 10. Self Operation Failure	2. Table of Check Items E-2 3. Operating Procedure E-4 4. Prectical Example in Using Checker E-5 4-1. Use of Connector 3 (SHOE) E-5 4-2. Use of Connector 2 (GRIP) and Connector 3 (SHOE) E-10 4-3. Use of Connector 1 (AF) and Connector 2 (SHOE) E-12 4-4. Adjustment E-14 TROUBLE SHOOTING E-20 1. Noting operates, including the display and shutter E-20 2. Shutter does not move at all E-20 3. Dispaly failure E-21 4. AE operation failure E-23 5. AE Operation Failure E-27 6. Mirror Operation Failure E-29 7. Film Wind and Film Rewind Failure E-30 8. Aperture Operation Failure E-31 9. AE Lock Operation Failure E-31 10. Self Operation Failure E-31 11. Flash Operation Failure E-32

1. SYSTEM CHECK T-2 MANUAL

1. Panel

OLYMPUS

L C D

A E W F D

SYSTEM CHECKER T-2

C D E F E

8 9 A B S

(POW) SW1 SW2 SW3

LED1 ON G12 ON LED2

OFF G16 CHG

CONNECTOR 1, 2, 3

1.	LCD	DOT MATRIX DISPLAY	
2.	VR	LCD contrast adjustment resi	istor (adjusts brightness to obtain clear display on LCD).
	SW1		
4.	SW2	GRIP flash recharged signal (Choose G12 or G16. There is presently no G16.)
		T series flash ON/recharged s	
		AUTO CHECK mode:	auto adjustment
		AF SENSOR CHECK mode:	CHECK T-2 line ON
		EE/BV ADJUST mode:	auto adjustment
7.	LED1	Lights when SW1 is ON	•
8.	LED2	Built-in F280 flash, illuminat	or LED dummy
		main mode selection key	
		use Letters A, R, W, F, D, E,	S, M, ET
10.	TEN KEY	sub-mode selection key:	for address/data input, use keys other than the main keys
		•	(0, 1, 2, A, B, C, D, E, F)

2. Table of Check Items

♦ When using Checker T-2 to check these items, use the following procedures to call the appropriate programs.

	1 1		b
 Main mode (main items) 	→	2. Sub-mode (sub-items)	· · · (display)
			1

♦ There are 3 kinds of connectors on the camera

1. Connector 1: For connecting the AF checker

2. Connector 2: For connecting the GRIP

3. Connector 3: For connecting shoe

♦ Table of check items

1. Use connector 3 (Shoe connector)

Main mode	Sub-mode	Display	Check item
	0	D-CONNECT CHECK	DXSW
	1	S-CONNECT CHECK	Lens RCM data
	9	LCD ON CHECK	LCD full on
A	Α	STANDBY CHECK	Display time (30 sec.)
AUTO MODE)	8	MECHA SW CHECK	each SW mechanism
	С	KEY SW CHECK	each SW key
	D	SHOE X/T CHECK	XSW, TTL Signal
	E	SEQ SW CHECK	SE, MU, WU, AVSW
	020	ADR : 020 DATA : 00	SW value (ISO)
	022	ADR : 022 DATA : 00	EV value
	02C	ADR : 02C DATA : 00	AV value (for display)
	02E	ADR : 02E DATA : 00	TV value (for display)
	036	ADR: 036 DATA: 00	BV A/D exchange value
R (RAM READ)	032	ADR : 032 DATA : 00	BATT A/D exchange value
	034	ADR : 034 DATA : 00	TV value (P line, turning point)
	03A	ADR : 03A DATA : 00	Number of aperture step
	03E	ADR: 03E DATA: 00	TV value when AELOCK
	056	ADR: 056 DATA: 00	focus length
	05A	ADR: 05A DATA: 00	Minimum F No.
	05C	ADR: 05C DATA: 00	Release F No.
	13C	ADR: 13C DATA: 00	film counter
	13E	ADR : 13E DATA : 00	DX code
F	O	F280 ON *	F280. X signal
(F280)	1	F280 CHARGE UP *	F280. X, EP signal

Main mode	Sub-mode	Display	Chek item
		BV/BC AUTO ADJ	EE adjustment
		8V/BC AUTO ADJ	EE adjustment
[€	_	EV CHECK	EE adjustment
(EE/BC ADJ)	8 : F	ISO SET 25 : : : ISO SET 3200	
	1	EV CHECK	Check EV value
,	0	DAV: PRG SS: BULB	Check program aperture
	1	DAV: PRG SS: BULB	Check program aperture
	2	DAV: 0.0 SS: AUTO	Check EE value
	3	DAV: 0.5 SS: 2	aperture 0.5 step SS 2
	4	DAV: 1 SS: 1	aperture 1 step SS 1
	5	DAV: 1.5 SS	aperture 1.5 step SS 2
	6	DAV: SS: 4	aperture 2 step SS 4
M	7	DAV: 2.5 SS:	aperture 2.5 step SS 8
(MANUAL MODE)	8	DAV: 3 SS: 15	aperture 3 step SS 15
	9	DAV: 3.5 SS: 30	aperture 3.5 step SS 30
	A	DAV: 4 SS: 60	aperture 4 step SS 60
	8	DAV: 4.5 SS: 125	aperture 4.5 step SS 125
	С	DAV: 5 SS: 250	aperture 5 step SS 250
	D	DAV: 5.5 \$S: 500	aperture 5.5 step SS 500
	E	DAV: 6 SS: 1000	aperture 6 step SS 1000
	F	DAV: 6.5 SS: 2000	aperture 6.5 step SS 2000

2. Use connectors 2 and 3 together

Main mode Sub-mode		Display	Chek item
	2	B-CONNECT CHECK	DISP-SW, RESW, GRIP FLASH
	3	F-CONNECT CHECK	SLMP signal, absolute distance value
	4	T-CONNECT CHECK	Shoe, X terminal
A (AUTO MODE)	5	F-CONNECT CHECK	GRIP FLASH
,	7	AV/TV CHECK	Operation of Camera
	8	SHOE TTL CHECK	X, TTL of shae

3. Use connector 1 and 3 together

Main mode	Sub-mode	Display 1	Display 2	Check item
	0	MLIFE		Lens rotation
	1	TADOR		Actuation of 200 pulses
	2	LENS RUN	+0085 78 044C 01	Lens coefficient
	3	TAFSEQ (F4.0)		
	4	TAFSEQ (F2.8)		
	5	TAESIN (F2.8)		
	6	TPOWER		
s	7	PWRUP		
(AF SEMDCR)	8	CCDYAW (F4.0)	OFC9 ODD9 +15.89%	Yaw
	9	DISPIT (F4.0)	DISPIT 10.455 ms	Pitch
	A	CCDZ (F4.0)	1+01289	F focus
	В	XBPADJ (F4.0)	ODE1 OCBE +10.5%	A, B output
į	С	CCDYAW (F2.8)		Yaw
	Ď	DISPIT (F2.8)		Pitch
	E	CCDZ (F2.8)		F focus
	F	XBPADJ (F2.8)		A, B output

3. Operating Procedure

Notes: 1. Turn OFF all other SW's.

- 2. Turn the camera ON and then turn ON SW1 of the checker.
- 3. To check the re-display of the sub-mode and OK function, press the reset button on the camera and then press ET.
- 4. To change the main mode; press the reset button on the camera and then set main or sub-mode.
- 5. If changing the main mode fails, repeat above procedures from (1) again.

Auto-Adjustment Function

- If SW4 is turned ON during AUTO-CHECK;
 - Checking automatically advances from D-Connect → S-Connect → · · · LCD ON.
 However, if any part malfunctions, it will be indicated on the display.
 - When SW4 is turned OFF, Auto-adjustment returns to D-Connect check and starts again when SW4 is turned ON again.

4. Practical Example in using Checker

4-1. Use of Connector 3 (SHOE)

4-1-1. AUTO CHECK MODE

Operation: POW-ON → SW1-ON → A → ET → O → ET → (display) (Camera)


main mode sub mode

1. D-CONNECT CHECK = DX contact check (A. 0)

Display

O: OK F: Failure

Film-unloaded	0	D-CONNECT OK	OK displayed briefly
r mrunioaded	F	DX1 OFF	contact 2 failure
Film-loaded	0	DX12 OFF	according to ASA100 DX code table
i iiiii ioadad	F	Out of DX code table	



2. S-CONNECT CHECK = lens ROM check (A. 1)

Display

0	S-CONNECT OK	OK displayed briefly
F	S-CONNECT ERROR	lens ROM calling failure

3. LCD ON CHECK = LCD fully ON (A. 9)

Display

0	LCD OK CHECK	LCD on the camera all OK, AF inside F OFF
F	LCD ON CHECK	all OFF

4. STANDBY CHECK * check within 30 sec. of display (A, A)

Display

0	STANDBY CHECK	blinks for 30 sec. and stops (F ON → OFF)	
F	STANDBY CHECK	failure if operation other than described above	

After checking operation, press the reset button on the camera. The film cartridge mark displayed in the LCD should blink and then stop after 30 sec. (OK if LCD inside F turns ON and OFF)

5. MECHA SW CHECK = each SW check (A. B)

Display

Camera Operation	SW Check	Display (O)	Display (F)
Press release button halfway	DSIP-SW	MECHA SW:: DS	With the original SW display
Press release button	RESW	MECHA SW : RL	(Newly set SW is not displayed)
Rear cover open/close	ocsw	MECHA SW : OC	
Film transport	WFSW	MECHA SW : WF	
Attach and remove lens	BMSW	MECHA SW : BM	
R button set	RWSW	MECHA SW : RW	
Press each key	each key	MECHA SW : REY	-KEY CHECK

♦ 1. When checking KEY SW's, slightly press DISPSW and then press KEY SW.

6. KEY SW CHECK = Key SW check (A. C)

Display

KEY SW operation	SW Check	Display (O)	Display (F)
RESET	CLR SW	KEY SW : CLR	With the original SW display.
DRV	DRV SW	KEY SW : DRV	
F4	X/F4 SW	KEY SW : XF4	
AF power	PF SW	KEY SW : FCS	
Self timer	SLF SW	KEY SW : SLF	
Shift left-right	SFTHSW	KEY SW : SHS	
Shift middle right	SFTUSW	KEY SW : SUP	
Shift middle left	SFTDSW	KEY SW : SDN	
AE lock button	AEL SW	KEY SW : AEL	\neg

7. SHOE X/T CHECK

= X. TTL-ON Check (A. D)

Display

Condition	Display (O)	Display (F)
Dark	X ON TTL	Failure if display other than as listed on the left.
Low light	X ON-1 TTL ON-2	
Medium light	X ON-2 TTL ON-1	1
High light	X TTL ON	1

O Release shutter

8. SEQ SW CHECK = SESW, MUSW, WUSW, AVSW display static condition (A. E)

Display

SEO MUO WUO AVX	Display: Normal O, Abnormal X

4-1-2, RAM READ MODE

sub-mode

Operation: POW-ON \rightarrow SW1-ON \rightarrow R \rightarrow ET \rightarrow OOO \rightarrow ET \rightarrow (Display)

○ Refer to the table in No. E-7 for each standard value.

1. ISO Check (R. 020)

Display

	0	ADR : 020	DATA : 28	Same as ISO of the camera
Ī	F	ADR: 020	DATA	Differs from ISO of the camera

2. EV Check (R. 022)

Display

	0	ADR : 022	DATA:	Change in response to brightness
ſ	F	ADR: 022	DATA:	Differs from ambient brightness

3. AV Check (Display use) (R. 02C)

Display

0	ADR : 02C	DATA:	Same as F display
٤	ADR : 02C	DATA:	Differs greatly from aperture value

4. TV Check (Display use) (R. 02E)

Display

0	ADR : 02E	DATA:	Same as F display
۴	ADR : 02E	DATA:	Differs greatly from SS

5. BV A/D exchange value (R. 036)

Display

0	ADR: 036	DATA:	Changes in response to brightness
F	ADR : 036	DATA:	Differs greatly in value

6. BC A/D exchange value (R. 032)

Display

0	ADR 032	DATA:	Changes by battery
F	ADR: 032	DATA:	Differs greatly in value

7. P line graph break point (TV value) (R. 034)

Display

0	ADR: 034	DATA:	Changes in response to brightness
F	ADR: 034	DATA:	

8. Number of aperture (pulses) (R. 03A)

Display

0	ADR : 03A	DATA :	Change in response to brightness
F	ADR : 03A	DATA:	Differs greatly in value

9. AELOCK TIME (R. 03E or 03C)

Display

0	ADR : 03E	DATA:	
F	ADR : 03E	DATA:	

10. Focal length (R. 056)

Display

	0	ADR:	DATA:	
ĺ	Ħ	ADR:	DATA:	

11. Minimum F No. (R. 05A)

Display

0	ADR:	DATA:	
F	ADR:	DATA:	

12. Open F No.

(R. 05C)

Display

0	ADR:	DATA:	
F	ADR:	DATA:	

13. Film counter (R. 13C)

Display

	٥	ADR:	DATA:	
• [F	ADR:	DATA:	

14. DX code

(R. 13E)

Display

0	ADR:	DATA :	
F	ADR:	DATA:	

4-1-3, F-Flash Signal Mode

Operation: POW-ON \rightarrow SW1 \rightarrow ON \rightarrow F \rightarrow ET \rightarrow O \rightarrow ET \rightarrow (Display) (Camera)

1. F280 X signal check (F. 0)

0	F280 ON X ON	After shutter is released, X ON is displayed
F	F280 ON	

2. F280 X signal check (F. 1)

Display

0	F280 CHARGE X ON	Release Shutter. Two kinds of display indications
F	F280 CHARGE	

[Display] Dark: X ON display

Bright: FLAT display

4-1-4. EE/BC ADJ MODE

Operation = POW-ON → SW1-ON → E → O → ET → (display) (Camera)

1. ISO setting (E. 0)

Display

0	ISO SET	Same as ISO of camera
F	ISO SET	Different value

♦ (sub-mode)

8 ISO025	C ISO400
9 ISO050	DISO800
A ISO100	E ISO 1600
B ISO200	F ISO3200

Use instead of DX jig (patron)

Use when setting ISO of the camera to other than 100.

2. EV check (E. 1)

Display

0	EV CHECK	С	Changes in response to brightness
F	EV CHECK		

4-1-5. MANUAL MODE

1. Setting of bulb (M. 1)

Display

0	DAV = PRG	SS = BULB	When released, it changes to builb, program
F	DAV +	SS =	

2. Setting aperture value: seconds setting (M. OOO)

Display

Sub-mode	2	3	4	5	6	7	8	9	Α	В	С	D	E	F
Aperture	0.1	0.5	1	1.5	2	2.5	3	3.5	4	4.5	5	5.5	6	6.5
Seconds	AUTO	28	1.5	2	5	8,	15	30	60	125	250	500	1000	2000

Operation: Aperture setting procedures: After main mode is set, press the desired sub-mode key.

Seconds setting procedures: After aperture is set, press the desired sub-mode key while pressing the 0 key.

POW-ON
$$\rightarrow$$
 SW1-ON \rightarrow M \rightarrow ET \rightarrow O \rightarrow O \rightarrow O \rightarrow ET \rightarrow (display)

aperture setting

4-2. Use of Connector 2 (GRIP) and Connector 3 (SHOE)

4-2-1. AUTO CHECK MODE

Operation = POW-ON \rightarrow SW1-ON \rightarrow A \rightarrow ET \rightarrow O \rightarrow ET \rightarrow (display)

1. B-CONNECT CHECK

1. DISPSW, RELS signal check (A. 2)

2. Grip flash signal check

Display

0	B-CONNECT	ОК	Displays OK for a brief moment		
	DSP SW	ERROR	DISP NO SW reading		
	REL SW	ERROR	REL NO SW reading		
F	STOUT (CHG)	ERROR	No G flash recharge ready signal		
	STCHG (RDY)	ERROR	G flash recharged signal reading impossible		
	GRX (WX)	ERROR	No G flash fire signal		

- ♦ 1 Release shutter
 - 2) Carry out in low brightness
- 2. F-CONNECT CHECK
- 1. AF illuminator ON signal check (A. 3)
- 2. Absolute distance calculation check

Display

0	F-CONNECT	OK	Display OK for a brief moment
_	F-CONNECT	SLMP	No shoe illuminator ON signal
[F-CONNECT	ERROR	AF Operation Failure, Absolute distance Calculation Failure

- ♦ 1) Release shutter
 - 2) Carry out in low brightness
- 3. T-FLASH CHECK
- 1. L terminal signal check (A. 4)

• Display

2. X signal check

0	T-FLASH	OK	Displays OK for a brief moment		
_ 	SHOE L ERROR		Shoe L signal reading impossible		
F	SHOE X	ERROR	No shoe X signal		

- ♦ 1) Release shutter
 - 2) Carry out in low brightness

4. F-FLASH CHECK Shoe X/FLAT signal check (A. 5)

Display

	F-FLASH	ок	Displays OK for a brief moment
٥	F-FLASH	X ON	
	F-FLASH	FLAT	Release shutter
F	F-FLASH	ERROR	Neither shoe X nor FLAT

- 6 1) Press E.T. and the shutter is released.
 - 2) Carry out in low brightness
 - 3) Mount lens

5. G-FLASH CHECK G-flash signal check (A. 8)

Display

0	G-FLASH	ОК	Displays OK for a brief moment
	STOUT (CHG)	ERROR	No G-flash recharged ready signal
F	STOUT (RDY)	ERROR	G-flash recharged ready reading impossible
	GRX (WX)	ERROR	No G-flash fire signal

- 1. Release the shutter
- 2. Check in low brightness

6. AV/TV CHECK aperture, shutter check (A. 7)

Display

ĺ	0	AV/TV CHECK	Shutter is released 4 times at aperture step 2 (SS1/4)
	F	AV/TV CHECK	No operation

[♦] Shutter is released 4 times automatically

7. SHOE TTL shoe TTL signal check (A. 8)

Display

	O	SHOE TTL	ОК	Display OK for a brief moment	,
ĺ	F	SHOE TTL	ERROR	No TTL sginal	-

4-3. Use of Connector 1 (AF) and Connector 2 (SHOE)

4-3-1. AF SENSOR CHECK

Operation: 1. POW-ON \rightarrow SW1-ON \rightarrow S \rightarrow ET \rightarrow 0 \rightarrow ET \rightarrow (display)

2. Lightly press the AE lock button twice (lens operation, data display)

1. MLIFE: lens operational check (S. 0)

Display

0	MLIFE	Lens moves forward and backward
F	MLIFE	Lens does not move

○ Camera LCE displays (0)

2. TADDR: Operational check of lens at 200 pulses (S. 1)

Display

	0	TADDR	Lens operates at about 200 pulse
ſ	F	TADDR	Lens dose not move

○ Camera LCD displays (1)

3. LANS RUN: Lens ROM check (S. 2)

Display

	0	+005B 78 004C 01	Lens ROM contents displayed	
ſ	F			

♦ Press reset button on the camera → display

;	+	error value e/- sign
	00B5	error value
•	<u> </u>	

18	coefficient of zoom	
004C	puise value	
01	AF STATUS	

4. TAFSEQ (F4): SEQ Check (S. 3) (F.2.8 is S. 4)

Display

0	TAFSEQ (F4.0)	Lens moves
F	TAFSEQ (F4.0)	Lens does not move

♦ Camera LCD displays (3) (4)

5. TAFSIN (F2.8): SIN check (S.5)

Display

0	TAFSIN (F2.8)	Lens move
F	TAFSIN (F2.8)	Lens does not move

♦ Camera LCD displays (%)

6. T POWER: AF power advance check (S.6)

Display

0	T POWER	Set AF shift SW to the left, lens advances	
F	T POWER	No movement	

- ♦ Camera LCD (11 → 10)
- ♦ Reset the lens to ∞ before checking.

7. PWR UP: AF power slow rotation check (S.7)

Display

0	PWR UP	Set AF shift SW to the left: lens advances slowly
F	PWR UP	

Camera LCD displays (7 → 6)

If the lens advances, turn OFF the SW of the checker or the camera POW-SW.

(Otherwise the motor will continue to rotate.)

8. CCDYAW (F4) (S.8) (F2.8 is S.C)

Display

0	OFC9 ODD9 +15.89%	Standard should be satisfied
F	OFC9 ODD9 +15.89%	Below standard

♦ Camera LCD displays (12)

Standard: Within ±5% (The number of the position of 15.89% is below 5)

9. DISPIT (F4) (S.9) (F2.8 is S.D)

Display

0	Dispit 10.455 ms	Standard should be satisfied	
F	Dispit 10.455 ms	Below standard	

♦ Camera LCD displays (13)

Standard: 5% (less than 5% against number A of the position of 10.455 ms)

10. CCDZ (F4) (S.A) (F2.8 is S.E)

Display

0	····· 1 + 01289	Standard should be satisfied
F	1 + 01289	Below standard

♦ Camera LCD display (14)

Standard: within ±4 (The number of the position of 01289 is below 4)

11. XBPADJ (F4) (S.B) (F2.8 is S.D)

Display

0	ODE1 OCBE +15.50%	Standard should be satisfied
F	ODE1 OCBE +15.50%	Below standard


♦ Camera LCD display (15)

Standard: ±5% (The number of the position of 15.50 is below 5)

4-4. Adjustment

4-4-1. EE adjustment

1. Preparation



- 1. Attach the double-function SW to the test terminal.
- 2. Set the E tester to BV11 and ISO100.
- 3. Mount a F5.6 jig lens on the camera.
- 4. Set power of the camera to 6.3V.

Note: Turn double-function SW OFF when power to the camera is turned ON.

 To display (EP) on the camera LCD, turn power OFF and turn ON again while double-function SW is left ON.

2. Operation

1. POW SW-ON → double-function SW-ON → SW1-ON → E → ET → SW4-ON,

(Display) EV CHECK
EE AUTO DX*

After the auto-adjustment of display BC level, Automatically checks display Adjustment level and enters EE auto-adjustment mode.

- 2. Press release button several times.
- (Display) EE AUTO DX* After release several times, EE of ISO100 changes to ±0.125EV.

Increasing or decreasing the valve of EE is explained below.

3. A key QN.

Set to ISO100.

(Display) ISO SET 100*

4. Press release button.

(Camera shift SW UP/DOWN)

(Display) ISO SET 100

If the shift knob is turned UP, EE increases.

If the shift knob is turned DOWN, S increases,

(Method of setting is explained ablow each IS) (Display)

5.8 ~ F key ON 9 LSO SET* 50 —
8 LSO SET* 25
A LSO SET* 200
C LSO SET* 400
D LSO SET* 800
E LSO SET* 1600
F LSO SET* 3200 __

As in 4 above, confirm and adjust each EE of ISO while releasing.

Method of setting ISO

Operation: POW-ON → SW1-ON → E → ET → 0 → ET → (display)

1	EV CHECK		
8	ISO 52	С	ISO 400
9	ISO 50	D	ISO 800
Α	ISO 100	E	ISO 1600
8	ISO 200	F	ISO 3200

To switch ISO continuously, turn ON SW4 and press the 8 ~ F keys.

4-4-2. B. C adjustment • display manual adjustment. EE manual adjustment. (Do not use T-2 checker)

- 1. Preparation
 - Same as EE adjustment

	AS5018	J	F5.6 jig lens					
BV	SS	EV	SS	ΕV				
9	90	98	15	70				
10	125	A0	30	78				
11	180	A8	60	80				
12	250	80	125	88				
13	350	88	250	90				

2. Operation

- (1) Double-function SW-ON
- (B, C auto-adjustment)
- (2) Press the self-timer key on the camera twice.

(Display manual adjustment)

(3) Press the AEL key of the camera and move the shift key UP or DOWN, then set SS inside of F according to the table on the left.

(Set brightness to any of these levels)

(EE manual adjustment)

(4) Move the shift key of the camera UP or DOWN and adjust EE while releasing. shift UP = EE0.125EV UP

shift DOWN = EE0.125EV DOWN

(5) After adjusting, turn OFF the double-function SW.

180 (SV)			EV	AV	(for displey use)	TV (for display use)		
ADDRESS: 020		ADDRE	ADDRESS: 022		SS: 02C	ADDRESS: 02E		
READ V	WRITE	READ		READ			- · - <u>, -</u>	
DATA	ISO	DATA	(AF LENS only)	DATA	DATA (AF LENS only)		(AF LENS only)	
18	25	00	Light measuring	00	FND 1.0	48	SS LO	
1 B	32	08	EV -9	04	1.2	4C	2"	
10	40	10	-6	98	1.4	50	1	
20	60	18	-7	0C	1.8	54	1	
23	64	20	6	10	2,0	58	2	
25	80	28	-5	14	2.5	5C	3	
28	100	30	-4	18	2.8	60	4	
28	125	38	-3	10	3.5	64	6	
20	160	40	-2	20	4.0	68	8	
30	200	48	-1	24	4.5	6C	10	
33	250	50	0	28	5.6	70	155	
36	320	58	1	2C	6.7	74	20	
38	400	60	2	30	8.0	78	30	
3B	500	68	3	34	9.5	7C	45	
30	640	70	4	38	11	80	60	
40	800	78	5	3C	13	84	90	
43	1000	80	6	40	16	89	125	
45	1250	88	7	44	19	8C	180	
48	1600	90	8	8 48 22		90	250	
48	2000	98	9 4C 27		27	94	350	
4D	2500	A0	10	50	32	88	500	
50	3200	A8	11	54	38	9C	750	
		80	12	58	45	AO	1000	
		88	13			Α4	1500	
		CO	14			A8	2000	
		CC8	15	_		AC	100	
		D0	16				<u> </u>	
		D8	17				· · · · · · · · · · · · · · · · · · ·	
		EO	1B					
		£8	19			<u> </u>	-	
		FO	20					
		F8	21	7				

BV A/D converter value		BATTER	Y A/D converted value	P line (raph turning point (TV value)			
ADDRESS: 036 READ		AODRESS: 032 READ		ADORE	\$\$: D34	ADDRESS:		
				READ		READ		
DATA	(AF LENS only)	DATA		DATA	(AF LENS only)	DATA		
00	BV A/D converter failure	00	A/D converter failure	48	2"			
01	Low brightness	01	High voltage	4C	1.5"			
	ł	i	ł	50	1			
FE	High brightness	FΕ	Low voltage	54	1.5			
FF	BV A/D converter failure	FF	A/D converter failure	58	2			
				5C	3			
				60	4			
	Reference value		Reference value	64	6			
	(with AS5018)	08	6.975V	68	8			
		10	6.75	6C	100			
58	BV Q	18	6.525	70	15		,	
60	1	20	6.3	74	20			
68	2	28	6.075	78	30			
70	3	30	5.85	7C	45			
78	4	38	5.625	80	60			
80	5	40	5.4	84	90			
88	6	48	5.175	88	125			
90	7	50	4.96	BC	180			
98	8	58	4.725	90	250			
A0	9	60	4.5	94	350			
A8	10	68	4.275	98	500		···	
80	11	70	4.05	90	750			
B8	12	78	3.825	AO	1000			
CO	13	80	3.6	A4	1500			
св	14	88	3.375	A8	2000			
D0	15							
08	16							
EO	17							
E8	18							
FO	19							
F8	20							

Numb	Number of aperture step (pulses)		Numb	er of apertur (pulses)	e step				-
ADDRE	ADDRESS: 03A		ADDRESS: 03A		ADDRESS:		ADDRE	ADDRESS:	
READ	READ		READ			READ WRITE		READ	WRITE
DATA	Number pulses	of step	DATA	Number of step pulses		DATA		DATA	
00	8	64	20	4	32				
01	7 7/8	63	221	3 7/8	31				
02	7 6/8	62	22	3 6/8	30				
03	7 5/8	61	23	3 5/8	29				
04	7 4/8	60	24	3 4/8	28				
05	7 3/8	59	25	3 3/8	27				
06	7 2/8	58	26	3 2/8	26				
07	7 1/8	57	27	3 1/8	25				
08	7	56	28	3	24				
09	6 7/8	55	29	2 7/8	23				
0A	6 6/8	54	2A	2 6/8	22				
OB	6 5/8	53	28	2 5/8	21				
ос	8 4/8	52	2C	2 4/8	20				
0D	6 3/8	51	220	2 3/8	19				······
0E	5 2/B	50	2E	2 2/8	18				
OF.	6 1/8	49	2F	2 1/8	17				
ıδ	- 6	48	30	2	16				
11	5 7/8	47	31	1 7/8	15				
12	5 6/8	46	32	1 6/8	14				
13	5 5/8	45	33	1 5/8	13				
14	5 4/8	44	34	1 4/8	12				
15	5 3/8	43	35	1 3/8	11				
16	5 2/8	42	36	1 2/8	10		· - · - · -		
17	5 1/8	41	37	1 1/8	9			, l	
18	5	40	38	1	8				
19	4 7/8	39	39	7/8	7				
1 A	4 6/8	38	3A	6/8	6				
18	4 5/8	37	38	5/8	5			· · · · · · · · · · · · · · · · · · ·	
1C	4 4/B	36	3C	4/8	4				
10	4 3/B	35	3D	3/8	3				
1 E	4 2/8	34	3E	2/B	2				
1F	4 1/8	33	3F	1/8	1				-

AELQ	AELOCK TIMER AELOCK TIMER				AELO	CK TIME	R				
ADDRESS: 03E, 03C ADDRESS:			ESS: 03	E, 03C	ADDF	1ESS: 031	≣, 03¢	ADDRESS: 03E, 03C			
READ	 		READ	READ READ			READ			READ WRITE	
DA	TA		DA	TA		DA	TA		DATA		
03E address	03C address	Shutter speed	03E address	03C address	Shutter speed	03E address	03C address	Shutter speed	03E address	03C address	Shutter speed
3F	FD	0.37 ms	3F	CO	7.81 ms	3C	00	125	1		
3F	FC	0.49	3 F	BO	9.78	3B	00	156			
3F	FB	0.62	3F	AO	11.72	ЗА	00	187			•
3F	FA	0.74	3F	90	13.67	39	00	219			
3F	F9	0.87	3F	80	15.8	38	00	250			
3F	F8	1.00	3F	70	17.6	37	00	281			
3F	F7	1.13	3F	60	19.5	36	00	312	"		
3F	F6	1.25	3F	50	21.5	35	00	343			
3F	F5	1.38	3F	40	23.4	34	00	376			
3F	F4	1.50	3F	30	25.4	33	00	407			
3F	F3	1.63	3F	20	27.3	32	00	438			
3F	F2	1.75	3F	10	29.3	31	00	470			•
3F	F1	1.88	3F	00	31.3	30	00	500			
3F	EF	2.08	38	E 0	35,2	26	00	563		'''	
3F	ĘD	2.33	3E	CO	39.1	2C	00	625			
3F	83	2.58	3E	A0	43.0	2A	00	687			
3F	E9	2.84	3E	80	40.9	28	00	750			
3F	E 7	3.06	3€	80	50.8	26	00	812			
3F	€5	3.31	3E	40	54.7	24	00	874			
3F	E3	3.57	3E	20	58.6	22	00	936	- 		·
3F	€1	3.82	3E	00	62.5	20	00	1000			
3F	OD	4.28	3D	CO	70.3	1C	00	1125			<u> </u>
3F	DA	4.65	3D	90	76.2	19	00	1219			
3F	D7	5.02	30	60	82.1	16	00	1313			
3F	D3	5.39	3D	20	86.0	12	00	1407			
3F	CF	5.98	3C	EO	97.0	0E	00	1563			
3F	СВ	6.57	3C	AO	106	0A	00	1625			
3F	C6	7.09	3C	50	114	06	00	1890			
3F	C1	7.71	3C	00	125	00	00	2000		 -	<u> </u>

2. TROUBLE SHOOTING

- 1. This section contains information on trouble shooting the electrical system only.
 - 2. It is therefore necessary to distinguish between mechanical failures and electrical failures.
 - 3. Use checker T-2 for checking. Refer to the items in 1 for operation.
 - 4. The check item recording the sub-mode title of the CHECK.
 - 5. () above and below records the sub-mode title of the CHECK.
 - 6. The number in the O is the pin number of the IC. The followings are abbreviation for the ICs: B1, B2, CP, FC, LD, HI and HS.

Refer to the right side.


Note 1. To comfirm whether something has been repaird or not, turn the POWSW on the camera OFF for several seconds and then turn it ON again.

(The reason is that the program is latched in the failure mode.)

- 2. Check the IC connectors again.
- Use checker T-2 to check the system switches.


Abbre- vistion	IC name	Abbre- viation	IC name
СР	CPU U101	FC	AFCPU U201
B1	8.P.1, U102	н	HIM U202
82	B.P.1, U103	HS	H\$M U203
LD	LCDD U104		

1. Nothing operates, including the display and shutter





2. Shutter does not move at all


Algorithm for distinguishing breakdown in AF, AF, WD.



3. Display failure










* IC failure if only the display will not go off.


4. AE operation failure


Discrimination












5. AE Operation Failure



F LCD turns ON when

(Input system

failure)

lens is mounted?

(In the event of AF DOWN failure)

(In the event of REWD failure)

B.P Power system failure 62 CP, 14 13 B1

Information system failure

DAC Adjusting system failure

60, 61, CP 2 4 B1


R114, R103, C111 SBC System failure 11 12, Bt, P101

6 8 10 , 81


Q104, 39 B2

Q113, 37 B2


U103




6. Mirror Operation Failure




7. Film Wind and Film Rewind Failure




8. Aperture Operation Failure



9. AE Lock Operation Failure




10. Self Operation Failure




11. Flash Operation Failure


♦ T-Series Flash Operation Failure




G Flash Operation Failure



○ F280 Flash Operation Failure



12. AF Illumination Failure



DESCRIPTION OF MECHANISM

I. DESCRIPTION OF MECHANISM

CONTENTS


1.	PR	ODUCT DESCRIPTION
2.		TLINE OF ELECTRICAL CIRCUIT
	1.	Block Diagram I-2
	2.	Description of electronic parts
	3.	Flow chart
	4.	Power distribution
	. 5.	Serial communications
	6.	Time chart I-17
3.	DES	SCRIPTION OF MECHANICAL OPERATION
	1.	Operation of W motor
	2.	Operation of AV motor

1. PRODUCT DESCRIPTION

ADS 1 is a fully-automatic single-lens reflex camera which incorporates an auto-focus mechanism (TTL-PS zero-in type), programmed exposure, and a power flash grip, etc. In addition, when used together with a Flash 280, flash synchronization is possible with any shutter speed up to 1/2000 sec. The flash is designed to fire automatically at any brightness for shutter speeds below 1/100 sec.. White a Super FP flash is automatically selected for shutter speeds of over 1/100 sec..

The ADS 1 boasts the following features:

- 1. Completely automated picture taking is possible thanks to auto-focus, auto-loading, auto-film winding and auto-film rewinding.
- The Super FP flash allows full-speed synchronization. The use of high-level automation makes day time synchronization simple.
- 3. Thanks to the grip flash, built-in flash capability is now achieved in a single lens reflex camera. The flash is always ready for use.
- 4. The AF mode is switchable to Single/Continuous.
- 5. A programmed exposure function makes problem-free photography a reality for everyone. In addition, it is possible to program any combination of aperture and shutter speed using the camera's program shift function.
- 6. With the help of built-in illumination, AF is now possible even in darkness.
- 7. In manual focusing situations, a built-in motor provides power-assisted focusing for the camera.
- 8. Frame counter, ISO and mode are displayed on a large, easy-to-read LCD panel which provides a multi-display function such as an interactive operation display.
- 9. Interchangeability is a key feature of the OM system. Exchange lens can be used in the aperture-preferred mode. TTL is available for flashes in the T series.
- 10. The camera's sophisticated electronic functions are controlled by two micro-computers.
- 11. Three entirely separate micro-motors are used for AF use, film winding and rewinding and aperture and mittor control.
- 12. With the help of static memory, exposure data is retained even after the batteries have been removed. From now on, the ADS1 will become the backbone of the new OLYMPUS AF single lensreflex system.



OUTLINE OF ELECTRICAL CIRCUIT


2. Description of electronic parts


Designation	Function	Description
Bip-1	Photocurrent compress A/D Direct integral D/A Determination voltage rebuild Power voltage check Flash interface	 B.C. 1 Carry out B, C of V_{CC1}, all bias off when V_{CC1} < 5.0V B.C. 3 Used for display. Compress voltage of V_{CC2}. Flash BC Used for power flash grip. Prohibit flash recharging when V_{CC2} < 2.6V PCON Power control signal from MCPU. Control Bip 1 and power flash grip.
Вір-2	Motor control Magnet control Sequence control (counter + SW input) P.I. interface	 DA. DB Motor selection MDIR Specifies rotating direction of AV, WIND motor. MSHT Brake of AV, WIND motor EA. EB Control of exposure mode S/C Exchange signal of shift register/counter MCPU ← Flash communications direction exchange PSEN AE lock data pemit signal SWST Outputs the condition of M, U, SW, SESW, WUSW, and AVOSW.
E ² PROM	Adjustment data Frame counter data DX input	RCEN Operation permitted signal for E ² PROM R/W Exchange signal of read and write for E ² PROM MEMO Write signal for data
Display I.C	LGD driver Key input	DCEN LCD. D. operation permitted signal
Lens ROM	Focal distance F number	
Main CPU	Main sequence control	
AF CPU	• AF control	 MODEO 0 ~ 3 AF. PF mode selection signal TXD Communications CLK signal EOFAF AF operation termination signal AFENA AF operation permitted signal AFR LEWS ROM request signal


O Switches


	1) PW SW	Power switch	Power on by OFF → ON
	2) REL SW	Release sequence start	Start by OFF → ON
	3) DISP SW	Display starts	Displays by OFF → ON
	4) BM SW	New series lens detection	OFF when new lens is mounted or when no lens is mounted ON when conventional lens is mounted or when lens lock button is depressed.
	5) OC SW	Rear cover open/closed	ON → OFF when rear cover is closed
	6) WF SW	Film advance display	OFF • ON is displayed 3 times for each frame
	7) WU SW	W motor rotation terminates	OFF → ON when film winding completes ON → OFF while mirror is being raised
	8) AV SW	AV motor reverse terminates W motor rotations starts	ON → OFF when aperture is fully-opened
;	9) MU SW	AV motor rotation terminates Shutter's front curtain starts Flat flash starts	ON → OFF after mirror up is completed
	10) SE SW	AV motor reverse starts Flat flash terminates	ON → OFF when rear curtain movement is completed
	11) RW SW	Rewind starts	ON while rewinding ON → Off when rear cover is open
	12) DX SW	Reads DX film code	ON when no film cartridge is inserted


3. Flow chart





























4. Power distribution







6. Time chart

1 During display






2. AF single mode




3. TTL direct light measurement → Film winding complete



3. DESCRIPTION OF MECHANICAL OPERATION


1. Operation of W motor


Functions of W motor: 1. Shutter charging 2. Film winding 3. Film rewinding



1. Shutter charging and film winding


W motor rotates → 2 gear → W3 gear → 4 cam gear → W3 gear is shifted by the rotation of the motor and engaged with the 4 cam gear.





Shutter charge


4 cam gear → HS lever → SC base plate → Shutter set (Charge lever) ZJ703500 ZC610900



2. Rewind


R3 base plate ZC611900


W motor reverses → 2 gear → R3 gear → R4 gear ~ R8 gear →
R3 gear engages the R4 gear when the W motor reverses
(W3 gear does not normally engage the R4 gear)
→ R91 gear → R92 gear → R10 gear → R11 gear (R claw rotates and film rewinds)



2. Operation of AV motor

Functions of AV motor: 1. Mirror drive 3. Aperture control






1. Mirror drive


Mirror up

The A6 gear 1 rotates counter clockwise due to the clockwise rotation of the AV motor. As a result, the MU gear 1 attached to the cam unit is activated. This is linked to the cam and raises the mirror.



Mirror down

The AV motor reverses, the A6 gear 1 rotates clockwise, the MU gear 1 is pushed up by the cam and mirror is lowered.



2. Aperture control


Put in the lens

A6 gear 1 rotates counter clockwise with the rotation of the AV motor. Then, the A6 gear 2 beneath A6 gear 1 begins to rotate in combination with A6 gear 1 due to the torque of the aperture spring attached to the A8 gear.




The rotation of the A6 gear 2 generates a pulse through the slit and P.I in the S2 gear. The aperture value is determined by M CPU, and when the number of pulses has reached some predetermined value, an OFF signal is sent from Bip 2 to MgA to turn MgA OFF.

When MgA is turned OFF, a claw catches the ratchet and stops rotation of the S2 gear. This causes the S1 gear. A6 gear 2, A7 gear, A8 gear and aperture ring to stop. (Set to aperture value decided by M CPU.) (A6 gear 1 continues to rotate until mirror-up is completed.)



Aperture set

To prevent AV SW from turning ON at fully-open aperture, the aperture ring is first reduced to the smallest lens opening before AV SW is turned ON.



When the AV motor reverses, the convex part of the A6 gear 1 pushes the set lever of MgA and removes the claw which holds the ratchet. The ratchet rotates due to the torque of the aperture spring and the aperture is thus reduced to the smallest lens opening.

Then, the A6 gear 2 is pushed back by the A6 gear 1 and the aperture is set fully-opened.

J. OTHERS

CONTENTS

1.	BA	SIC OPERATION	J-1
2.	PR	OGRAM LINE DIAGRAM	J- 9
	1.	Normal Program Diagram	J-9
	2.	Program Shift Diagram	J-10
	3.	Grip Flash Program Diagram	J-11
	4.	T-Series Flash Program Diagram	J-11
	5.	Flat Lighting Flash Program Diagram	J-12
3.	CO	MBINATION TABLE OF OM 707 AND FLASH	J-13

1. BASIC OPERATION

	Operations	Movements		LCD Panel Information	Viewfinder Information *
	Power switch is OFF				
POWER INPUT	Power ON	1. Power is turned ON 2. Battery check (lights for 1.5 sec., For details, refer to FRESET_1) 3. Reset lens to 4. ISO is displayed Rear cover opens		PROGRAM	7753 5.5
	Slide the rear cover O/C knob	Slide the rear cover		PROGRAM [] [AF] SINGLE	
Film loa	Load film and close the rear cover	Auto-load and advances 4 frames	(Fames advancing)	PROGRAM O_U AF SINGLE	
loading				PROGRAM C Ü AF SINGLE	
			(Complete)	PROGRAM AFSINGLE	

		Operations	Movements	LCD Panel Information	Viewfinder Information
			In the event of failure during auto-loading	PROGRAM AF SINGLE mark blinks (Turns ON after 30 sec.)	
			In the event of advancing while film is unloaded (Auto loading)	PROGRAM [] AF] SINGLE	
r jus toading	Silve landing &		(Complete)	PROGRAM O [] APSINGLE	
			(After 30 sec. has elapsed while display persists)	PROGRAM [] AFSINGLE	

Operations	Movements	LCD Panel Information	Viewfinder Information
Press release button half way	Auto-focusing		O 2555 55
	·		O In focus : green O Out-of-focus : red
	Exposure display		Shutter speed and aperture value turn ON
			Over-exposure)
			(Under-exposure)
	Press release	Press release button half way	Press release button half way Auto-focusing

	Operations	Movements	LCD Panel Information	Viewfinder Information
	Press release button	Shutter released and film is wound automatically	PROGRAM CAPISINGLE	O 252
			PROGRAM AFSINGLE	
Filming			PROGRAM CI ASSINGLE	Display disppears during mirror up
4				
*			PROGRAM (R) 35 AFSINGLE R mark blinks	
	Press R button	Rewinds automatically	PROGRAM Q 35	
Rewind			PROGRAM Q 35	

	Operations	Movements	LCD Panel Information	
Rewind	Press R button 1	Rewinds automatically Complete	PROGRAM O U AF SINGLE blinks (On after 30 sec.) Turns ON.	Viewfinder Information
	Slide the rear cover O/C knob	Rear cover is open		
Power focus	Press power focus button	Changes to power focus mode	PROGRAM SINGLE mark blinks!	250 40 25
focus	Operate shift knob	Power focus		Blinks without relation to focusing
Continous mode	Press mode exchange button	Changes to continuous mode	PROGRAM / / AE EENA	
AE L	Watch the view- finder and press AE lock button	Exposure value is locked		25.5 40
Lock	Point the camera in a different direction	Locked value does not change		500

	Operations	Movements	LCD Panel Information	Viewfinder Information
P shift	Operate shift knob	Program diagram is shifted	PROGRAM AFSINGLE PROGRAM blinks	i25 80
x F4 mode	Press x (F-4) made button	Shutter is set to 1/100 and aperture to F4	AFSINGLE mark flashes	100 4.0 40 blinks
Reset	Press reset button	(When button is pressed) 1. Mode returns to normal 2. Lens is reset to (While button is held pressed) 1. ISO is displayed 2. battery is checked battery battery	PROGRAM PROGRA	
0	Mount OM lens:	aperture-preferred is	AFSINGLE mark ON	All information other than about the flash
OM Lens mounting			SINGLE CONT. possible	disappears from the viewfinder


	Operations	Movements	LCD Panel Information	Viewfinder Information
	Release shutter	Battery is checked automatically each time	PROGRAM / AFSINGLE	
Auto battery check		(battery weak)	PROGRAM Dinks	
		(battery empty)	PROGRAM () ON	
Self	Press self-timer button	Changes to self-timer mode	PROGRAM D AFISINGLE	1900 1900
Selftimer	Press release button	1. AF is activated 2. 12 sec. 3. Release	PROGRAM O AFSINGLE mark blinks	F display disappears
Flat ligi	Switch on the flash	Recharge completed	,	\$0 40 4
Flat lighting flash		Enter flat lighting range		2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

	Operations	Movements	LCD Panel Information	Viewfinder Information
Flat lighting flash	Shoot film	Flash fires		Blinks for 2 sec.
	Flash pops-up	Charge completed		100 S 5 4
Grip flash	Shoot film	Aperture is controlled by distance information Shutter is released and flash fires		\$ Blinks : correct \$ OFF : under exposure ON : flash does not fire
T-ser	Switch on the flash	Charge completes		* 555 +
T-series flash	Shoot film	Shutter is released and flash fires		\$ 8links : correct \$ OFF : under exposure \$ ON : flash does not fire

2. PROGRAM LINE DIAGRAM

1. Normal Program Diagram

(1) Changes depending on F No. at fully-open aperture.




Example

- 1. 50 mm F1.8
- 2. 35 to 70 mm F4

Positions of the horizontal lines change depending on F No. The turning point does not change.

(2) Changes depending on focal length.




Example

- 1. 28 mm F2,8
- 2. 50 mm F1.8
- 3. 70 to 210 mm 210 mm at F4

Dis- tinc- tion	Focal length	Break point
W	Under 34 mm	1/15
S	Over 34 mm Under 90 mm	1/60
T	Over 90 mm	1/250

Break point changes depending on the focal length


2. Program Shift Diagram



Example 35 to 70 mm F4

- (1) At point 1, when shifting to the (+) side, the turning point changes from $1 \rightarrow 2 \rightarrow 3$. Then, when shifting to the (-) side, the turning point changes from $3 \rightarrow 2 \rightarrow 1 \rightarrow 4 \rightarrow 5$.
- (2) At point A, when shifting to the (+) side, the turning point changes from A → B. The following changes in brightness follow line b.
- , (3) At point A, when shifting to the (-) side, no change occurs.
- (4) At point C, when shifting to the (-) side, the turning point changes from C → D. Here, when shifting towards the dark side, the turning point changes from D → A. Moreover, when shifting to the bright side, the turning point changes from A → D.
 - (5) In 3., at point A, when shifting to the (+) side, the turning point changes from A → B.
 However, if the shift is to the bright side, the turning point changes from B → F. (rather than returning to D).

3. Grip Flash Program Diagram



Example 35 to 70 mm F4


(1) This shows the lighting range. When it is below 1/100, under natural sunlight, the shutter speed is set to 1/100 and the aperture is determined by the distance. (Flashmatic)

(2) This shows the no-lighting range.

4. T-Series Flash Program Diagram

The program is the same as for the grip flash. However, in lighting range 1., the shutter speed is set to 1/100 and the aperture is controlled by the smaller value between F4 and the F value at fully-open aperture. Example: 50 mm F1.8 is F4, 35 to 70 mm F4.5 is F4.5

5. Flat Lighting Flash Program Diagram



- (1) This shows the lighting range. When it is below 1/60 under natural sunlight, the shutter speed is set to 1/60, and the aperture is controlled by the smaller value between F4 and the F value at full-open aperture.
- (2) This shows the flat lighting range. When it is above 1/60 under natural sunlight, the shutter speed is determined by natural sunlight. The aperture is controlled by the smaller value between F4 and the F value at fully-open aperture. If it reaches 1/2000, the smallest lens opening is reached.
 - *When the viewfinder information shows a shutter speed of 100, both light and super FP can be used.

3. COMBINATION TABLE OF OM 707 AND FLASH

	 			Shutter speed	Charter						Flash control	Control					1
MODE	AGP12	F280	120	determined	Superd	4	400	Fritoday control) ×	K contact				_			
			T32	by flash	90.00	'	֓֞֝֟֝֟֝֟֝֟֝֟֝֟֝֟֓֓֓֓֓֓֓֓֓֓֓֓֟֟		9 9			cyeration	Mear curtain	Apende	a 2	Ø.	Shorte
						EA EB	<u></u>		×	×		starts	completed	Control	Indication	Control	Indication Control Indication
∢							H 2	TTL direct 2 to 1/2000	OFF	Full	Flash by other makers full speed		0	Program line			
æ	0			1/100	Faster than 1/100	I	1 1	TTL direct 1/100 to 1/2000	OFF	OFF	AGP12 does not flash			Program line			
				7.	Slower than 1/100	Ŧ	<u>-</u>	1/100 limiter	NO	ON	AGP12 flashes		0	G No. dostamce		001/1	1/100
ပ		0		1/60	Faster than 1/60			TTL direct 1/60 to 1/2000	OFF	OFF	F280 flashes (Super FP flashes)	0		Program line			
	_				Slower than 1/60	_ _ _	1	1/100 limiter	ON	NO	F280 flashes (Lighting flash)		0	Values at aper- ture full-open or F4		1/100	1/100
a			0	1/100	Faster than 1/100	H	·	TTL direct 1/100 to 1/2000	OFF	OFF	T-flash does not fire			Program line			
					Slower than 1/100			1/100 limiter	NO NO	NO	T-flash fire		0	Values at aper- ture full-open or F4		1/100	1/100
ш	C	Ç	·	9	Faster than 1,760			TTL direct 1/125 to 1/2000	OFF	940	F280 flashes (Super FP (lashes)	0		Program line			
		,		-	Stower than H	<u> </u>		1/100 limiter	ON	NO	AGP12, F280 flashes (Lighting flash)		0	G No. distance		1/100	1/100
(seme	0		0	1/100	Faster than H		 -	TTL direct 1/100 to 1/2000	OFF	OFF	AGP12, T-flash does not fire			Program line			1
S .					Slower than H			1/100 limiter	NO.	NO	AGP12, T-flash fires		0	G No. distance		1/100	1/100
GIA and X/F4 mode)							$\overline{}$	AE lock 1/100	OFF	NO	Flash by other makers flashes at 1/100		0	Values at aper- ture full-open or F4		1/100	1/100

*T-series flash cannot be used for multi-flash filming.

POWER FLASH GRIP300

INDEX

A.	PRODUCT OUTLINE	A-1
	INSPECTION STANDARDS	
	DESCRIPTION OF MECHANISM	



PRODUCT OUTLINE

A. PRODUCT OUTLINE

1. Product Outline

Model name OLYMPUS POWER FLASH GRIP 300

House code AGP12

2. Main Specifications

Type Separable power-source grip (built-in flash)

System application OM 707 (or OM 77 AF)
Shutter release Electromagnetic shutter

Battery life Sufficient for 8 rolls or more (using flash for 50% of exposures, alkaline batteries,

normal temperature, 24EX film)

Camera mount Special mount

Electrical Cordless, direct-contact

connection with

camera

Guide number 12 (ISO 100 · m)

Flash mode Full-speed synchro, (Flashmatic)
Coverage angle Equivalent to view angle of 35mm lens.
Recycling time 4 sec. with sum-4 alkaline batteries.

Operation display Lamp indication on the back of FLASH (Charge completion)

LCD display in viewfinder of OM 707 or OM 77 AF

(Charge completion, correct exposure)

Flash duration 1/3000 sec.

Flash power- ON : pop-up lever (turns ON only when connected with camera)

source switch OFF : flash reflector pushed in Power source sum-4 alkaline battery x 4

Facing Elastic pad

Dimensions 49 (W) x 64 (H) x 67 (D) mm Weight 80g (without batteries)



INSPECTION STANDARDS

B. INSPECTION STANDARD

Major Check Point	Standard	Items to be checked and procedure
1. Insulation resistance	over 30M Use 500V insulation resistor	Measure the insulating resistance between the battery armature and the external metal case of the Body.
2. Lighting tendency	The flash covers a film angle subtended by a 35mm lens	The angle between the center of the beam through the point where the intensity is reduced by 1 EV must be greater than: 38° {up-to-down} 54° (left-to-right)
3. Guide number	G. No. 12 (ISO 100)	Compared with G. No. 12, the flash intensity 30 sec. after the charge lamp turns ON is within \pm 0.75 EV Compared with G. No. 12, the flash intensity immediately after charge lamp turns ON is within \pm 1.2 EV
4. Lighting cycles	Over 120 flashes with sum-4 alkaline battery × 4	Flash repeatedly in 30 sec. intervals until flash is not recharged within 30 sec. (Film winding is in operation, but autofocusing not)
5. Recycling time	Within 5 sec. with sum-4 alkaline battery x 4	Flash 3 times immediately after flash is recharged and take the shortest interval time as data.
6. Color temperature	5800° K	

DESCRIPTION OF MECHANISM


1. DESCRIPTION OF MECHANISM

1,	Voitage Buildup Circuit	7
	Charge Complete Display, Flash-Charge Information Circuit	
3,	Flash Trigger Circuit	Ę
	Description of Electrical Parts	

Prerequisite

- Both S101 and S102 are switches linked with UP and DOWN in the Flash firing unit.
 When the flash firing unit is UP: S101 ON, S102 OFF
 When the flash firing unit is DOWN: S101 OFF, S102 ON
- 2. The CHG terminal voltage will fall to near GND level if a charge permit signal is output from the camera.
- 3. Positive voltage is applied to the GRX terminal when XSW of the camera is turned ON.


1. Voltage Buildup Circuit (DC/DC converter)



- 2. If Q101 turns ON, Q102 and Q201 are also turned ON.
- 3. If Q201 turns QN, current flows as below:

 BT101⊕→ T101 ① → T101 ② → D104 → Q201C → Q201E → BT101⊝

 (T101 primary current)




4. Secondary voltage is generated in proportion to the increment ratio of the primary current, and current flows as below:

As a result, the main capacitor C101 is charged.

- 5. When the current increment becomes 0 because of saturation of the primary current, the secondary current stops. Because the base current of Q102 is reduced, the primary current in T101 decreases rapidly.
- - If Q102 turns OFF, Q201 also turns OFF and the primary current stops. This causes a release of the reverse voltage stored in the secondary circuit.
 - 7. By releasing the reverse voltage, T101 primary current begins to flow and charges C101 again. C101 is thus charged by turning ON and OFF repeatedly the primary circuit of T101.

Energy-Saver-Circuit


When the battery falls voltage below the Zener voltage (approx. 2.2V) applied to D201, the base current of Q201 decreases to prevent a voltage drop to the battery by controlling DC/DC operation.



2. Charge Complete Display, Flash-Charge Information Circuit


- 1. DS102 lights up when the charging voltage of C101 reaches the lighting voltage of DS102.

- If the flash firing unit is pushed and held while DS102 is lighting (i.e. S101 OFF, S102 ON), (+) of DS102 is short-circuited to GND and DS102 turns OFF because S102 is ON. Consequently, A103 turns OFF and the RDY terminal becomes open. As a result, signal current does not flow to camera.



3. Flash Trigger Circuit

- - * When used together with the camera, the flash does not fire if the charge complete display is not shown because the flash signal is not output.



3. When D301 turns ON, current flows from C103 to the primary circuit of the trigger transformer T102 and high voltage is generated in the secondary circuit of T102. This causes the flash tube to light.

C103 → D301 anode → D301 cathode →T102 ② → T102 ① → C103

4. Description of electrical parts

R102	*******************************	Prevents Q201 from turning ON due to noise
R108	****************	Prevents spontaneous firing due to noise
C102	*****************************	Prevents destruction of Q102
C104	***************************	Prevents spontaneous firing due to noise
D101	**************	Protects circuits in camera body
D102	******************************	Prevents destruction of Q102
D103		Protects circuits in camera body
R201		Prevents extreme voltage drop of Vcc ₂

OLYMPUS

CM707 CM77AF TROUBLE SHOOTING

OLYMPUS OPTICAL CO., LTD.

NOTICE ON TROUBLE SHOOTING BY USING THIS MANUAL

- 1. In this manual, measure for finding defective state and cause is described in order of operation. Practice according as the flowchart, and try to find cause at the defective state which is found on the first checking.
- 2. A digital multi-tester should be used for checking.
- 3. Beware of static electricity by setting earth etc., in operation.
- 4. There are 3 types of M circuit board (ZJ7090). The other parts concerning M circuit board is required to replace with new parts sometimes. In this case, refer to this manual.
- When M circuit board (ZJ7090) or DX circuit board (ZC6122) is replaced with new one, adjustment of voltage for indication, EE and battery checking is required. Refer to this manual coneming checking method.
- 6. When AF circuit board (ZC6113) is replaced with new one, adjustment of AF is required. Refer to this manual conerning checking method.
- 7. Take care not to mistake about polarity of the tester, when voltage, current and resistance is measured.
- 8. Defective state described here is not all. If new defective states or cause are found in checking, write down them on this manual, and improve this.


This manual is described mainly basing on the matter which occured in the past, and T-2 checker is not used. But more adequate decision concerning troubles of switches etc. is assumed to be obtained, if T-2 checker is used.


Practice trouble shooting more speedily and adequately by not only using this manual but using T-2 checker. And not only many Mode will be able to be set by using T-2 checker, but also function check will be possible after completion of trouble shooting. Refer to operational manual of T-2 checker concerning details.

TABLE OF CONTENTS


1.	Flow	chart of operation procedure	. 1
2.	Loca	tion table of electrical parts	. 3
3.	Loca	tion table of connectors	4
4.	Func	tion and location of switches	5
5.	Trou	ble shooting concerning items shown in the flowchart	7
	5.1	Initial indication of LCD panel	
	5.2	Reset	
	5.3	Indication of LCD panel	
	5.4	LCD indication in the finder	
	5.5	Idle feeding of film	
	5.6	AF range finding	
	5.7		
	5.8	AF control	
	5.9	AE control	46
		Mirror DOWN	
	5.11		
	•		55
	9.12	Rewinding	56
6.	Trout	ale shooting concerning Strobe	58
7.	Trout	ele shooting concerning Film scratch	66
3.	Troub	le shooting concerning Mode switching	67
3 .	Troub	le shooting concerning Battery consumption for a short time	គន


1. FLOWCHART OF OPERATION PROCEDURE (AF SINGLE MODE)






2. LOCATION TABLE OF ELECTRICAL PARTS







3. LOCATION TABLE OF CONNECTORS




4. FUNCTION AND LOCATION OF SWITCHES

No.	Switch name	Switch	condition
140.	Switchmaine	ON	OFF
①	Power SW	When slide switch is set to ON	_
2	BMSW	When old type lens is attached	When AF lens is attached
3	ocsw	When back cover is opened	When back cover is closed
4	WFSW	ON, OFF 3 times each, by	<u> </u>
(5)	wusw	-	When film winding is completed
6	AVSW	_	When diaphragm ring is reset
7	MUSW	_	When mirror moves UPward
8	SESW	-	When running of the first curtain is completed
9	xsw	When running of the second curtain is completed	_
10	RWSW	When R button is pressed	-
0	DISPSW	When release button of the grip is pressed by half	_
12	RELSW	When release button of the grip is pressed perfectly	








5. TROUBLE SHOOTING CONCERNING ITEMS SHOWN IN THE FLOWCHART

5.1 Initial indication of LCD panel

 When the power switch is turned ON, indication such as shown in right figure should be indicated.
 (remark): New batteris should be used.



State	Cause and checking method	Measure
No indication	(1) Power is not supplied from the grip. About 6V of the battery is enough.	Repair the grip
	(2) Contact of the grip and the camera body is imperfect. a. Imperfect contact due to dust and dirt. b. Imperface contact due to shortage of contact height.	Clean contact Repair the grip
	c. Imperfect contacts du to (CF0524) inadequate fitting between the grip and the camera body 1 Replace with new G plate 2 (CF0524) In case of grip 300 Remove 3 screws (PUTB × 4SB), and make a opening by inserting a screw	G plate 2 CF0524
	plate (CB4004) and front cover (CB4003), insert 1 washers (CE3643)	cover Inner plate

State	Cause and checking method	Measure
No indication	(3) Imperfect contact of the power SW B circuit board (ZC6129) Make short this 2 point by tweezers, and if something is indicated, contact of the power SW is imperfect. Check voltage at this point, and if this is not same as the battery voltage (about 6V), check the items (1), (2) again.	Clear the power SW
* :	Measure voltage between pin 9 and 41 of the MAIN CPU. When the voltage reading is 5.5 – 5.7V and nothing is indicated, repair soldering or replace with new Y102. (Remark) Voltage should be measured within 30 sec. after turning on power SW.	Repair soldering or replace with new Y102. (Remark) Each parts of Y102 cannot be supplied itself.
	 (5) Defect of M circuit board When the voltage reading is normal and nothing is indicated in spite of replacing with new Y102, M circuit board is defective. (6) Imperfect contact of B2 connector When voltage reading between pin 9 and 41 of the MAIN CPU is "0" volt, check loosing and dirt of B2 connector. (7) Defect of DC/DC convertor (B circuit board) When voltage reading between pin 9 and 41 of the MAIN CPU is "0" volt in spite of cleaning B2 connector, DC/DC convertor is defective. 	Replace with new M circuit board (ZJ7090) Disassemble and clean B2 connector. Replace with new B circuit board (CF0705)

State	Cause and checking method	Measure
Mis- indication	(1) Imperface contact of DX connector Check loosing and dirt of DX connector. (2) Defect of E ² P-ROM	Disassemble and clean DX connector. Replace with new DX
"EP" is indicated.	When mis-indication cannot be repaired in spite of cleaning and reassembling of DX connector. Replace with new DX circuit bord. (3) Defect of M circuit board	circuit board (ZC6122) Replace with new M
E#	When mis-indication cannot be repaired in spite of replacing of DX circuit board, replace with new M circuit board.	circuit board (ZJ7090)
Mis- indication	(1) Imperface contact of DX contacts If Resistance between each contact and GND	Disassemble, clean and reassemble DX contact
Other indication except ISO ''100''	is less than 5 ~6 \(\Omega\) in conduction check, contacts are normal. (Remark)	3
	Take care of not to press contacts in measuring.	

5.2 Reset

Set the lens to ∞, and initialize sequence.
 (Some operation such as releasing of shutter, winding film and moving up and down of mirror are occurred, when the camera is not normal condition or power is turned off during operation.)

State	Cause and checking method	Measure
Lens cannot be set to ∞.	(1) Defect of lens (lens ROM) Check with normal lens.	Repair the lens.
"AF", "PROGRAM" is not indicated on the LCD	(2) Imperfect contact of S-circuit board contacts Check the lens and dirt of S-circuit board.	Clean S-circuit board contacts.
panel.	Contacts of S circuit board	
	(3) Imperfect contact of S connector	Disassemble and
	Check loosing and dirt of S connector. (4) Breaking of S-circuit board conduction pattern	clean S connector.
	Check resistance between Aand ABand B Cand C if they are less	Replace with new S-
	than 5~6Ω each, S-circuit board is normal.	on out bobia.
	6	
	SCONNECTOR	
•		
:		
	S CRICLITEOMRO O	
,		
!	+ - + +	
	┎ ╵╶╼ ┸┐ ┎┸╶╌ ┸┐	
	Tester 12 Tester 12 Tester 12	
		İ

State	Cause and checking method	Measure
Lens cannot be set to ∞. "AF", "PROGRAM" is not	(5) Short of BMSW Check resistance between MAIN CPU (18) and GND (body) If it is ∞Ω, BMSW is normal. If it is OΩ, BMSW is short circuit. (Remark) The lens should be attached to the body correctly.	Reform or disassemble and clean BMSW (ZC6108, CF0256)
indicated on	— to body	į
the LCD		
panel.	Body mount side	
	(6) Imperfect soldering or breaking wire of R102	Repair soldering or
	Make short between both end of R102 by tweezers.	replace with new
	If the lens is set to ∞ by this operation, imperfect soldering or	circuit board
	breaking wire of R102 is occurred.	(Remark) R102 is not supplied
	Body mount side between these two and by tweezers	as parts itself.
	(7) Imperfact contact of F1 and F2 connector Check loosing and dirt of F1 and F2 connector. (Remark)	Disassemble and clean F1 and F2 connector.
	In case of imperfact contact of F1, F2 connector, LCD in F does not indicate and shutter is not release, but shutter is release if the lens is removed and the power switch is turned ON. Next, the lens is attached again, then "AF", "PROGRAM" is indicated on the LCD	
	panel, LCD in F indicates, but the shutter is not released.	

State	Cause and checking method	Measure
State Lens cannot be set to ∞. "AF", "PROGRAM" is not indicated on the LCD panel.	Cause and checking method (8) Defect of AF CPU Measure voltage between Q109 collector and GND (body). If the voltage is more than 5V and lens cannot be set to ∞, replace with new AF CPU (F circuit board 2) (Remark) The voltage should be measured within 30 sec. after turning ON of power switch.	Measure Replace with new F circuit board 2 (ZC6113)
	Body mount side (9) Defect of M circuit board Replace with new M circuit board if trouble is not repaired in spite of replacing with new F circuit board 2.	Replace with new M circuit board (ZJ7090)
lens cannot be set to ∞. "AF", "PROGRAM" is indicated on the LCD panel.	(1) Defect of lens (HELICOID) Check with a normal lens. (2) Defect of AF motor AF gear unit Connect BP-2 42 to GND (body) and 39 to MAIN CPU 41 each. If the lens move to ∞ position from the closest position, AF motor or AF gear unit are normal.	Repair the lens Replace with new AF motor (ZC6160) or F base plate (ZC6110)


State	Cause and checking method	Measure
lens cannot be set to ∞. "AF", "PROGRAM" is indicated on the LCD panel.	(3) Defect of AF CPU Measure voltage between Q109 collector and GND (body). If the voltage is more than 5V and lens cannot be set to ∞, replace with new AF CPU (F circuit board 2). (Remark) The voltage should be measured within 30 sec. after turning ON of power switch.	Replace with new F circuit board 2 (ZC6113)
	DXconnector Tester (V)	
	(4) Defect of M circuit board Replace with new M circuit board if trouble is not repaired in spite of replacing with new F circuit board.	Replace with new M circuit board (ZJ7090)

5.3 Indication of LCD panel

· After reset, indication such as shown in right figure is indicated, patrone mark (\square) blinks. Patrone mark disappears 30 sec. after reset, if the camera is left alone.



State	Cause and checking method	Measure
R mark is indicated.	(1) Imperfect contact of WUSW Measure resistance between pink lead wire and the camera body, if it is less than 5 ~6 Ω, WUSW is normal. (Remark) Film winding should be campleted in this case. If winding is not completed, complete it by turning the sprocket with fingers.	Clean, adjust or replace WUSW (assembled in ZJ7027)
	pink lead wire to body OC/DC convertor Tester 12	
	(2) Break of W3 gear When W3 gear is broken, check mesh condition of W3 gear and 2 gear. If mesh of gears is not adequate, replace with new 2 grear.	Replace with new W3 gear (ZJ7033)
	2 gear CF0308 W3 gear ZJ7033	




State	Cause and checking method	Measure
R mark is indicated.	(5) Defect of W motor Apply voltage (about 4V) directly as shown below figure. If the motor rotates, it is normal. (Remark) The stopper (ZJ7032) should be removed towards the film rail side, when voltage is applied. (refer to previous page) ZC612400 Dutside of W motor is +	Replace with new W motor (ZC6163)
mark is turned on (LCD in F does not indicate, shutter is not replease.)	 (1) Imperfect contact of DX connector Check loosing and dirt of DX connector. (2) Imperfect contact of E²P-ROM Replace with new DX circuit board when trouble is not repaired in spite of cleaning and reassembling of DX connector. (3) Imperfect contact of M circuit board Replace with new M circuit board when trouble is not repaired in spite of replacing of DX circuit board. 	Disassemble and clean DX connector. Replace with new DX circuit board (ZC6122) Replace with new M circuit board (ZJ7090)
nark blinks	 (1) Imperfect adjustment of M circuit board (Remark) Battery voltage and capacity should be checked before adjustment. (2) Defect of M circuit board Replace with new M circuit board when trouble is not repaired in spite of adjusting locking voltage. 	Adjust battery check voltage of M circuit board. Replace with new M circuit board (ZJ7090)

State	Cause and checking method	Measure
Indication is partially lacking.	(1) Defect of M circuit board.	Replace with new M circuit board (ZJ7090)
"AF", "PROGRAM" is not indicated on the LCD panel.	(1) Defect of M circuit board Check whether the lens can be set to ∞ or not, when power switch is turned ON. a. When cannot be set to ∞: Return to the "Reset" item of flowchart again. b. When can be set to ∞" M circuit board is defective.	Replace with new M circuit board (ZJ7090)

5.4 LCD indication in finder


- · Shutter speed and diaphragm which are shown in the below program diagram according as brightness and type of the lens are indicated in the finder. (Remark)
- 1 These are indicated within 30 sec. after turning ON of power switch.
 2 When these are not indicated or the inaccuracy of indication due to non-returning of the diaphragm ring or the mirror, repair these trouble first.



Class.	Focal length	Bending point
W	under 34mm	1/15
S	more than 34mm under 90mm	1/60
T	more than 90mm	1/250


State	Cause and checking method	Measure
No indication	(1) Defect of the lens	Repair the lens
	Check with a normal lens (2) Imperfect contact of S circuit board contacts	Clean contacts
	Check dirt of contacts of the lens and the body.	Gradin Somesty
	Contacts of S circuits board	
	(3) Imperfect contact of S connector Check loosing and dirt of S connector.	Disassemble and clean S connector
	(4) Break of S circuit board pattern Check resistance between (A) and (B), (C) and (C) as shown below. If they are less than 5 \sim 6 Ω , S-circuit board pattern is normal.	:
	Sconwecton av SW av SW Tester 12 Tester 12 Tester 12	

State	Cause and checking method	Measure
No indication	(5) Short circuit of BMSW Check resistance between MAIN CPU (18) and GND (body) ∞ Ω → normal condition 0 Ω → short circuit (Remark) The lens should be attached correctly.	Reform or disassemble and clean BMSW (ZC6108, CF0256)
	Harming to body Tester 12 Body mount side	
•	(6) Defective soldering of R121 Measure resistance of R121. If it is 270Ω , R121 is normal. (Remark) Resistance should be measured after turning OFF of the power switch.	Repair soldering or replace with new circuit board. (Remark) R121 is not supplied as parts itself.
	(Reverse side of the LCD panel)	
	Body mount side Tester ()	



State	Cause and checking method	Measure
No indication	(10) Defect of FD circuit board Measure voltage between LCD, D 6 ~ 30 and the body. When each voltage is within 3.4 ~ 3.6V but nothing is indicated, FD circuit board is defective. (Remark) Voltage should be measured within 30 sec. after turning ON of power switch.	Replace with new FD circuit board (ZC6161)
	Tester (V)	
	(11) Defect of M circuit board When no voltage is measured in the above item, M circuit board is defective.	Replace with new M circuit board (ZJ7090)
,		
i i		

State	Cause and checking method	Measure
Indication is partially lacking.	(1) Imperfect soldering or defect of LCD.D Measure voltage between pin (16)~30 and GND (body). If voltage of 3.4~3.6V is not induced at each pin, repair soldering at each pin. And, if voltage above mentioned is not induced at each pin even after repairing soldering, LCD.D is defective. (Remark) Voltage should be measured within 30 sec. after turning ON of power SW.	Repair soldering of LCD.D. or Replace with new M circuit board (ZJ7090)
	Tester (V) Body mount side	
	(2) Defect of M circuit board If no voltage is induced between pin 16~30 and GND (body), M circuit board is defective.	Replace with new M circuit board (ZJ7090)




State	Cause and checking method	Measure
Indication is not changed in "Lo, 1.8". (when AS 5018 lens is used.)	 (4) Imperfect soldering of BP-1 11, 12 Check disconnection of solder and imperfect contact. (5) Defect of M circuit board If trouble is not repaired by procedure mentioned above, replace with new M. 	Repair soldering of BP-1 11 , 12
Inaccuracy of indication	(1) Imperfect adjustment	Readjust it.
Indication	(2) Defect of photo-diode (DS1751) If trouble is not repaired by readjusting, replace with new photo-diode. (Remark) It should be confirmed that the blue filter is located in front of the photo-diode.	Replace with new photo-diode. (DS1751)
	Photo-diode DS1751 Filter CF0242	
	(3) Defect of M circuit board If trouble is not repaired even by replacing of photo-diode, replace with new M circuit board.	Replace with new M circuit board (ZJ7090)


5.5 Idle feeding of film


 Moving up and down of the mirror and winding operation of film are practiced 4 times each, and "1" is indicated in the film counter.
 Indication such as shown in right figure is indicated in the LCD panel after idle feeding of film.



State	Cause and checking method	Measure
Does not start	(1) Imperfect contact, short circuit, imperfect soldering of OCSW. Measure resistance between MAIN CPU (12) and GND (body). If it is value of mentioned below, OCSW is normal. When rear cover is opned — less than $10 \mathrm{k}\Omega$ When rear cover is closed — $\infty\Omega$ (Remark) If the check mentioned above is alright, items of (2) —(4) is not required to check further.	Repair soldering, clean or replace OC SW (attached to ZJ7037).
	to body Was center 13 Body mount side	
• ·	—— ZJ703600 OCSW —— ZJ703700	
	(2) Imperfect contact of DX connector Check loosing and dirt of DX connector.	Disassemble and clean DX connector.








State	Cause and checking method	Measure
Does not start	(11) Defect of AV motor or AV motor gear unit Apply voltage (about 4V) directly to the AV motor. If the mirror moves up and down, they are normal. When white lead wire of the AV motor is connected to + side, and green lead wire to - side, the mirror moves upwards, and when lead wires are connected to the reverse side, the mirror moves downwards. (Remark) Connection should be removed immediately after completion of moving up and down of the mirror, lest AV motor and gears etc. should break. (12) Defect of M circuit board If trouble is not repaired even by measure mentioned above, replace with pow M signal board.	Replace with new AV motor (ZC6155) or A base plate (ZC6103) Replace with new M circuit board.
Mis-operation a. Film is rewinded.	replace with new M circuit board. (1) Short circuit of RWSW Measure voltage between MAIN CPU (13) and GND (body), if it is 4 ~ 6V, RWSW is normal **Tester (V) Body mount side	(ZJ7090) Reform RWSW or replace with new one. (assembled in ZJ7038)
b. Film is winded only 1 time.	When W3 gear is broken, check mesh condition of W3 gear and 2 gear. If mesh of gears is not adequate, replace with new 2 gear. lower side of the camera 2 gear CF0308	Replace with new W3 gear (ZJ7033)

State	Cause and checking method	Measure
b. Film is winded only 1 time.	(2) Imperfect contact or soldering of WUSW Measure voltage between BP-2 (52) and GND (body), if it is less than 5 ~6mV, WUSW is normal. In this case, items of (3) ~(5) below is not required to check. (Remark) • Voltage should be measured within 30 sec. after turning ON of power SW. • Fil winding should be completed. Complete it by turning the sprocket with fingers, if it is not.	Clean, repair soldering, adjust or replace WUSW. (assembled in ZJ7027)
	uios sur-se califfilition	
	Body mount side	
	(3) Imperfect contact of B1 connector Check loosing and dirt of B1 connector.	Disassemble and clean B1 connector.
	(4) Break of circuit pattern of 8 circuit board Check resistance between B1 connector ① and pink lead wire, if it is less than 5 ~6 Ω, 8-circuit board is normal.	Replace with new 8 circuit board (ZC6129)
	B (consector)	
	Tester 1). Pink lead wire	



State	Cause and checking method	Measure
d. The mirror moves up and down 4 times each, and film is not winded.	(1) Imperfect contact or soldering of MUSW Check resistance between BP-2 (55) and GND (body), if it is less than 5 ~ 6 Ω, MUSW is normal. In this case, items of (2) ~ (4) below is not required to check.	Clean, repair soldering, or replace MUSW (CF0091, ZC6157)
	(2) Imperfect contact of AV connector Check loosing and dirt of AV connector. (3) Break of circuit pattern of AV circuit board Check resistance between MUSW (A) and AV connector (2) MUSW (B) and AV connector (3). If they are less than 5 ~6Ω, AC circuit board is normal.	Disassemble and clean AV connector. Replace with new AV circuit board (ZJ7044)
	Tester 12 AV CIRCUIT SOARD	
	Page Fester 11	

State	Cause and checking method	Measure
d. The mirror moves up and down 4 times each, and film is not winded.	(4) Break of circuit pattern of M circuit board Check resistance between BP-2 (55) and AV connector (3), if it is less than 5 ~6 Ω. M circuit board is normal. AVCONNECTOR S CONNECTOR REAR) (Surface side is AV connector)	Replace with new M circuit board (ZJ7090)
e. Others	(1) Short circuit of W motor ⊕ lead wire and upper plate (ZC6124) Head plate ZCB12400 Outside of lead wires is ⊕ W motor	Reform lead wire or repair soldering.
	(2) Removing of shutter blade Confirm it by seeing. Confirm it in the mirror box too by moving upwards the mirror with fingers.	Repair or replace the shutter. (ZC6135)

State	Cause and checking method	Measure
"1" is not indicated in the film counter.	(1) Imperfect contact of WFSW Measure resistance between black lead wire and purple lead wire shown at below figure, turning SW ring (ZC6118) located under the sprocket. If 0Ω → ∞ is repeated 3 times per 1 rotation of SW ring, WFSW is normal.	Clean or replace WF SW. (assembled to ZJ7027)
	Tester 12	
	(2) Defect of E ² P-ROM When trouble is not repaired in spite of completion of winding film and normal contact of WFSW, E ² P-ROM is defective.	Replace with new DX circuit bord (ZC6122)

5.6 AF range finding

- Range finding starts by pressing the release button by half (turn on DISP SW).

When focusing is set, green LED in the finder is turned on and shutter release is possible.

When object has no contrast such as white wall or has repeating pattern, range finding is impossible, red LED in the finder is turned on and shutter release is locked.

(Remark)


Cause of "Lens cannot operate" in the defect of AF range finding is mainly same as the cause of "Lens cannot be set to ∞ , when reset". So, check whether lens can be set to ∞ or not when the power switch is turned ON. If lens cannot be set to ∞ , item of "Reset, lens cannot be set to ∞ " should be checked first.

State	Cause and checking method	Measure
Range finding is impossible (lens does not operate)	(1) Signal of DISP SW is not input to MAIN CPU Measure voltage between MAIN CPU (10) and GND (body), when shutter release button is pressed by half. If it is 5.5 ~ 5.7V, voltage is allright. (Remark) If the above check is allright, items of (2) ~ (5) below is not required to check further.	Replace with new M circuit board (ZJ7090), when voltage is normal but lens does not operate
	If the above check is allright, items of (2) — (5) below is not required to check further. To body Tester (V) Body mount side	
.	(2) Defect of the grip Check contact condition of DISP SW after removing the grip from the camera. Check resistance between the first contact and the second contact of the grip such as shown in below figure. If it is less than $5\sim 6\Omega$, the grip is normal.	Repair the grip.

State	Cause and checking method	Measure
Range finding (3) Imperfect (is impossible (lens does not (4) Break of ci	 (3) Imperfect contact of B1 connector Check loosing and dirt of B1 connector. (4) Break of circuit pattern of B circuit 8 and DISP SW. If it is less than 5 ~6Ω, B circuit board is normal. 	Disassemble and clean B1 connector. Replace with new B-circuit board (ZC6129)
	Tester ()	
	(5) Imperfect contact of the grip and the camera	Clean contact
	(6) Defect of M circuit board If trouble is not repaired by the above measure, M circuit board is defective.	Repaice with new M circuit board (ZC7090)

State	Cause and checking method	Measure
Range finding is impossible (lens operates).	(1) Removing of the sub-mirror Check it by seeing, moving upwards the mirror with fingers. There are two cases in which the sub-mirror is removed from mirror frame or a spring of the sub-mirror is removed from mirror frame.	Repair or replace M- frame 2 (ZC6102)
	sub-mirror is removed from her here	Reform the hook lest a spring should be removed.
	M FRAME-2 ZC6102	(NW2.1-140P0) between M frame and sub-mirror to improve fitting.
i	(2) Imperfect contact of F1, F2 connector Check loosing and dirt of F1, F2 connector.	Disassemble and clean F1, F2
	(3) Imperfect contact of PIF connector	Connector. Disassemble and
	Check loosing and dirt of PIF connector.	clean PIF connector.
	(4) Defect of PIF circuit board Replace with new circuit board as decision of good or defective is trouble.	Replace with new PIF circuit board (ZJ7045)
<i>•</i>	(5) Defect of AF circuit board When trouble is not repaired by the above measure, AF circuit board is defective.	Replace with new F circuit board 2 (ZC6113)

State	Cause and checking method	Measure
Red LED is turned on in spite of setting of focus.	(1) Defect of assembling F2 connector Circuit patterns of F2 connector ② LEDOK and ③ LEDNG are made short, so red LED is turned on in spite of setting focus and the shutter is not released. Check resistance between two test point shown in below figure. If it is less than 5 ~6Ω. F2 connector is normal.	Disassemble and reassemble F2 connector.
	FIGNINGETOR FIGNI	
naccuracy of range finding.	(2) Imperfect setting finder focus.	Adjust lens focus. Adjust finder focus. Adjust AF




5.7 Mirror up

When the shutter release button is pressed perfectly (green LED in the finder is turned on) after setting focus, diaphragm is set to the value indicated in the finder and the mirror is moved to the top. (Remark)

- Confirm whether the mirror does not move upward or does not move downward in case of stopping halfway of the mirror. If it cannot be confirmed, check both items.
- · Check the item of "diaphragm ring is not returned" in case of non-returning of diaphragm ring.

State	Cause and checking method	Measure
The mirror does not move upward.	(1) Signal of REL SW is not input to MAIN CPU 19 Measure voltage between MAIN CPU 19 and GND (body), when the shutter release button is pressed perfectly. If it is less than 150~160mV, this is normal. (Remark) If the checking above mentioned is allright, the following items of (2)~(6) is not required to check further.	Check the following items of (2) ~ (6).
	(2) Defect of the grip Check REL SW after removing the grip from the camera. Check resistance between No.1 contact and No.3 contact of the grip, when the shutter release button is pressed perfectly. If it is less than 5 ~ 6 Ω, the grip is normal.	Repair the grip.

State	Cause and checking method	Measure
The mirror does not move upward.	(3) Imperfect contact of B1 connector. (4) Break of circuit pattern of B circuit board. Check resistance between B1 connector ⑦ and REL SW (3rd from the top). If it is less than 5 ~6 Ω, B-circuits board is normal. B2connector. B1connector. Tester (1)	Disassemble and clean B1 connector. Replace with new B circuit board (ZC6129)
	(5) Imperfect contact of the grip and the camera	Clean contacts
* 4	(6) Defect of M circuit board If trouble is not repaired by measure mentioned above, M circuit board is defective.	Replace with new M circuit board (ZJ7090)
	(7) Defect of AF range finding If the shutter is released without lens, AF is defective. Check the item of "AF range finding".	Check the item of "AF range finding".



State	Cause and checking method	Measure
The mirror does not move upward.	 (10) Imperfact contact of F2 connector	Disassemble and clean F2 connector. Replace with new M circuit board (ZJ7090)
	(12) Defect of AV motor or AV motor gear unit Connect BP-2 ③7 and GND (body), BP-2 ③9 and MAIN CPU ④1 each. If the mirror moves upward, AV motor and AV motor gear unit is normal. (Remark) Connection should be removed immediately after completion of moving upward of the mirror, lest AV motor and gears etc. should be damaged.	Replace with new AV motor (ZC6103) or A base plate (ZC6103).
	to body (3) William CPU Addition to the control of the control o	
• •	Body mount side	
	(13) Defect of M circuit board If trouble is not repaired by measure mentioned above, M circuit board is defective.	Replace with new M circuit board (ZJ7090).
Defect of diaphragm aperture.	(1) Defect of the lens Check with the normal lens.	Repair the lens.
		!

State	Cause and checking method	Measure
Defect of diaphragm aperture.	(2) Break or stop of gears of AV motor gear unit Check operation of diaphragm ring (ZC8104) by releasing the shutter without the lens. If A point of diaphragm ring can move to this point, this is normal.	Repair or replace A base plate (ZC6103).
	diaphragm ring ZC6104	
	(3) Disconnection of MGA Apply voltage of 3V between red lead wire of MGA (+) and black lead wire (-), and release the shutter. If the mirror moves upward but the diaphragm ring does not move upward, this is normal. (Remark) • Checking should be done without the lens. • When the mirror moves downward diaphragm ring moves upward to the top. This is normal.	Replace with new MG base plate 2 (ZC6156).
	Stabilized 3 V power supply Av ORCUT SQARD P30	
	 (4) Imperfect contact of AV connector Check loosing and dirt of AV connector. (5) Defect of AV circuit board Replace with new board due to trouble of checking. (6) Defect of M circuit board If trouble is not repaired by measure mentioned above, M circuit board is defective. 	Disassemble and clean AV connector. Replace with new board (ZJ7044). Replace with new M circuit board (ZJ7090).

5.8 AE control (EE control)

The first shutter curtain starts running after completion of moving upward of the mirror, and the same time integration starts. Integration will finish after being obtained adequate exposure, and the second shutter curtain starts running.

AE control is continued till completion of running of the second shutter curtain.

EE accuracy in each luminance is shown in the right table.

BV value	EE accuracy (EV)
15	0±0.6
11	0±0.4
7	0±0.4
4	0+0.3
	-0.6

State	Cause and checking method	Measure
The first shutter curtain does not starts to run (the mirror moves upward).	(1) Short circuit of MU SW Measure resistance of MU SW in UP condition of the mirror, if it is less than 5 –6 Ω, MU SW is normal. AV CONNECTOR Tester Ω	Disassemble, clean, reform or replace MUSW (ZC6157, CF0091).
	 (2) Defect of the shutter If the first shutter curtain (gray) does not run when battery is removed from the grip in UP condition of the mirror, the shutter is defective. (3) Defect of M-circiut board 	Replace with new shutter. (ZC6135) Replace with new M
	If the first shutter curtain runs and the second shutter curtain can be seen when battery is removed from the grip in UP condition of the mirror, M-circuit board is defective.	circuit board (ZJ7090).

State	Cause and checking method	Measure
Inactivity of exposure	 (1) Imperfect adjusting or disorder of shutter speed Replace with new shutter, when exposure is normal in low illumination but exposure is inactive in high illumination. (2) Disconnection of MGF, MGS Apply voltage of 4~6V between TV connection ① (+) and ②, ③ (-), and voltage for the shutter is charged. a. The 1st shutter curtain runs and the shutter is opened when TV connector ② is disconnected. b. The 2nd shutter curtain runs and the shutter is closed when TV connector ③ is disconnected. If both checking mentioned above is allright, the shutter is normal. 	Replace with new shutter (ZC6135)
	TVCOMECTOR H TV CRICUIT BORN Stabilizer 4-6V (SHUTTER)	
	→ Voltage for the shutter can be charged by lifting this lever upward	:
	(3) Imperfect contact of TV connector Check loosing and dirt of TV connector.	Disassemble and clean TV connector.

State	Cause and checking method	Measure
Inactivity of exposure	(4) Defect of M circuit board If trouble is not repaired by measure mentioned above, M circuit board is defective.	Replace with new M circuit board (ZJ7090)
The shutter is left opening	 (1) Defect of the shutter Remove a battery from the grip during opening of the shutter. If the shutter is closed, it is normal. (2) Defect of M circuit board If the shutter is normal, the other cause is defect of M circuit board. 	Replace with new shutter. (2C6135) Replace with new M circuit board (2J7090)
Inaccuracy of EE	Confirm existence of M lens by seeing. M lens CF0240	Attach M lens (CF0240)
	(2) Imperfect adjustment (3) Defect of M circuit board If adjustment is impossible, M circuit board is defective.	Adjust EE Replace with new M circuit board (ZJ7090)

5.9 Mirror down

The mirror is returned after completion of the 2nd shutter curtain running, and the diaphragm ring is moved upward to the top first, and it is returned.

State	Cause and checking method	Measure
The mirror does not start to operate (The mirror is in UP condition and the 2nd shutter curtain (black) can be seen. (2) Short circuit of SESW Measure voltage between BP-2 53 and GND (body). If it is 5.5 ~ 5.7V, SESW is normal. (Remark)	Measure resistance of MUSW in condition of stopping of mirror DOWN operation (UP condition). If it is less than 5 ~6 Ω, MUSW is normal.	Disassemble, clean, reform or replace MUSW. (2C6157, CF0091)
	Measure voltage between BP-2_53 and GND (body). If it is 5.5 ~ 5.7V, SESW is normal. (Remark) Voltage should be measured within 30 sec. after releasing of the	Replace with new shutter. (ZC6135)
	Tester (V)	
	Replace with new M circuit board. (ZJ7090)	

State	Cause and checking method	Measure
The mirror stop halfway.	(1) Weak slip torque of A2 gear (ZJ7093) of AV motor Connect green lead wire of AV motor (+), white lead wire (-) to the stabilizer in UP condition of the mirror ino difficulty in condition of stopping of the mirror halfway), and apply voltage between these two point. Increase voltage gradually from OV, and the mirror is returned. Further increase voltage, and A2 gear starts to slip. A2 gear must not slip absolutely halfway in mirror DOWN operation. Furthermore, increase voltage gradually after perfect returning of the mirror, and A2 gear starts to slip again. If voltage at this time is more than 2.5-3V, slip torque is normal. (Remark) Apply voltage of reverse polarity to AV motor to move upward the mirror without removing fixing with the front casting. A2 gear should not be slipped for a long time (within 2-3 sec.) least springs and washers etc. should be burned out.	Replace with new A2 gear. (ZJ7093)

State	Cause and checking method	Measure
Diaphragm ring is not returned	(1) Signal of AVSW is not input to BP-2 (54) Measure voltage between BP-2 (54) and GND (body). If it is less than 50 ~60mV, this is normal. If it is 5.5 ~5.7V, check the following items of (2) ~(4). (Remark) • Voltage should be measured within 30 sec. after releasing of the shutter.	Check the following items of (2) ~(4).
	• Measure voltage during absence of diaphragm ring. **Tester (V) **Body mount side**	
	(2) Imperfect contact of AVSW Measure resistance of AVSW. If it is less than 5 –6 Ω, AVSW is normal. Tester Ω	Clean or replace AVSW (CF0245, CF0246)
	(3) Imperfect contact of S connector Check loosing and dirt of S connector. (4) Break of circuit pattern of S circuit board Check resistance between S connector (4) and AVSW. If it is less than 5 ~6 Ω, S circuit board is normal.	Disassemble and clean S connect. Replace with new S circuit board. (CF0707)

State	Cause and checking method	Measure
Diaphragm ring is not returned	(5) Imperfect fitting of the diaphragm ring and A8 gear When "V" mark of A6 gear 1 is located at the position shown in the following figure, perfect fitting condition is as follows.	Correct fitting
	A6 geer 1 ZC6153	
	A base plate ZJ7040 Diaphragm ring ZC5104	
	Gap should be within 1 mm	

5.10 Winding

1 frame of a film is wound after completion of mirror DOWN operation. (Remark)

Idle feeding should be normal.

State	Cause and checking method	Measure
Delay of timing	(1) Short circuit of AVSW Measure voltage between BP-2 (54) and GND (body). If it is less than 50 ~60mV, AVSW is short circuit condition. And if it is 5.5 ~5.7V, AVSW is normal. (Remark) Voltage should be measured within 30 sec. after releasing of the shutter. The diaphragm ring should be returned.	Disassemble and clean or replace AVSW (CF0245, CF0246)
	Body mount side	
R mark is turned on in the course of winding.	The spool does not rotate. Break or lack of 52 gear, 6 gear, spool. 52 gear CF0378 6 gear CF0380	Replace or fill up 52 gear (CF0378), 6 gear (CF0380), spool washer (ZJ7031)
	spool washer ZJ7031	

State	Cause and checking method	Measure
R mark is turned on in the course of winding.	(2) Imperfect contact of WFSW Measure resistance between black lead wire and purple lead wire shown in the following figure, rotating SW ring (ZC6118) under the sprocket. If ΘΩ ~∞Ω is repeated 3 times per 1 rotation of SW ring, WFSW is normal.	Clean or replace MFSW. (assembled to ZJ7027)
	DC/DC convertor Black lead wire Purple lead wire	
	Tester (t	
	SW ring ZC6118	
	(3) Imperfect contact of MUSW Measure resistance between pink lead wire and GND (body). If it is less than $5\!\sim\!6\Omega$, MUSW is normal. (Remark) Film winding should be completed.	Clean, adjust or replace WFSW. (assembled to ZJ7027)
	Pink lesd wire to body DC/DC convertor Tester 11	
	Lower side of the camera	

5.11 Film counter

Figure of film counter indicated in the LCD panel should be increased one by one every time 1 frame is wound, and the figure should be indicated despite turning OFF of the power SW. And R mark is indicated end of the film.

State	Cause and checking method	Measure
Film counter is not advanced	(1) Imperfect contact of WFSW Measure resistance between black lead wire and purple lead wire shown in the following figure, rotating SW ring (ZC6118) under the sprocket. If OΩ ~∞Ω is repeated 3 times per 1 rotation of SW ring, WFSW is normal. DC/DC convertor Black lead wire Purple lead wire	Clean or replace WFSW. (assembled to ZJ7027)
When the power SW is turned OFF, the former figure is not indicated.	(1) Defect of E2PROM Replace with new DX circuit board. (2) Defect of M circuit board If trouble is not repaired despite replacing of DX circuit board, M circuit board is defective.	Replace with new DX circuit board (ZC6122) Replace with new M circuit board. (ZJ7090)

5.12 Rewinding

Rewinding starts by pressing R button, and winding operation is done 1 time after completion of rewinding, and film counter is reset to 0.

State	Cause and checking method	Measure
Rewinding is impossible (motor rotates)	(1) Break of R3 gear Confirm it by seeing after removing the bottom plate. R3 gear ZJ7034	Replace with new R3 arm. (ZJ7034)
	(2) Imperfect fixing of R9 shaft and R9 gear R9 gear should not slide around R9 shaft. R9 gear is located under DX circuit board. R9 gear ZC5164	Replace with new R9 gear. (ZC6164)

State	Cause and checking method	Measure
Rewinding is impossible (motor does not rotate)	(1) Imperfect contact of RWSW Measure voltage between MAIN CPU (13) and GND (body) when R button is pressed. If it is less than 5 ~6mV, RWSW is normal. (Remark) The rear cover should be closed.	Clean or replace RWSW. (assembled to ZJ7038)
	80dy mount side (2) Defect of M circuit board If rewinding does not start despite normal state of RWSW, M circuit board is defective.	Replace with new M circuit board (ZJ7090)

6. TROUBLE SHOOTING CONCERNING THE FLASH


6.1 When the Flash grip 300 (AGP-12) is used

· Charging starts by pop-up of the Flash luminous section, and " 4" mark is turned on in the finder after completion of chargin, (charging lump is turned on) When environment illumination is darker than that of adequate shutter speed of 1/100 in natural illumination, shutter speed is fixed to 1/100, and exposure value is decided by GNo/Distance. (refer to 1) of the right figure)

When environment illumination is more bright than that of 1/100, shutter speed is same as the ordinary programed EE, and the Flash does not operate. (refer to (2) of the right figure)

(Remark)

The Flash grip is charged only during turning on of LCD in the finder, and is not charged during turning off of LCD.




(when AZ-3570 is used)

State	Cause and checking method	Measure
The flash is not charged	Make pop-up of illuminous section, and make short circuit between 2 contacts. If the Flash is charged, it is normal.	
•	 (2) Imperfect contact of the camera body and the grip or imperfect fitting. Check fitting condition and dirt of contacts. (3) Imperfect contact of B1 connector Check loosing and dirt of B1 connector. 	Clean contacts or repair fitting. Disassemble and clean B1 connector

State	Cause and checking method	Measure
cannot be charged	(4) Break of circuit pattern of B circuit board Check resistance between B1 ② connector and CHG. If it is less than 5 ~6 Ω, B circuit board is normal. B2comector B1 CREAT SOLUTION Tester Ω Tester Ω	Replace with new B circuit board. (206129)
	(5) Defect of M circuit board If trouble is not repaired even by measure mentioned above, M circuit is defective.	Replace with new M circuit board (ZJ7090)
cannot be flashed	(1) "ON" signal of XSW is not input. Release the shutter, after setting PF (power focus) mode and attaching the lens cap. If it is less than $5 \sim 6\Omega$, this is normal. (Remark) If check mentioned above is allright, the following items of (2) \sim (4) is not required to check.	Check the following items of (2) ~ (4).
	Body mount side (2) Imperfect contact of TV connector Check loosing and dirt of TV connector.	Disassemble and clean TV connector.

State Cause and checking method Measure cannot be (3) Imperfect contact of XSW Clean XSW, or replace flashed Check resistance between TV connector (4) and GND (body) in with new shutter. condition after completion of running of the front curtain, and also (ZC6135) check it in condition of completion of shutter releasing voltage. If the former is 0 Ω and the later is $\infty \Omega$, XSW is normal. to body TVCOMECTOR Tester It TV CIRCUIT BOARD (4) Defect of M circuit board Replace with new M If "ON" signal of XSW is not input despite normal condition of items circuit board. of (2) ~(3), M circuit board is defective. (ZJ7090) (5) Defect of the Flash grip Repair the Flash grip 000000 When the lever is lifted upward, releasing shutter voltage is charged. And the front curtain running is completed by releasing the lever. (6) Imperfect contact or fitting between the camera body and the grip Clean contacts or Check fitting condition and dirt of contacts. repair fitting. (refer to P-6) (7) Imperfect contact of B1 connector Disassemble and Check loosing and dirt of B1 connector. clean B1 connector.



State	Cause and checking method	Measure
" 7" mark is not turned on in the finder	(2) Defect of the Flash grip Measure voltage between 2 contacts shown in the following figure. If it is same as the battery voltage (about 6V), the Flash grip is normal.	Repair the Flash grip.
	 (3) Imperfect contact or fitting between the camera body and the grip Check fitting condition and dirt of contacts. (4) Imperfect contact of B1 connector Check loosing and dirt of B1 connector. (5) Break of circuit pattern of B circuit board Check resistance between B1 6 connector and RDY. If it is less than 5 ~6 Ω, B circuit board is normal. 	Clean contacts or repair fitting. (refer to P-6) Disassemble and clean B1 connector. Replace with new B circuit board. (ZC6129)
	B2CONNECTOR CLR SN D B ICONNECTOR Tester \$1	
	(6) Defect of M circuit board If RDY signal is not input to MAIN CPU (7) despite normal condition of (2) ~(5) mentioned above. M circuit board is defective.	Replace with new M circuit board. (ZJ7090)

State	Cause and checking method	Measure
" \$ " mark is not turned on in the finder	(7) Imperfect contact of FD1, FD2 connector Check loosing and dirt of FD1, FD2 connector.	Disassemble and clean FD1, FD2 connector.
	(8) Defect of FD circuit board Replace with new FD circuit board.	Replace with new FD circuit board. (ZC6161)
	(9) Defect of M circuit board If trouble is not repaired even by replacing of FD circuit board, M circuit board is defective.	Replace with new M circuit board. (ZJ7090)
Exposure reduce to the lowest value some times	(1) Defect of M circuit board Replace with new M circuit board, when exposure reduce to the lowest value sometimes in case of using the Flash grip. (Remark) Replace with new M circuit board with ROM 3 surely.	Replace with new M circuit board. (ZJ7090)


6.2 When F280 is used

Flash is fired.

· When environment illumination is darker than that of adequate shutter speed of 1/60 in natural illumination after completion of charging of F280, " § " mark is turned on in the finder, and shutter speed is fixed to 1/100, diaphragm value is fixed to F4 (when 4) opening F value of the lens is darker than F4, it is fixed to Fivalue), TTL direct measuring is adopted. (region of (1) in the right figure) And when environment illumination is more bright a than 1/60, "44" mark is turned on in the finder. shutter speed and diaphragm value are decided ac-

(region of (2) in the right figure)

- · Firing by the Flash grip should be allright.
- · F280 should be set to "NORMAL".



Program Diagram of the Flat firing Flash (when AZ-3570 is used)

State	Cause and checking method	Measure
cannot be	(1) Imperfect contact of FL connector	Disassemble and
fired	Check loosing and dirt of FL connector.	clean FL connector.
	(2) Defect of FL circuit board	Replace with new FL
	Replace with new FL circuit board.	circuit board.
		(ZC6168)
	(3) Defect of M circuit board	Replace with new M
	If trouble is not repaired even by replacing of FL circuit board. M	circuit board.
	circuit board is defective.	(ZC7090)
Flash control	(1) Imperfect contact of FL connector	Disassemble and
is impossible	Check loosing and dirt of FL connector.	clean FL connector.
	(2) Defect of FL circuit board	Replace with new FL
	Replace with new FL circuit board.	circuit board.
	·	(ZC6168)
	(3) Defect of M circuit board	Replace with new M
	If trouble is not repaired even by replacing of FL circuit board, M	circuit board.
	circuit board is defective.	(ZJ7090)


State	Cause and checking method	Measure
The Flash can not be fired when " 4 " mark is turned on, in illumination of between " 4 " mark and " 44" mark.	(1) Difference of indication in the finder and actual exposure time is shorter than the other) As exposure complete signal is earlier than XSW ON signal in such illumination as "\$\forallefte{f}\] mark is about to switched to "\$\forallefte{f}\] mark of indication in the finder, the flash cannot fire. Both EE and indication should be adjusted to inclination of plus within specification, when repaired. (Remark) Confirm that the Flash does not fire in 1/125 with the Flash grip after adjusting.	Adjust indication and EE.

7. TROUBLE SHOOTING CONCERNING FILM SCRATCH

7.1 A film is scratched at end of it when 36 EXP film is used.

Cause...... A film is scratched by contacting the guide spring A of rear cover side to film base.


Measure...... Attach the guide spring A to reverse direction, and also attach the SK roller 2 as addition.



7.2 A film base is scratched

Cause..... F guide A, F roller A, F roller B or pressing plate are scratched.

Measure..... Replace with new F guide A etc.




8. TROUBLE SHOOTING CONCERNING MODE SWITCHING

Operation Mode of this camera is as follows.

- · AF/PF
- 🐓 F4
- DRIVE (SINGLE, CONT.)
- · SELF TIMER
- AE LOCK
- · PF/PROGRAM SHIFT
- · RESET

When each point on the M circuit board in the figure shown below and GND (body) are made short circuit respectively,

- a. Mode is switchedImperfect contact of each switch




Trouble shooting concerning battery consumption for a short time Consumed current


•	Power SW is turned OFF	:	less than 1µA
	Power SW is turned ON (during indication by LCD in the F)		90 ±35 mA
٠	Power SW is turned ON (during non-indication by LCD in the F)	:	30 ±30µA
	during film winding		450±150 mA
•	during film rewinding	:	400±120 mA
•	during AF operation (AS5018 is used)		330±100 mA
•	during operation of mirror and diaphragm	:	500±150 mA

Checking method

(1) Reform the battery cover of the grip as shown in the below figure, and make the jig.





(2) Load the battery into the grip and attach the cap (shown in the above) to it, then connect it to the tester as shown in the below figure.



(Remark)

- · Before checking consumed current of the camera, check the grip as single type. If the grip is defective, repair it.
- · Battery consumption for a short time has not been occured at this stage except Imperfect adjustment of battery checking voltage of M circuit.
- The specification and checking method only are described here.






4


5


9800


ADS I CIRCUT DIAGRAM

2.5









ADS I CIRCUIT DIAGRAM (TYPE2)

